

NEW MODEL 600mm FORGED HANDLE **BOLT CUTTERS**

- · Two stage heat treated precision machined jaws for extended cutting and resilience
- Adjustable Arms
- · Solid forged steel handles
- Non-slip comfort rubber grips
- Built in stops for added safety (TM600-060)





350mm COLD CUT T.C.T. SAW

- Cuts through RHS steel up to 120mm x 120mm Offers an accurate, fast & clean cold cut • 3HP, 240V motor
- Single speed 1450rpm 90° 45° swivel vice Supplied with T.C.T. mild steel blade (S14)





• Ideal for commercial applications • Cast iron cylinder pump with aluminium head • Filter regulator • Large 50L tank • FAD 318 L/min • 240v 15amp (TM351-30050)

INDUSTRIAL SERIE



HOLEMAKER PRO 35

• Quality, Compact & Robust European Made Machine • Lightweight, only 10kg! Ideal for onsite & overhead tasks • Capacity (diameter) 35mm • Capacity (depth) 52mm • Gravity feed coolant system with magnetically attached bottle • Comes complete in plastic carry case (HMPRO35)



- · Lightweight Only 1.7KG!
- Powerful 1650Nm (1200ft-lb) Max Torque!
- 25mm Bolt capacity 4.8 CFM Air consumption
- Magnesium composite body
- New patented EZ grease anvil (M7-NC4255QH)



- Chrome molybdenum steel collet 3 Jaw system
- 5 Nozzles: 3.2mm, 4.0mm, 4.8mm, 6.0mm & 6.4mm
- Premium quality Alloy body & Rubber grip handle (TM620-008)



Holemaker Drill Doctor.
The Drill Bit Sharpener



Ehoma



THOIR TRADEMASTER MACC



ITM COMPRESSOR RANGE FEATURES

- Durable copper wound motors
- Full brass non-return valve
- Soft start valve
- Condor pressure switches
- 145psi (10 Bar) maximum pressure
- AS1210 Approved tanks
- Thermal overload protection
- Includes filter regulator with one-touch
- "Nitto style" couplers
- 200mm Solid rubber wheels
- 3 year pump warranty



2.5HP DIRECT DRIVE AIR COMPRESSOR

\$499

• Ideal builder's compressor • Single cast iron cylinder pump with aluminium head • Filter regulator • 240v 10amp

• Large 50L tank • FAD 175 L/min (TM350-25050)



2.2HP BELT DRIVE **AIR COMPRESSOR**

• Ideal builder's compressor • V Twin cast iron cylinder pump with aluminium heads • Filter regulator • 240v 10amp

• Large 50L tank • FAD 185 L/min (TM351-22050)



AIR COMPRESSOR - 60L

- V Twin cast iron cylinder pump with aluminium heads
- Filter regulator 240v 10amp Large 60L tank
- FAD 257 L/min (TM351-25060)



2.5HP BELT DRIVE **AIR COMPRESSOR - 90L**

- V Twin cast iron cylinder pump with aluminium heads
- Filter regulator 240v 10amp Large 90L tank
- FAD 257 L/min (TM351-25090)



3HP BELT DRIVE AIR COMPRESSOR - 50L

sggg

• Ideal for commercial applications • Cast iron cylinder pump with aluminium head • Filter regulator • Large 50L tank • FAD 318 L/min • 240v 15amp (TM351-30050)



• Ideal for commercial applications • Triple cast iron cylinder pump with aluminium heads • Filter regulator • 60L tank • FAD 328 L/min • 240v 15amp (TM351-30060)



AIR COMPRESSOR - 90L

- Ideal for commercial applications Triple cast iron cylinder pump with aluminium heads • Filter regulator
- 90L tank FAD 328 L/min 240v 15amp (TM351-30090)



5.5HP PETROL BELT **DRIVE AIR COMPRESSOR - 60L**

• Powered by Honda GX160 5.5HP engine • HD cast iron cylinder with aluminum head • Filter regulator • Large 60L tank • FAD 355 L/min (TM352-55060)



5.5HP 3 PHASE, 200L STATIONARY AIR COMPRESSOR

• Ideal for commercial workshops • Twin cast iron cylinder pump with aluminium head • Soft start • Large 200L tank • FAD 507 L/min (TM353-55200)



STATIONARY AIR COMPRESSOR

• Ideal for commercial workshops • Triple cast iron cylinder pump with aluminium head • Soft start • Large 270L tank • FAD 704 L/min (TM353-75270)



10HP 3 PHASE, 270L STATIONARY AIR COMPRESSOR

• Ideal for commercial workshops • Triple cast iron cylinder pump with aluminium head • Soft start • Large 270L tank • FAD 1143 L/min (TM353-10270)





PVC AIR HOSE - UNFITTED

- Durable PVC Grease, oil & abrasion resistant
- Non-marking Max pressure: 300 PSI
- Hose I.D.: 10mm (3/8")

Length	Part No.	Price
20M	TM300-120	\$37
30M	TM300-130	\$52



PVC AIR HOSE - FITTED

- Durable PVC Grease, oil & abrasion resistant
- Nitto style fittings Kink proof collar Max pressure : 300 PSI • Hose I.D.: 10mm (3/8")

procedure : 000 r or 11000 i.b				
Length	Part No.	Price		
10M	TM300-210	\$30		
20M	TM300-220	\$45		
30M	TM300-230	\$60		





HIGH-FLEX AIR HOSES

• Hybrid polymer High-Flex hose • Anti-kink technology, the hose will not kink when under pressure • Superior all weather flexibility -5°C to 65°C • Kink proof collar • 300PSI maximum working pressure • Hi-visibility for safety • Hose I.D.: 10mm (3/8")

Length	Part No.	Price
15M	TM300-315	\$49
30M	TM300-330	\$79



15M HOSE REEL

• Reinforced PVC air hose • Auto retractable • Auto lock to any length • Auto track guided hose laying system • Hose length: 15m • Hose I.D.: 10mm (3/8") (TM300-015)



20M HOSE REEL

• Hybrid high-flex air hose • Anti-kink technology Auto lock to any length • Auto retractable • Hose length: 20m • 10mm (3/8") • Hi-visibility for safety (TM300-020)



30M HOSE REEL

• Braided PU hose • Manual rewind • Heavy duty steel frame • Kink-proof collar on hose • Hose length: 30m • Hose I.D.: 8mm (TM300-030)



COMPOSITE IMPACT WRENCH 1/2" DRIVE

 Aluminium composite material construction • Heavy duty twin hammer • 3 torque settings • 820 Nm (625 ft-lb) Max torque • 6,800rpm Free speed • 190 L/min Average air consumption (TM340-136)



COMPOSITE IMPACT WRENCH 3/4" DRIVE

· Aluminium composite material construction • Heavy duty twin hammer • 3 torque settings • 1,200 Nm (885 ft-lb) Max torque • 4,200rpm Free speed • 190 L/min Average air consumption (TM340-145)



HYDRAULIC RIVETER

• Sets rivets up to 6.4mm steel and 4.8mm stainless steel • Traction Power: 3,086lb (1400kg) • Stroke Length: 16mm (TM340-802)



DIE GRINDER

• Compact design • Rear 4 speed regulator • Length: 173mm • Free speed: 25,000rpm (TM340-312)



AIR DRILL 3/8" DRIVE

- · Quick change keyless chuck
- Adjustable auxiliary handle Free speed: 2,200rpm (TM340-724)



AIR DRILL 1/2" DRIVE

• Quick change keyless chuck • Adjustable auxiliary handle • Free speed: 700rpm (TM340-734)



AIR HAMMER KIT

• Includes 5pce chisel kit • Blows per minute: 3000bpm • Stroke: 66mm (TM340-404)



NEEDLE SCALER

- · Heavy duty metal construction
- Blows per minute: 2800 Stroke: 24mm • Length: 315mm (TM340-414)

M7



3/8" IMPACT WRENCH

- Butterfly style 0.8KG Weight 92.1DB Noise level • 159mm length • 100Nm (75ft-lb) Max torque • 10mm
- Bolt capacity 2.5 CFM Air consumption (M7-NC3410)

M7



3/8" MINI IMPACT WRENCH

- Lightweight Only 1.5KG! Low noise level - Only 85DB! • Compact size - Only 115.5mm length!
 • Powerful - 470Nm (350ft-lb)
- Max torque! 13mm Bolt capacity
- 4.4 CFM Air consumption (M7-NC3610Q)



M7

\$295

1/2" MINI **IMPACT WRENCH**

• Lightweight - Only 1.6KG! • Low noise level - Only 85DB! • Compact size - Only 115.5mm length! • Powerful - 500ft-lb Max torque! • 16mm Bolt capacity • 4.4 CFM Air consumption (M7-NC4610Q)



M7



- High quality & specs • 25mm Bolt capacity • 4.8 CFM Air consumption

 Magnesium composite body • New patented EZ grease anvil . (M7-NC4255QH)



\$420

1/2" IMPACT WRENCH

• Lightweight - Only 1.8KG!

· Compact size - Only 141mm length!

 Powerful - 1500Nm (1100ft-lb) Max torque! • 25mm Bolt capacity

• 5.1 CFM Air consumption

 Extra heavy duty twin hammer (M7-NC4256Q)



M7

\$585

COMPACT METAL BODY 3/4" IMPACT WRENCH

Lightweight - Only 2.68KG!Low noise level - Only 83DB!

• Powerful - 1650Nm (1200ft-

lb) Max torque! • Compact - Only 171mm length • 25mm

Bolt capacity • 5.5 CFM Air consumption (*M7-NC6236Q*)



M7



Bolt capacity • 4.8 CFM Air

consumption (M7-NC6255Q)

\$899

 m_7

SUPER DUTY 3/4" IMPACT WRENCH

• Lightweight - Only 3.0KG!

Low noise level - Only 88DB!

• Powerful - 2000Nm (1500ftlb) Max torque! • Super Duty -Designed for the commercial tyre industry • 30mm Bolt capacity

• 5.9 CFM Air consumption (M7-NC6266)

 m_7



3/4" IMPACT WRENCH

- 2000Nm (1500ft-lb) Max torque! 27mm Bolt capacity
- 6.34 CFM Air consumption 320mm Overall length
- 5.7KG 106dB Sound pressure (M7-NC6218)



<u>m7</u> \$2015 1" IMPACT WRENCH

• 3650Nm (2710ft-lb) Max torque! • Lightest 2500+ ft-lb impact wrench in the world • Mighty spring in the cylinder increases the air efficiency • 39.7mm Bolt capacity • 15.9 CFM Air consumption • 370mm Overall length • 100dB Sound pressure • 11KG (M7-NC8382)



1" IMPACT WRENCH

• 3650Nm (2710ft-lb) Max torque! • Lightest 2500+ ft-lb impact wrench in the world • Mighty spring in the cylinder increases the air efficiency • 39.7mm Bolt capacity • 15.9 CFM Air consumption • 570mm Overall length • 100dB Sound pressure • 12.5KG (M7-NC8382-8)





• 4750Nm (3500ft-lb) Max torque! • 2" (50mm) Bolt capacity • 19.7kg Weight • 104.5 dBA Noise • Available with 8" anvil (M7-NC9223)





MINI RATCHET WRENCHES

• Max torque at 5 seconds : 30Nm (22 ft-lb) • Net weight : 0.5kg • Overall length : 125mm

M7-NE251R 1/4" drive \$175

M7-NE351F 3/8" drive \$185

m7



RATCHET WRENCHES

• Max torque at 5 seconds : 80Nm (60 ft-lb) • Net weight : 1.22kg • Overall length : 265mm

M7-NE332 3/8" drive \$175

M7

M7-NE432 1/2" drive \$170









\$129

\$795

SAND RAMMER

• Rubber butt diameter : 40mm • Stroke : 60mm • Length : 337mm • Weight : 2.1kg (B00A)

^{\$}1499

SAND RAMMER

• Rubber butt diameter : 70mm • Stroke : 120mm

• Length : 1134mm • Weight : 9.0kg (F2)

75MM AIR CORNER CUT OFF TOOL

Cutting wheel not included

• Free speed: 20000 RPM • Net weight: 0.8kg • Motor: 0.9 HP • Excellent for cutting rusted bolts, nuts, motor exhaust clamps or hangers, sheet metal, fibreglass etc. (M7-QC213)

7

EXTRA HEAVY DUTY AIR ANGLE GRINDERS

• Free speed: 11000 RPM • Net weight: 1.81kg • Available with imperial or metric spindle sizes • Safety lever throttle • 1.3 HP motor for stall resistance • Reversible flange suitable for use with thin cut off wheels • One piece housing reduces maintenance costs • Heavy duty air cooled spiral gears and double bearings for durability

M7-QB7114M 100mm Diameter M10 x 1.5 Spindle \$435 M7-QB7245M 112mm Diameter M14 x 2.0 Spindle



ANGLE

Grinding wheel not included



LEVER THROTTLE AIR ANGLE GRINDERS

• Free speed: 11000 RPM • Spindle size: 3/8"-24 • Net weight: 1.81kg
• Safety lever throttle • 0.78HP motor

for stall resistance

M7-QB114 100mm Diameter \$365

M7-QB115 125mm Diamete \$365



Grinding wheel not included



180MM AIR ANGLE GRINDER

 Free speed: 7000 RPM • Spindle size: 5/8"-11 • Net weight: 3.1kg • Extra heavy duty • Safety lever throttle
 2.2HP motor • Extra quiet 77 dBA (M7-QB197Q)



• Free speed: 4500 RPM • Spindle size: 5/8"-11 • Water hose length: 3m • Air hose length: 3m • Net weight: 2.2kg • Valve throttle type (M7-QB603)



50MM MINI AIR ANGLE GRINDER

• Free speed: 19000 RPM • Rated power: 0.4 HP • Net weight: 0.52kg • Mini size, only 160mm length • Comes with sanding pad (M7-QB623)



AIR HYDRAULIC RIVETER

- Traction power: 2303 lbf
- Alloy rivet : 3/16" Steel rivet
- : 3/16" Stainless rivet : 5/32" • Stroke length: 16mm • Net
- weight: 1.5kg (M7-PA301)



m

M7

\$559

AIR HYDRAULIC **RIVETER**

- Traction power : 3534 lbf Alloy rivet : 1/4" • Steel rivet : 1/4"
- Stainless rivet : 3/16" Stroke length: 14mm • Net weight: 1.8kg (*M7-PA201*)



AIR HYDRAULIC **RIVETER**

- Traction power: 3748 lbf
- Alloy rivet : 1/4" Steel rivet :
- 1/4" Stainless rivet: 1/4" • Stroke length : 18mm • Net weight : 1.75kg (*M7-PA211*)



m7



AIR HYDRAULIC **RIVET NUT TOOL**

- Traction power: 3638 lbf
- Stroke length : 9mm Net weight: 1.5kg • Comes with mandrel sizes: M4, M5, M6, M8 & M10 • Suitable for use with: Steel M4 - M10, Stainless steel

M4 - M8 (M7-PB2402)







RIVETER ATTACHMENT

• Nose Piece : 3/32" (2.4mm), 1/8" (3.2mm), 5/32" (4.0mm), 3/16" (4.8mm) • Net Weight: 0.3kg • Hex Shank: 1/4" • For use with 3/8" cordless drills (M7A-PA9048P)



M7



RIVET NUT ATTACHMENT

- Nose Piece: M3, M4, M5, M6 • Net Weight: 0.28kg • Hex
- Shank: 1/4" For use with 3/8" cordless drills • (M7A-PB9006P)





\$385

AIR BELT SANDER 20 X 520MM

• Free speed : 16000 RPM • Net weight : 1.40g (M7-QB322)



AIR HAMMER SET

• Blows per minute : 3200 BPM • Shank : Round 10.2mm • Air hammer (M7-SC211C) • 5pcs Chisel kit • Spring retainer (M7-SC0517C)





• Hex shank • Shank size : 0.58" (15mm) • Forged steel body provides industrial level quality and durability

Blows Per Minute	Stroke Length	Overall Length	Part No.	Price
2300	78mm	373mm	M7-SN3222	\$869
1900	119mm	419mm	M7-SN3223	\$935
1700	142mm	142mm	M7-SN3224	\$1195





3/8" AIR DRILL

- Chuck size: 3/8" Free speed: 1800 RPM • Air requirement : 4.0CFM
- Length :185mm Sound pressure : 83DB • Net weight : 1.1kg • Quiet operation • Keyless chuck • Reversible (M7-QE831)





 m_7



- Stroke length: 10mm Quick change saw blade holder
- 5 piece file set and 12 saw blades are included
- · Adjustable guard / guide controls depth of cut precisely
- Air saw tool 6x 24T saw blades 6x 32T saw blades
- Allen key: 4mm, 3mm File set Mini oiler 1/4" (M7-QD291N)

• Reversible (M7-QE841)

AIR TOOLS



<u>7</u>



MINI AIR DIE GRINDER

- Free speed : 25000 RPM Rated power : 0.3 HP
- Length: 155mm Net weight: 0.38kg

M7-QA111A Collets : 6mm & 3mm **\$11**0 M7-QA111B Collets : 1/4" & 1/8" **\$11**0 **M7**



^{\$}145

AIR DIE GRINDER

- Collets: 1/4" & 1/8" Free speed: 20000 RPM Rated power: 0.9 HP Length: 190mm Net weight: 0.65kg
- Heavy duty model (M7-QA211B)
- Die grinder with 6mm collet also available

<u>m7</u>



90° ANGLE HEAD AIR DIE GRINDER

\$169

• Collets : 1/4" & 1/8" • Head height : 73mm • Free speed : 19000 RPM • Rated power : 0.3 HP • Net weight : 0.51kg (M7-QA611B)

M7



\$215

EXTENDED AIR DIE GRINDER

 Length: 235mm • Collets: 1/4" & 1/8" • Free speed: 25000 RPM • Rated power: 0.3 HP • Net weight: 0.58kg (M7-QA313B) <u>m7</u>



\$229

EXTENDED AIR DIE GRINDER

• Length : 280mm • Collets : 1/4" & 1/8" • Free speed : 25000 RPM • Rated power : 0.3 HP • Net weight : 0.63kg (M7-QA315B)

<u>m7</u>



\$175

AIR ENGRAVING PEN

• Blows per minute : 13000 BPM • Net weight : 0.23kg (M7-QA511)



• Capacity: 1L • Net weight: 0.47kg • Suitable for applying degreasant and cleaning agents • Lance with adjustable nozzle with cone (M7-SX3202)

\$**/**].au

ENGINE CLEANING GUN

• Cup capacity : 1L • Net weight : 0.5kg • Composite body (M7-SX1615)

m7

\$**76**.50

GRIT BLASTING GUN

• Capacity: 1L • Net weight: 0.57kg • For removing rust, old paint and ingrained dirt etc. • Adjustable nozzle • Hanger hook (M7-SX3101)



• Vacuum level : 7.5mmHg • Net weight : 0.67kg

• Can be used as blow gun or air vacuum gun • Use for suction of dust, wood chips, metal shavings, glass etc. • 6 piece set (M7-WG202)

[17]



\$259

AIR SAUSAGE CAULKING GUN

• Capacity : 600ml sausage • Net weight : 1.21kg (M7-SK1131)



Net weight : 1.1kg • Ergonomic design for comfortable operation (M7-SK1010)





AIR FLUX CHIPPER

• Blow per minute : 4000 BPM • Shank size : Square 0.510" (13mm) • Net weight : 1.33kg (M7-SN1032)



AIR PISTOL NEEDLE SCALER

• Blows per minute : 3700 BPM • Net weight : 2.8kg • Needle size : 3 x 180mm (19 per set) • Overall length : 330mm (M7-SN2110)



AIR NEEDLE SCALER



• Blows per minute : 5500 BPM • Net weight : 1.3kg

• Needle size : 3 x 123mm (12 per set) • Overall length : 290mm (M7-SN1288)



CHISEL ATTACHMENT

• For use with M7-SN1288 Air Needle Scaler • Includes nut, chisel and spring (M7A-SN1288CHKIT)



- Blows per minute : 4000 BPM Net weight : 3.6kg
- Needle size : 3 x 180mm (24 per set) Springless design for superior performance (M7-SN2124)



• Blows per minute: 3500 BPM • Net weight: 2.8kg Needle size : 3 x 180mm (28 per set) • Springless design for superior performance (M7-SN2128)

M7

SPIRAL SPRING BALANCERS

· Features a sturdy metal casing

Capacity	Travel Length	Cable Diamater	Part No.	Price
5 - 9kg	1.3m	4.0mm	M7-SP3090	\$439
9 - 15kg	1.3m	4.0mm	M7-SP3150	\$479
15 - 22kg	1.5m	4.8mm	M7-SP3220	\$945
22 - 30kg	1.5m	4.8mm	M7-SP3300	\$1019
30 - 40kg	1.5m	4.8mm	M7-SP3400	\$1539
40 - 50kg	1.5m	4.8mm	M7-SP3500	\$1625
50 - 60kg	1.5m	4.8mm	M7-SP3600	\$1735
60 - 70kg	1.5m	4.8mm	M7-SP3700	\$1869







MANUAL PULSE TYPE

• Capacity: 450g cartridge or 500g bulk • Net weight: 1.46kg • Bulk & cartridge type (M7-SG500)



AIR GREASE GUN CONTINUOUS FULLY AUTOMATIC TYPE

- Capacity: 450g cartridge or 500g bulk Working pressure: 40 - 90psi • Output volume: 288ml/min
- Net weight : 1.6kg Bulk & cartridge type Heavy duty cast aluminium body for maximum durability
- Includes 305mm flexible hose (M7-SG501)

M7

SPRING BALANCERS

 The spring balancers will retract when released and tension will be higher the longer the wire is dragged out. The balancer is equipped with an automatic safety drum lock in case of spring failure.

Capacity	Travel Length	Cable Diamater	Part No.	Price
0.3 - 0.85kg	1.6m	2.5mm	M7-SP101	\$58.50
0.6 - 1.5kg	1.6m	2.5mm	M7-SP102	\$58.50
1.0 - 2.0kg	1.6m	2.5mm	M7-SP103	\$58.50
1.5 - 3.0kg	1.5m	3.2mm	M7-SP104	\$89.50
3.0 - 5.0kg	1.5m	3.2mm	M7-SP105	\$108.00



Star[®]

S770-S SERIES

• Pot size : 1000ml • Includes : Gun, pot, stainless steel nozzle and needle • A popular conventional high pressure spray gun that provides extremely fine atomisation for the D.I.Y. person to the professional • For applications such as automotive spraying

			_
Nozzle Size	Spray Pattern	Part No.	Price
1.5mm	235mm	S770-11S	\$149
1.7mm	245mm	S770-21S	\$149
2.0mm	260mm	S770-31S	\$149
2.5mm	275mm	S770-41S	\$149
3 Omm	275mm	S770-51S	\$195

<u>Star</u>®

GRAVITY FEED SPRAY GUN

Pot size: 600ml • Includes: Gun, pot, stainless steel nozzle and needle • Provides constant paint flow at lower pressures, and extremely fine atomisation for suitable professional applications

Nozzle Size	Spray Pattern	Part No.	Price	ı
1.4mm	250mm	S106-141G	\$175	0
2.0mm	270mm	S106-201G	\$175	
2.5mm	270mm	S106-251G	\$189	
2.8mm	270mm	S106-281G	\$189	



Star[®]

TOUCH UP GUN

Pot size: 250ml Nozzle size: 1.4mm Spray pattern: 120mm Includes: Gun, pot, stainless steel nozzle and needle

· Ideal for custom designing, auto touch-up work, detail spray work and stencil spraying

(SJ108)

BENCH GRINDERS, PIPE BENDERS

ITM





150MM BENCH GRINDER

- 370W, 240V 25mm width grinding wheels, 36 & 60 grit • Durable cast iron body • Vibration absorbing pads • Heavy duty tool rests (TM400-150)
- Stand to suit \$99 (TM403-010)



200MM BENCH GRINDER

- 600W, 240V 25mm width grinding wheels, 36 & 60 grit • Durable cast iron body • Vibration absorbing pads • Heavy duty tool rests (TM400-200)
- Stand to suit \$99 (TM403-010)

WHEELS & MOPS



250MM BENCH GRINDER

- 900W, 240V 25mm width grinding wheels, 36 & 60 grit • Durable cast iron body • Vibration absorbing pads • Heavy duty tool rests (TM400-250)
- Stand to suit \$99 (TM403-010)



200MM BUFFING MACHINE

- 550W, 240V 14mm width mop wheels Durable cast iron body • Vibration absorbing pads (TM402-200)
- Stand to suit \$99 (TM403-010)

			60 150mm	100
Diameter	Grit	Description	Part No.	Price
150mm	36	Aluminium Oxide	TM406-001	\$19.95
150mm	60	Aluminium Oxide	TM406-002	\$19.95
200mm	36	Aluminium Oxide	TM406-003	\$29.95
200mm	60	Aluminium Oxide	TM406-004	\$29.95
150mm	80	Silicone Carbide	TM406-005	\$29.95
200mm	80	Silicone Carbide	TM406-006	\$29.95
150mm	50 Fo	ld Loose Leaf Mop	TM405-001	\$19.95
200mm	50 Fold Loose Leaf Mop		TM405-002	\$29.95
150mm		Stitched Mop	TM405-003	\$19.95
200mm		Stitched Mop	TM405-004	\$29.95

BUFFING COMPOUNDS





1" TUBE BENDER

- 3/8", 1/2", 9/16", 5/8", 3/4", 7/8", 1" Cast formers
- 0° to 180° Bending angle
- Bench mountable
- · Supplied in robust plastic carry case Part # TM810-025





1" HYDRAULIC PIPE BENDER

- 3/8", 1/2", 3/4", 1" cast steel formers • 0° to 90° Bending angle
- 6,000kg Force capacity
- 150mm Stroke
- Supplied in metal carry case Part # TM811-03025



2" HYDRAULIC PIPE BENDER

- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2" cast steel formers
- 0° to 90° Bending angle 13,000kg Force capacity
- 250mm Stroke Heavy duty castor wheels Part # TM811-13050)



3" HYDRAULIC PIPE BENDER

- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2/1/2", 3" formers
- 0° to 90° Bending angle 20,000kg Force capacity • 290mm Stroke • Heavy duty castor wheels Part # TM811-20075)



HYDRAULIC PIPE BENDER

- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2/1/2", 3", 4" formers
- 0° to 90° Bending angle 20,000kg Force capacity
- 370mm Stroke Heavy duty castor wheels Part # TM811-20100)



MAGNETIC BASE DRILLS SHARPENING MACHINES

\$995

HOLEMAKER PRO 35

- Quality, Compact & Robust European Made Machine
- European Machine

 Lightweight, only 10kg!

 Ideal for onsite & overhead tasks Capacity (diameter)

 35mm Capacity (depth)

 52mm Gravity feed coolant system with magnetically attached bottle Comes complete in plastic carry case (HMPRO35)





\$2079

HOLEMAKER PRO 36AD

- Ultra low profile, constant working height of 176mm
- Super lightweight, only 9.5kg! Capacity (diameter) 36mm Capacity (depth) 30mm Squeeze bottle coolant system Comes complete in metal case (HMPRO36AD)

\$1495

HOLEMAKER PRO 40

- Durable & Versatile, European Made Machine
- Capacity (diameter) 40mm
- Capacity (depth) 52mm
- Optional 13mm twist drill chuck • Through cutter coolant system • Comes complete in metal carry case • 12.5kg (HMPRO40)



\$2199

HOLEMAKER PRO 50

- Versatile & Multi-Purpose, European Made Machine
- Capacity (diameter) 52mm
 Capacity (depth) 52mm
- #2 Morse taper spindle, for use with drill chucks, taper
- shank drills, reamers etc.
 Powerful 1260W motor & 2 speed gearbox 16.5kg (HMPRO50)



\$3495

HOLEMAKER PRO 75

• #3 Morse taper variable speed machine • Capacity (diameter) 75mm • Capacity (depth) 75mm (110mm with optional arbor) • 32mm #3MT drill bit capacity • 2 speed gearbox with electronic variable speed 80 to 160rpm; 210 to 420rpm • 1650W motor output • Motor soft start (HMPRO75)



\$4259

HOLEMAKER PRO 110

- Large Capacity #4 Morse
 Taper Heavy Duty Machine
- Taper Heavy Duty Machine
 Capacity (diameter)
- 110mm Capacity (depth) 75mm (110mm with optional arbor) • 47mm #4MT drill bit capacity • 4 speed heavy duty mechanical gearbox
- 1650W motor output (HMPRO110)





HOLEMAKER 35 PNEUMATIC

- Pneumatic powered angle drive machine
 Capacity (diameter) 35mm
 Capacity (depth) 25mm
 Constant working height of 183mm
 Certified ATEX II2G/D C IIC
 T6; T4 motor & body for areas with risk of explosion
- European made (HMP35AD-ATEX)



- **2 Morse daper, pirelimatic powered machine • Capacity (diameter) 45mm • Capacity (depth) 52mm • 23mm #2MT drill bit capacity • 2 speed 190 / 290rpm • Motor certified ATEX II2G/D C IIC T6; T4 motor for areas • with risk of explosion • European made (HMP45)



Diameter	Depth	Part No.	Price
12mm	25mm	AT1225	\$48.50
14mm	25mm	AT1425	\$49.50
16mm	25mm	AT1625	\$53.50
18mm	25mm	AT1825	\$55.50
20mm	25mm	AT2025	\$58.90
22mm	25mm	AT2225	\$67.50
24mm	25mm	AT2425	\$72.50



 Available in 1 mm increments from 12 to 52mm diameter • Titanium nitride coating • M2AL high speed steel material • Step hardened process • Multi-cut geometry • Fully ground with internal relief • Universal shank • Available in sizes: 12 - 60mm diameter, 25 to 75mm depth of cut





DRILL DOCTOR XP DRILL BIT SHARPENER

• 2.5mm to 13mm drill bit capacity • Creates & sharpens split point bits • 118° sharpening angle • Adjustable relief angle • 240V motor • 3 year warranty (DDXP)



DRILL DOCTOR 500X DRILL BIT SHARPENER

- Tradesman model 2.5mm to 13mm drill bit capacity 118° or 135° sharpening angle Creates & sharpens
- 118° or 135° sharpening angle
 Creates & sharpens split point bits
 3 year warranty (DD500X)



DRILL DOCTOR 750X DRILL BIT SHARPENER

• Top of the line tradesman model • 2.5mm to 19mm drill bit capacity • 115° to 140° sharpening angle • Creates & sharpens split point bits • 3 year warranty (DD750X)

\$269

DRILLING MACHINES PORTABLE VENTILATORS



BELT DRIVE BENCH & PEDESTAL DRILLS

· Quality casting, construction & componentry · Emergency stop NVR safety switch . Chuck safety guard . Drill chuck & arbor • Drill drift (on MT models)



• 13mm capacity • 13mm B16 chuck • 1/2HP, 240V motor • 5 speed • 680mm height • 27kg weight (TD1013)



- 16mm capacity 16mm B16 chuck • #2 MT Spindle
- 1/2HP, 240V motor 16 speed • 980mm height
- 50kg weight (TD1316)



16mm capacity • 16mm B16 chuck • #2 MT Spindle • 3/4HP, 240V motor • 16 speed • 1580mm height • 60kg weight (TD1316F)



- 20mm capacity 20mm B22 chuck • #3 MT Spindle • 1HP. 240V motor • 12
- speed 1600mm height • 80kg weight (TD1420F)



- 25mm capacity 20mm B22 chuck • #3 MT Spindle • 2HP, 240V motor • 12
- speed 1710mm height
- 120kg weight (TD1825F)



- 32mm capacity 20mm B22 chuck • #4 MT Spindle
- 2HP, 240V motor 12 speed • 1710mm height
- 145kg weight (TD2032F)

EXTRA HEAVY DUTY DRILLS

• Quality Taiwanese machines with heavy duty casting and construction for proven lasting durability in industrial workshops

K1720HFD · 23mm capacity

- 16mm #3 JT chuck
- #2 MT Spindle
- 1HP, 240V motor
- 12 speed
- 1600mm height
- 78kg weight

\$1050



- 32mm capacity
- 16mm #3 JT chuck • #3 MT Spindle
- 1.2HP, 240V motor
- 12 speed
- 1752mm height
- 158kg weight

\$1795



GEARED HEAD DRILLING MACHINE

QUALITY PRECISION MACHINE FOR DRILLING & TAPPING

- #4 Morse taper spindle
- Micro feed precision
- Geared head tilts 90° right & left • Forward and reverse operation • Accessories include arbor, drill chuck, drill sleeves • 40mm capacity
- 1.5HP motor, 6 speed gearbox • 1770mm height • 320kg weight • 240V (TGD400-1) or 415V (TGD400-3)

GEARED HEAD DRILLING & MILLING MACHINE

• All the features of the TGD400 combined with : Milling table, Recirculating coolant system

• 240V (TGMD400-1) or 415V (TGMD400-3)

\$3295



PORTABLE VENTILATOR SETS

• Suitable for air/fume extraction or blowing fresh air • Ideal ventilation for workshops and confined areas • Includes 5 metre expandable ducting • Large capacity motor creating a very high flow rate • Specially designed axial propeller • High static pressure



- 200mm 150W Motor
- 25m3/min Flow Rate (TPV200SET)
- 300mm 550W Motor
- 60m³/min Flow Rate (TPV300SET)
- 400mm 1500W Motor
- 128m3/min Flow Rate (TPV400SET)
- 500mm 1500W Motor
- 138m3/min Flow Rate (TPV500SET)
- 600mm 2200W Motor
- 290m³/min Flow Rate (TPV600SET)



\$1449

METAL CUTTING SAWS



- Swivel vice enables 0° to 45° mitre cuts Taiwanese made machine • Hydraulic downfeed • 1HP, 240V • 4 speed belt drive • Round cut capacity: 90°: 180mm, 45°: 110mm (*UE712A*)



- capacity: 90°: 170mm, 45°: 120mm • 1HP, 240V, 1 spd • 1HP, 415V, 2 spd • 1HP, 240V, variable

(WP210SH-1) (WP210SH-3)

spd (WP210SHV-1)



• Swivel head 0° to 60° • Taiwanese made machine • Hydraulic down feed • Round cut capacity: 90°: 227mm, 45°: 150mm

• 1.5HP, 240V, 1 spd (WP270SH-1) • 1.5HP, 415V, 2 spd (WP270SH-3)



220MM X 220MM CAPACITY **2 WAY SWIVEL HEAD BANDSAW**

- 2 way swivel head 0° to 60° Taiwanese made machine Hydraulic down feed . Round cut capacity: 90°: 227mm, 45°: 150mm
- 1.5HP. 240V. 1 • 1.5HP. 415V. 2 • 1.5HP, 240V, variable spd (WP275DS-1) spd (WP275DS-3) spd (WP275DSV-1)



310MM X 210MM CAPACITY **2 WAY SWIVEL HEAD BANDSAW**

- 2 way swivel head 0° to 60° Taiwanese made machine Hydraulic down feed 2HP, 415V 2 speed Round cut capacity : 90° : 250mm, 45° : 200mm (WP310DS-3)



350MM X 220MM CAPACITY **2 WAY SWIVEL HEAD BANDSAW**

- 2 way swivel head 0° to 60° Taiwanese made machine Hydraulic down feed 2HP, 415V 2 speed Round cut capacity: 90°: 270mm, 45°: 240mm (WE350DS-3)



350MM X 220MM CAPACITY SEMI-AUTO SWIVEL HEAD BANDSAW

- 2 way swivel head 0° to 60° Taiwanese made machine
- Semi-auto operation 2HP, 415V 2 Speed Remote safety stop switch Round cut capacity : 90° : 270mm, 45°R : 240mm (WE350DSA-3)





250MM X 155MM **CAPACITY SWIVEL** HEAD BANDSAW

- Swivel head 0° to 60°
- · Taiwanese made machine
- · Remote safety stop switch
- · Round cut capacity: 90°: 220mm, 45°: 160mm
- 1.5HP, 240V, 1 speed (MB-280CSO-1)



• 1.5HP, 415V, 2 speed (MB-280CSO-3)





330MM X 220MM **CAPACITY 2 WAY** INDUSTRIAL **SWIVEL HEAD BANDSAW**

- Italian made quality 2 way swivel head 0° to 60°
- · Hydraulic down feed
- · Round cut capacity : 90°: 260mm, 45°: 225mm
- 1.5HP, 240V, 1 speed (MB-330CSO-1)



• 1.5HP, 415V, 2 speed (MB-330CSO-3)







330MM X 220MM **CAPACITY 2 WAY INDUSTRIAL** SWIVEL HEAD **BANDSAW**

· 2 way swivel head 0° to 60° • Semi automatic operation • 1.5HP. 415V • 2 Speed . Round cut capacity: 90°: 260mm, 45°: 225mm (MB-330MS-3)







400MM X 200MM **CAPACITY 2 WAY** SWIVEL HEAD **BANDSAW**

- Italian made quality 2 way swivel head 0° to 60° Hydraulic down feed
- 2HP, 415V 2 speed
- Round cut capacity : 90° : 300mm, 45° : 240mm (MB-411CSO-3)







400MM X 200MM CAPACITY SEMI-AUTO SWIVEL HEAD BANDSAW

- · Italian made quality
- · 2 way swivel head 0° to
- 60° Semi-auto operation • 2HP, 415V • 2 speed
- Round cut capacity: 90° : 300mm, 45° : 240mm (MB-411MS-3)



METAL CUTTING SAWS





550MM X 400MM CAPACITY 2 WAY SWIVEL HEAD SEMI-AUTO BANDSAW

- 2 way swivel head 0° to 60° Semi automatic operation • 2HP, 415V • 2 Speed • Round cut capacity: 90°: 400mm,
- 45°: 400mm (*MB-420DI-3*)



620MM X 450MM CAPACITY 2 WAY **SWIVEL HEAD SEMI-AUTO BANDSAW**

• Italian made quality • 2 way swivel head 0° to 60° • Semiauto operation • 2.95HP, 415V • Variable speed • Round cut capacity: 90°: 460mm, 45°: 450mm (MB-650DI-3)





315MM SEMI-AUTO VERTICAL COLDSAW

• Italian made quality • Semi-auto operation • Swivel head 45° left & 60° right • Trigger switch operation • 2.5HP, 415V • 2 Speed • Includes blade and stand • Round cutting capacity: 90°: 100mm, 45°: 100mm (NTS315-3)





250MM SWIVEL HEAD COLDSAW

- · Italian made quality · Swivel head 45° left & right
- · Double vice · Round cut capacity: 90°: 70mm,
- 45°: 65mm 1.2HP, 240V, 1 speed (NEW250DV-1) or
- 1.75HP, 415V, 2 speed (NEW250DV-3)



300MM SWIVEL HEAD COLDSAW

- Italian made quality Swivel head 45° left & right
- Round cut capacity: 90°: 90mm, 45°: 90mm
- 2HP, 240V, 1 speed (TRS300-1) or
- 3HP, 415V, 2 speed (TRS300-3)



315MM SWIVEL HEAD COLDSAW

- Italian made quality Swivel head 45° left & right Double vice
- · Round cut capacity: 90°: 90mm, 45°: 80mm
- 2HP, 240V, 1 speed (TRS315EDV-1) or
- 3HP, 415V, 2 speed (TRS315EDV-3)



350MM SWIVEL HEAD COLDSAW

• Italian made quality • Swivel head 45° left & right • 3.2HP, 415V • 2 Speed • Round cut capacity : 90°: 110mm, 45°: 90mm (NEW350E-3)



350MM SWIVEL HEAD COLDSAW

- Swivel head 45° left & right Double vice 3.2HP, 415V • 2 Speed • Round cut capacity : 90° : 110mm, 45° : 80mm
- (NEW350EDV-3)





350MM COLD CUT T.C.T. SAW

- Cuts through RHS steel up to 120mm x 120mm • Offers an accurate, fast & clean cold cut • 3HP, 240V
- motor Single speed 1450rpm 90° 45° swivel vice
- Supplied with T.C.T. mild steel blade (S14)



COMPOUND ALUMINIUM SAW • Italian made quality • Swivel head 45° left & right, tilt 45° left


· Recirculating coolant system • Twin sliding vices • 3HP, 415V, single speed 3000rpm • Round cutting capacity : 90° : 140mm, 45°: 130mm • Blade not included (TA400-3)



- Italian made quality Swivel head 45° left & right
- Trigger switch operation Quick locking vice 7.4HP, 415V, single speed 3800rpm . Round cutting capacity: 90°: 130mm, 45°: 120mm • Blade not included (TV400-3)



CONVEYORS WELDING CARRIAGES



CONVE	Uns		
Roller Width	Length	Part No.	Price
300mm	1500mm	RS300X15	\$225
300mm	3000mm	RS300X3	\$444
450mm	1500mm	RS450X15	\$290
450mm	3000mm	RS450X3	\$580

STANDS

3 stands required per conveyor					
Width	Adjustable Height	Part No.	Price		
300mm	715mm - 1050mm	RS300	\$92		
450mm	715mm - 1050mm	RS450	\$109		



SINGLE ROLLER CONVEYORS

Roller Width	Adjustable Height	Number of Rollers	Part No.	Price
352mm	580 - 980mm	1	RS-002	\$155
128mm	560 - 960mm	2	RS-005	\$155





FILLET WELDING CARRIAGE · Battery-powered welding tractor designed to produce continuous fillet welds using MIG torches • Compact and lightweight design to weld in narrow spaces, 200mm minimum working width • Horizontal speed: 0-110 cm/min • 4 wheel drive with magnetic base allows for vertical & horizontal welding closed loop speed stabilization system. • Includes battery, charger sold separately (WA-SPIDER)



GECKO FILLET WELDING CARRIAGE • 240V or battery-powered options available • 4 wheel drive with magnetic base allows for vertical & horizontal welding • Torch holder mechanism for different types of MIG torches with diameters of 16 - 22mm • Constant and repeatable travel speed with closed loop stabilization system enables specific weld bead geometery

(WA-GECKO)

 Battery powered (Can be adapted) to 240V) (WA-GECKO-18V)





LIZARD - PROGRAMMABLE FILLET WELDING CARRIAGE

fill, crater fill time and more, enabling weld bead geometry that is exact to the required specifications • Continuous and stitch weld capability • Oscillation attachment available • 4 wheel drive with magnetic base for vertical welding • Accepts MIG / MAG torches with diameters of 16 - 22mm • Closed loop speed control system • 0 - 1200mm/min horizontal speed (WA-LIZARD)





· Produce butt and fillet welds without oscillation

\$4995 • Uses Rigid, Semi-flexible, HI-flex & Pipe ring track on ferrous and non-ferrous materials . Very wide range of tracks & accessories available to customise the machine to the job . Accepts MIG torches with diameters of 16 - 22mm • Closed loop speed control system • Some components shown in image are sold separately, see website for list of included components: www.itmtools.com.au (WA-RAILTUG)





RAIL BULL - TRACK MOUNTED FILLET WELDING CARRIAGE

· Produce butt and fillet welds with or without oscillation

· Uses Rigid or Semi-flexible track for use on ferrous and non-ferrous materials • Accepts MIG torches with diameters of

16 - 22mm • Closed loop speed control system • 0 - 1200mm/min horizontal speed

• 5000mm minimum pipe concave or convex radius • Very wide range of tracks & accessories available to customise the machine to the job • Some components shown in image are sold separately, see website for list of included components: www.itmtools.com.au (WA-RAILBULL)

RAIL BULL 2 TRACK MOUNTED FILLET WELDING CARRIAGE

· All the features of WA-RAILBULL but with remote pendant control and modular upgrade design. Also can be used with Ring Tracks and Hi-Flex Tracks, allowing use on pipe 200mm OD to 3050mm OD • Produces consistent high quality welds and cuts in a fraction of the time required by manual operations . Very wide range of tracks & accessories available to customise the machine to the job • Optional programmable automatic seam trackers . Some components shown in image are sold separately, see website for list of included components: itmtools.com.au (WA-RAILBULL2)



BEVELLING MACHINES



\$1995

BM-7 COMPACT PLATE & PIPE BEVELLER

- Plate and pipe bevelling machine for bevelling steels and plastic, using carbide inserts
- 1100W, 240V motor
- 7mm maximum bevel width, 45° angle
- Optional milling head for 30° angle Optional radius insert sizes R2 to R5
- Cutting inserts sold separately (BM7)





BM-16 PORTABLE BEVELLER

• Plate & pipe beveller • Produces burr free angled or radius bevels quickly and easily • For milling steel, aluminium, brass or plastic • 22.5° to 65° working range and R2 to R5 radius edging depending on milling head (available separately) • 16mm maximum bevel width • 2200W 240V motor • 1800 - 5850rpm • 40mm countersinking min diameter • 10kg • Milling heads and carbide inserts sold separately (BM16)

\$2320

BM-20 PLUS BEVELLER PLATE & PIPE BEVELLING MACHINE

- 2 Rotary milling heads each holding 5, 4-sided carbide inserts
- 15 to 60° working range
- 21mm maximum bevel width
- 1600W 240v induction motor
- 3340rpm
- 20.5kg (BM20+)



\$3295

BM-21 BEVELLER PLATE & PIPE BEVELLING MACHINE

- Newly designed single milling head with 10 square inserts which is fast & easy to set up
- Low vibration model
- to 60° working range
- Face grinding at 0°
- 21mm maximum bevel width
- Universal guide system also bevels pipe 150 - 300mm diameter
- 1600W 240v induction motor
- 2800rpm 21kg (BM21)



\$9995

ABM-14 PLATE & PIPE BEVELLING MACHINE

- · Bevel plate and pipe made of mild steel, alloy steel, stainless steel or aluminum alloys
- · Auto feed on large plates with optional trolley • 2.6 m/min maximum auto bevel speed
- 14mm maximum bevel width
- 30° standard bevel angle, optional angle variation devices for 22.5°, 25°, 35°, 37.5° & 45°
 • 100mm Minimum pipe ID • 2200W 415V motor
- Low noise 70dB Weight 65kg (ABM14)



\$29995

ABM-50 AUTO FEED DOUBLE SIDED BEVELLER

- Automatic feed beveller
- 50mm max. bevel width
- 15 to 60° bevel angle
- 6mm maximum depth per pass
- 8 to 80mm Plate thickness
- 180° inversion allows for creation of a doublesided bevel - no need to rotate or flip heavy material reduces material handling costs and improves shop safety
- Variable spindle speed for work on a variety of steel grades and thicknesses
- LCD display that displays and controls exact bevel geometry (ABM50)



PRO-5PB PORTABLE PIPE BEVELLER

- · European made pipe bevelling machine designed for portable use in pipe machining operations • Standard pipe machining range 32mm to 114mm pipe capacity. Up to 140mm with optional accessories • The selfcentering expandable mandrels provide quick and correct alignment to pipe prior to machining operations
- Simultaneously perform 3 of the following operations - internal bevel, external bevel, j-groove bevel, face off, chamfer and counterbore • Available with pneumatic motor or high torque electric motor
- Electric motor 1100W, 90 / 300RPM, 11kg (PR05PBE)

• Pneumatic motor 800W, 90RPM, 1600L/MIN, 10kg (PR05PBA)



PRO-10PB PORTABLE PIPE BEVELLER

• European made pipe bevelling machine designed for portable use in pipe machining operations • The self-centering expandable mandrels provide quick and correct alignment to pipe prior to machining operations • Simultaneously perform 3 of the following operations - internal bevel,

external bevel, j-groove bevel, face off, chamfer and counterbore • Standard pipe machining range 84mm to 269mm I.D. 38mm to 392mm I.D. with optional accessories • Maximum wall thickness up to 20mm • Available with pneumatic motor or high torque electric motor



- · Electric motor 1.8KW, 2 speed gearbox 12-28 & 41-96RPM, 36kg (PRO10PBE)
- Pneumatic motor 1.5KW, 20RPM, 1750 L/MIN, 32kg (PRO10PBÁ)

CUTTING TOOLS

CARBIDE BURRS - DOUBLE CUT

3 PIECE 3/8" CARBIDE **BURR SET**

- Cylindrical end cut
- Cylindrical radius end
- Tree shape radius end (CB-SET-03)



5 PIECE 3/8" CARBIDE **BURR SET**

- Cylindrical end cut
- Cylindrical radius end
- Ball shape Tree shape radius end
- Cylindrical aluminium cut (CB-SET-01)



CYLINDRICAL END CUT

Size	Part No.	Price
1/4"	CB-SB1	\$29.50
3/8"	CB-SB3	\$38.90
1/2"	CB-SB5	\$59.90
5/8"	CB-SB6	\$109.00



RADIUS END				
Size	Part No.	Price		
1/4"	CB-SC1	\$31.50		
3/8"	CB-SC3	\$39.90		
1/2"	CB-SC5	\$61.90		
5/8"	CB-SC6	\$92.50		



CYLINDRICAL SQUARE END

Size	Part No.	Price
1/4"	CB-SA1	\$28.50
3/8"	CB-SA3	\$37.90
1/2"	CB-SA5	\$56.50
5/8"	CB-SA6	\$99.00



BALL SHAPE

60 L			
10	Size	Part No.	Price
12	1/4"	CB-SD1	\$27.50
16	3/8"	CB-SD3	\$33.50
F	1/2"	CB-SD5	\$44.10
	5/8"	CB-SD6	\$54.50





\$149

GENERAL ENGINEERING HOLESAW SET

• Set includes: 16, 19, 22, 25, 32, 35, 38, 44, 51, 57, 64, 76mm holesaws • 11/32" & 7/16" arbors • Arbor extension • 12" extension bar (UN108-100)

T.C.T. HOLESAWS 4.5MM DEPTH OF CUT

- Available from 14mm to 150mm
- · Suitable for drilling steel, stainless steel, aluminium, FRP, PVC, plastics & fibreglass.

Diameter	Depth of Cut	Part No.	Price
16mm	4.5mm	MCS16	\$52.50
20mm	4.5mm	MCS20	\$52.50
22mm	4.5mm	MCS22	\$59.90
25mm	4.5mm	MCS25	\$59.90
32mm	4.5mm	MCS32	\$68.50
40mm	4.5mm	MCS40	\$75.50
50mm	4.5mm	MCS50	\$89.50



T.C.T. HOLESAWS 25MM DEPTH OF CUT

- Available from 14mm to 120mm
- · Suitable for drilling steel plate, stainless steel, A.C. sheeting, aluminium, FRP, PVC, fibreglass & concrete coated pipes

Diameter	Depth of Cut	Part No.	Price
16mm	25mm	MCTR16	\$78.50
20mm	25mm	MCTR20	\$78.50
22mm	25mm	MCTR22	\$78.50
25mm	25mm	MCTR25	\$78.50
32mm	25mm	MCTR32	\$102.90
40mm	25mm	MCTR40	\$115.00
50mm	25mm	MCTR50	\$125.00





COUNTERSINK SET

3MM TO 20.5MM SET

• 3 piece set including: 3 to 8.4mm, 3 to 12.4mm, 3 to 20.5mm • 3 flute 90° high speed steel (STSET-05)



COUNTERSINK SET

3MM TO 25MM SET

• 3 piece set including: 3 to 10.4mm, 3 to 16.5mm, 3 to 25mm • 3 flute 90° high speed steel (STSET-03)



COUNTERSINK SET

3MM TO 20.5MM SET

• 6 piece set including: 3 to 6.4mm, 3 to 8.4mm, 3 to 10.4mm, 3 to 12.4mm, 3 to 16.5mm, 3 to 20.5mm • 3 flute 90° high speed steel (STSET-01)



COUNTERSINK SET 2MM TO 25MM SET

• 5 piece set including: 2 to 5mm, 5 to 10mm, 10 to 15mm, 15 to 20mm, 20 to 25mm • Cross hole (SWSET-05)

STEP DRILLS SPIRAL FLUTE

• Titanium Nitride Coated

Sizes Inc.	Part No.	Price
4 to 20mm	SD4-20MM	\$36.75
5 to 25mm	SD5-25MM	\$56.90
6 to 30mm	SD6-30MM	\$99.50
7 to 40.5mm	SD7-40.5MM	\$165.00

STEP DRILLS STRAIGHT FLUTE

• Titanium Nitride Coated

Sizes Inc.	Part No.	Price
4 to 12mm	SDST4-12MM	\$33.50
4 to 20mm	SDST4-20MM	\$36.90
5 to 25mm	SDST5-25MM	\$56.90
6 to 30mm	SDST6-30MM	\$99.00



\$169 STEP DRILL SET STRAIGHT FLUTE

25mm • 6 to 30mm (SDSTSET-1)

PRECISION MEASURING **PUNCHES**





VERNIER CALIPERS

• Metric and imperial measurements • Manufactured from hardened stainless steel • Convenient thumb screw locking mechanism

300mm

TM610-030

- Suitable for inside, outside, depth and step measurements
- Durable plastic storage case Graduation: 1mm intervals
- Lower resolution: 0.05mm
 Accuracy: +/- 0.03mm



VERNIER CALIPERS

• Large easy to read dual mode LCD screen (metric/imperial) • Manufactured from hardened stainless steel • Suitable for inside, outside, depth and step measurements • Auto off feature • Zero setting at any position • Durable plastic storage case • Graduation: 1mm intervals • Accuracy: +/- 0.03mm

Resolution: 0.01mm (0.0005")
 Battery included



- Enamelled frame Ratchet stop and locking screw
- Carbide tipped measuring faces
 Ratchet thimble
- Durable plastic storage case Range: 0 25mm
- Graduation: 0.01mm Accuracy: +/- 0.04mm
- Jaw reach: 29mm (TM610-525)



25_{MM} DIGITAL **OUTSIDE MICROMETER**

• Enamelled frame • Carbide tipped measuring faces • Ratchet stop and locking screw • Dual mode digital display (metric/imperial) • Auto off feature • Durable plastic storage case • Range: 0 - 25mm • Graduation: 0.001mm (0.00005") • Accuracy: +/- 0.004mm • Jaw reach: 23mm

• Battery included (TM610-625)



Size	Part No.	Price
3mm	GZ-25902	\$12
4mm	GZ-25903	\$13
5mm	GZ-25904	\$17
6mm	GZ-25905	\$22
8mm	GZ-25906	\$30
10mm	GZ-25907	\$36
12mm	GZ-25908	\$65



HOLLOW & ARCH PUNCH SETS

For punching round holes in gasket material, leather, rubber, canvas, cardboard, plastic & other soft material.



HOLLOW PUNCH SET

• 6 piece set including 5, 6, 8, 10, 11, 12mm (GZ-26391)



ARCH PUNCH SET

• 7 piece set: 6, 10, 12, 16, 19, 22, 25mm (GZ-26441)



PIN PUNCH SET ♦ GROZ

· Hardened and tempered carbon steel

• 6 piece set : 2.4mm (3/32"), 3mm (1/8"), 4mm (5/32"), 5mm (3/16"), 6mm (1/4"), 8mm (5/16") (GZ-25612)



EXTRA LONG PIN **GROZ PUNCH SET**

• 200mm OAL • 5 piece set : 3mm (1/8"), 5mm (3/16"), 6mm (1/4"), 8mm (5/16"), 9.5mm (3/8") (GZ-25655)

CHISEL & PUNCH SET - 24 PIECE



- Cold Chisels: 125 x 6mm, 125 x 8mm, 140 x 10mm, 150 x 13mm, 163 x 16mm, 175 x 19mm, 190 x 22mm

- Centre Punches: 5/64", 5/32", 1/4"
- Pin Punches: 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16"
- Starting Punches: 1/16", 1/8", 5/32", 3/16", 3/16", 1/4", 5/16" (GZ-33003)

今 GROZ



PARTS CABINETS

PARTS CABINETS

• Highest quality & heavy duty, robust parts cabinets designed for industrial use • Metal frame construction using 0.8mm galvanised steel • Large range of sizes and styles • Drawers come with dividers & contents description slip • Additional dividers available in packs of 10

Description	Part No.	Price
10x A4 Series Dividers	PB-A4DIVIDER	\$3.20
10x A5 Series Dividers	PB-A5DIVIDER	\$2.80
10x A6 Series Dividers	PB-A6DIVIDER	\$3.85
10x A7 Series Dividers	PB-A7DIVIDER	\$2.80
10x A8 Series Dividers	PB-A8DIVIDER	\$2.80
10x HD Series Dividers	PB-HDDIVIDER	\$4.25



A8 SERIES


- 60 drawers 10kg capacity per drawer Slots for 3x dividers 1x divider supplied per drawer
- 586Wx222Dx937H (PB-A8560)



ST2 SERIES

• 60 drawer • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-ST2460)





\$409

ST1 SERIES

• 75 drawer • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-ST1575)






\$475

A5 SERIES

• Large capacity • Transparent PS plastic window • 10kg capacity per drawer • Slots for 5x dividers • 1x divider supplied per drawer





PB-A5336 **36 DRAWERS**586Wx290Dx937H **\$1.85**



A6 SERIES

- 10kg capacity per drawer Slots for 3x dividers
- 1x divider supplied per drawer





PB-A6330H **30 DRAWERS** 533Wx265Dx937H **\$//10**



PB-A6330HD
30 DRAWERS
533Wx313Dx970H
with lockable doors

A7 SERIES

• Transparent PS plastic window • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer





PB-A7448 **48 DRAWERS**586Wx222Dx937H
\$3.95





BENCH VICES FORGED STEEL WELDING CLAMPS



FABRICATED STEEL BENCH VICES

• Precision machined knurled jaws with V-Groove • Large





OF	FSI	EΤ	JA	W
Jaw	Width	ı W	eiaht	F

Jaw Wiutii	Weigiit	raitivo.	FILLE
100mm	11.2kg	TM104-100	\$135
125mm	20.3kg	TM104-125	\$259
150mm	25.0kg	TM104-150	\$279
200mm	60.0kg	TM104-200	\$699



18.5kg TM102-125

TM102-150 37.0kg TM102-200

22.6kg

STANDARD DRILL PRESS VICES

· Cast iron body · Machined steel jaws · Great for machine shops, fabrication workshops & tool rooms

Jaw Width	Jaw Height	Capacity	Weight	Part No.	Price
102mm	21mm	105mm	3.2kg	VDP102	\$39
150mm	28mm	150mm	7.2kg	VDP150	\$65



HEAVY DUTY DRILL PRESS VICES

• 3 Way vices

ı	Jaw Width	Jaw Height	Capacity	Weight	Part No.	Price
	100mm	30mm	92mm	6.75kg	VDPL100	\$65
ľ	150mm	36mm	140mm	13kg	VDPL155	\$95



- Hardened steel jaws Close grained cast iron body
- 100mm jaw width 7.0kg weight (TM098-100)



PROFESSIONAL MECHANICS BENCH VICES

Jaw Width	Weight	Part No.	Price
75mm	7.5kg	TM100-075	\$75
100mm	10.0kg	TM100-100	\$105
125mm	15.5kg	TM100-125	\$150
150mm	18.0kg	TM100-150	\$179
200mm	31.0kg	TM100-200	\$275



125mm

150mm

200mm

EHOMA FORGED STEEL C CLAMPS

• Hardened Acme spindle • Swivel pad ensures even pressure is applied on angular workpieces • Tempered & hot forged steel . Nickel & chrome plating

Span x Depth	Clamping Force	Part No.	Price
		EO DO4	ΦΕΟ ΟΟ
100x50mm	900kg	EC-BC4	\$50.00
125x65mm	850kg	EC-BC5	\$54.50
150x75mm	1000kg	EC-BC6	\$63.00
200x100mm	1000kg	EC-BC8	\$79.00
250x115mm	1200kg	EC-BC10	\$98.00
300x125mm	1500kg	EC-BC12	\$125.00



EHOMA GENERAL PURPOSE FORGED STEEL CLAMPS

• For general purpose clamping applications • Swivel pad

Span x Depth	Clamping Force	Part No.	Price
160x80mm	300kg	EC-G16CS	\$36.00
200x100mm	450kg	EC-G20CS	\$46.00
250x120mm	550kg	EC-G25CS	\$57.50
300x140mm	670kg	EC-G30CS	\$69.90
400x175mm	1000kg	EC-G40CS	\$94.50
600x175mm	1000kg	EC-G60CS	\$108.00
800x175mm	1000kg	EC-G80CS	\$125.00



- · Changeable clamping heads Socket drive handle
- Up to 1000mm span available

Span x Depth	Clamping Force	Part No.	Price
300x140mm	1200kg	EC-GS30C	\$130
400x120mm	1200kg	EC-GS40C	\$140
500x140mm	1200kg	EC-GS50C	\$153
600x120mm	1200kg	EC-GS60C	\$162



EHOMA QUICK ACTION FORGED STEEL CLAMPS

 Ratchet type lever prevents overloading & resists vibration • For high pressure, fast action clamping purposes

Span x	Clamping	Part No.	Price
Depth	Force		
160x80mm	300kg	EC-G16L	\$75
200x100mm	350kg	EC-G20L	\$85
300x140mm	500kg	EC-G30L	\$119
400x120mm	550kg	EC-G40L	\$127
500x120mm	550kg	EC-G50L	\$133



EHOMA PIVOT HANDLE FORGED STEEL CLAMPS

• The comfortable pivot handle makes it easier to achieve maximum clamping pressure & allows faster clamping in restricted working areas

Span x Depth	Clamping Force	Part No.	Price
200x100mm	670kg	EC-REG20C	\$55
300x140mm	670kg	EC-REG30C	\$80
400x175mm	700kg	EC-REG40C	\$103
600x175mm	700ka	EC-REG60C	\$119



- For heavy duty applications
- Changeable clamping heads
- Socket drive handle
- Up to 1500mm span available

Span x Depth	Clamp- ing Force	Part No.	Price
300x175mm	2200kg	EC-SS30C	\$219
400x175mm	2200kg	EC-SS40C	\$235
500x175mm	2200kg	EC-SS50C	\$249
600x175mm	2200kg	EC-SS60C	\$265



BOLT CUTTERS & RIVETERS



FORGED HANDLE BOLT CUTTERS

- · Two stage heat treated precision machined jaws for extended cutting and resilience
- Adjustable Arms
- · Solid forged steel handles for durability
- Non-slip comfort rubber grips
- · Built in stops for added safety

1	9		
	Length	Part No.	Price
	350mm	TM600-035	\$39
	450mm	TM600-045	\$59
	600mm	TM600-060	\$79
	750mm	TM600-075	002

TM600-090

TM600-105

\$199



EXTRA HEAVY DUTY BOLT CUTTERS

- · Optimal performance for cutting high tensile material
- Two stage heat treated, precision machined jaws for extended cutting and resilience
- Adjustable Arms
- Solid forged steel handles for durability
- · Built in stops for added safety

ı	Length	Part No.	Price
	750mm	TM601-075	\$129
	900mm	TM601-090	\$179
	1050mm	TM601-105	\$229

HAND RIVETER Durable steel body and handles • Chrome molybdenum steel collet Comfortable rubber grip Nozzle sizes : 2.4mm. 3.2mm, 4.0mm, 4.8mm (TM620-002)

\$29 **HEAVY DUTY** HAND RIVETER

900mm

1050mm

- Premium cast aluminium body • Chrome molybdenum steel collet
- Durable powder coat finish • Comfortable rubber grip • 4 Nozzles included: 2.4mm, 3.2mm, 4.0mm, 4.8mm (TM620-004)



ROTATING HEAD HAND RIVETER

- Premium cast aluminium body • Chrome molybdenum steel collet • 360° Rotating head for hard to reach places
- Durable powder coat finish
- Comfortable rubber grip
- 4 Nozzles included: 2.4mm, 3.2mm, 4.0mm, 4.8mm (TM620-006)



\$59

NUTSERT HAND RIVETER

- Premium quality
- Cast aluminium construction
- Easy change mandrels
- Sets 3, 4, 5 & 6mm rivet nuts (TM620-014)



- Chrome molybdenum steel collet 3 Jaw system
- 5 Nozzles : 3.2mm, 4.0mm, 4.8mm, 6.0mm & 6.4mm
- Premium quality Alloy body & Rubber grip handle (TM620-008)



- Premium quality Strong aluminium alloy body
- High impact long lasting PVC handle Chrome molybdenum steel collet • 3 Jaw system • Durable powder coat finish • 5 Nozzles : 3.2mm, 4.0mm,
- 4.8mm, 6.0mm & 6.4mm (TM620-010)



- Premium quality Single pull action designed for fast repetitive applications • Strong aluminium alloy body
- Chrome molybdenum steel collet 3 Jaw system
- 5 Nozzles: 3.2mm, 4.0mm, 4.8mm, 6.0mm & 6.4mm (TM620-012)

Products imported and distributed nationally by Industrial Tool & Machinery Sales. Advertised prices include GST. Freight charges may apply on some products to some areas. Prices and specifications subject to change without notice. OFFER VALID TO