

ENDS 30TH JUNE

TOOLS & EQUIPMENT

BONUS

Valued at \$300 14, 16, 18, 20, 22mm Cutters & Pin (ASSET-A)



HOLEMAKER PRO 65

Magnetic Base Drill

- · European Made Machine
- · Capacity (diameter) 65mm
- Capacity (depth) 75mmDual Rail Slide System
- 2 speed gearbox 17kg





Valued at \$525 14, 16, 18, 20, 22mm Cutters & Pin (ASSET-A) PLUS

13mm Twist **Drill Chuck**



HOLEMAKER PRO 40

Magnetic Base Drill

- European Made Machine
- · Capacity (diameter) 40mm
- · Capacity (depth) 52mm





Valued at \$178 14. 18. 22mm Cutters & Pin (ASSET-Z)



HOLEMAKER PRO 35

Magnetic Base Drill

- European Made Machine
- Lightweight, only 10kg!
- · Capacity (diameter) 35mm · Capacity (depth) 52mm
- Dual Rail Slide System (HMPRO35)





8.1KVA 15HP GENERATOR

- 6500 Max Watts 6000 Rated Watts 2x 15A Outlets
- 12 Hours run time 25L tank Electric Start 79dBa
- 85kg (TM510-6500)



STATIONARY AIR COMPRESSOR • Ideal for commercial workshops • Triple cast iron

- cylinder pump with aluminium head Soft start
- Large 270L tank FAD 1143 L/min (TM353-10270)

NOW

25MM CAPACITY DRILL PRESS

- 25mm capacity 20mm B22 chuck
- #3 MT Spindle 2HP, 240V motor
- 12 speed 1710mm height
- 120kg weight 92mm dia. column • Large 350x350mm table size
- 120mm spindle travel (stroke)
- (TD1825F)



350MM COLD CUT T.C.T. SAW

- Cuts through RHS steel up to 120mm x 120mm Offers an accurate, fast & clean cold cut • 3HP, 240V motor • 1450rpm
- 90° 45° swivel vice Supplied with T.C.T. mild steel blade (S14)



- Taiwanese made machine Hydraulic downfeed
- 1HP, 240V 4 speed belt drive
- · Round cut capacity: 90°: 180mm 45°: 110mm (UE712A)



20L Cutting Fluid (MF-20LITRE)





220MM X 220MM CAPACITY SWIVEL **HEAD BANDSAW**

- Swivel head 0° to 60° Taiwanese made machine
- Hydraulic down feed 1.5HP, 240V, 1 spd
- Round cut capacity: 90°: 227mm, 45°: 150mm (WP270SH-1)



OUR BIGGEST SALE OF THE YEAR



150MM BENCH GRINDER WITH **MULTITOOL ATTACHMENT**

• Powerful 370W induction motor • Capacitor start for maximum performance • 915mm x 50mm belt • 178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (PO362-150)



200MM BENCH GRINDER WITH **MULTITOOL ATTACHMENT**

• Powerful 600W induction motor • Capacitor start for maximum performance • 915mm x 50mm belt • 178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (PO362-200)



250MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

 Powerful 900W induction motor • Capacitor start for maximum performance • 1220mm x 50mm belt • 178mm disc • 25mm wide grinding wheel • Durable cast iron body





150MM BENCH GRINDER

- 370W, 240V 25mm width grinding wheels, 36 & 60 grit • Durable cast iron body • Vibration absorbing pads • Heavy duty tool rests (TM400-150)
- Stand to suit \$99 (TM403-010)

Valued at \$40 8" Wire Wheel (TM7012-201)



200MM BENCH GRINDER

• Stand to suit \$99 (TM403-010)

• 600W, 240V • 25mm width grinding wheels, 36 & 60 grit • Durable cast iron body • Vibration absorbing pads • Heavy duty tool rests (TM400-200)







250MM BENCH GRINDER

- 900W, 240V 25mm width grinding wheels, 36 & 60 grit • Durable cast iron body • Vibration absorbing pads • Heavy duty tool rests (TM400-250)
- Stand to suit \$99 (TM403-010)

PEDESTAL DRILLS

· Quality casting, construction & componentry • Emergency stop NVR safety switch . Chuck safety guard • Drill chuck & arbor • Drill drift (on MT models)

BUNUS

Valued at \$45 100mm Drill Press Vice (VDP102)



16MM DRILL PRESS

- 16mm capacity 16mm B16 chuck
- #2 MT Spindle 3/4HP, 240V motor
- 16 speed 1580mm height
- 60kg weight (TD1316F)



Valued at \$79 150mm Drill Press Vice (VDP150)



20MM CAPACITY DRILL PRESS

- 20mm capacity 20mm B22 chuck
- #3 MT Spindle 1HP, 240V motor
- 12 speed 1600mm height
- 80kg weight (TD1420F)



25MM CAPACITY DRILL PRESS

- 25mm capacity 20mm B22 chuck #3 MT Spindle 2HP, 240V motor
- 12 speed 1710mm height
- 120kg weight 92mm dia. column
- Large 350x350mm table size
- 120mm spindle travel (stroke)





Bonus

Valued at \$219 150mm Drill Press Vice (VDP150) **PLUS** 25nce Drill Bit Set (UN308-020)



40MM CAPACITY GEARED HEAD DRILL

- 40mm capacity #4 MT Spindle
- 1.5HP, 240V OR 415V motor
- 6 speed 1770mm height 320kg (TGD400-1 240 Volt) (TGD400-3 415 Volt)



Bonus

Valued at \$219 150mm Drill Press Vice (VDP150) **PLUS** 25pce Drill Bit Set (UN308-020)



40MM CAPACITY GEARED HEAD DRILL / MILL

All features of the TGD400, plus:

- X/Y Milling Table
- Recirculating Coolant System (TGMD400-1 240 Volt) (TGMD400-3 415 Volt)





300MM PORTABLE **VENTILATOR SET**

 Suitable for air/fume extraction or blowing fresh air • Ideal ventilation for workshops and confined areas • Includes 5 metre expandable ducting • Large capacity motor creating a very high flow rate • Specially designed axial propeller • High static pressure • 550W Motor • 60m3/min Flow Rate (TPV300SET)

ENDS 30TH JUNE





- Taiwanese made machine Hydraulic downfeed
- 1HP, 240V 4 speed belt drive Recirculating coolant system
- Round cut capacity: 90°: 180mm, 45°: 110mm
- Emergency stop safety switch (UE712A)



- Swivel head 0° to 60° Taiwanese made machine
- Hydraulic down feed 1HP, 240V Recirculating coolant system
- Round cut capacity: 90°: 170mm, 45°: 120mm (WP210SH-1)



- · Swivel head 0° to 60° · Taiwanese made machine
- Hydraulic down feed 1.5HP, 240V Recirculating coolant system
- Round cut capacity: 90°: 227mm, 45°: 150mm (WP270SH-1)



310MM X 210MM CAPACITY 2 WAY SWIVEL HEAD BANDSAW

- 2 way swivel head 0° to 60° Taiwanese made machine
- Hydraulic down feed 2HP, 415V 2 speed Round cut capacity : 90° : 250mm, 45° : 200mm (WP310DS-3)



350MM X 220MM CAPACITY 2 WAY SWIVEL HEAD BANDSAW

- 2 way swivel head 0° to 60° Taiwanese made machine
- Hydraulic down feed 2HP, 415V 2 speed Round cut capacity : 90° : 270mm, 45° : 240mm (WE350DS)



350MM X 220MM CAPACITY **SEMI AUTO SWIVEL HEAD BANDSAW**

- 2 way swivel head 0° to 60° Taiwanese made machine
- Semi-Auto Operation 2HP, 415V 2 speed Round cut capacity : 90° : 270mm, 45° : 240mm (WE350DSA)



2 WAY SWIVEL HEAD BANDSAW

- 2 way swivel head 0° to 60° Italian made machine
- Hydraulic down feed 2HP, 415V 2 speed Round cut capacity: 90°: 300mm, 45°: 240mm (MB-411CSO-3)



550MM X 400MM CAPACITY SEMI AUTO SWIVEL HEAD BANDSAW

- 2 way swivel head 0° to 60° Italian made machine
- Semi-Auto Operation 2HP, 415V 2 speed Round cut capacity: 90°: 400mm, 45°: 400mm (MB-420DI-3)



620MM X 450MM CAPACITY **SEMI AUTO SWIVEL HEAD BANDSAW**

- 2 way swivel head 0° to 60° Italian made machine
- Semi-Auto Operation 2HP, 415V 2 speed Round cut capacity: 90°: 460mm, 45°: 450mm (MB-650DI-3)



300MM SWIVEL HEAD COLDSAW

- Italian made quality Swivel head 45° left & right
- Round cut capacity: 90°: 90mm, 45°: 90mm
- 2HP, 240V, 1 Speed (TRS300-1) or
- 3HP, 415V, 2 Speed (TRS300-3)



315MM SWIVEL HEAD COLDSAW

- Double vice Swivel head 45° left & right
- Round cut capacity: 90°: 90mm, 45°: 80mm
- 2HP, 240V, 1 Speed (TRS315EDV-1) or
- 3HP, 415V, 2 Speed (TRS315EDV-3)



350MM SWIVEL HEAD COLDSAW

• Double vice • Swivel head 45° left & right • 3.2HP, 415V • 2 Speed • Round cut capacity: 90°: 110mm, 45°: 80mm (NEW350EDV-3)



OUR BIGGEST SALE OF THE YEAR



HOLEMAKER PRO 50

- · Versatile & Multi-Purpose, European Made Machine
- Capacity (diameter) 52mm
- Capacity (depth) 52mm • #2 Morse taper spindle, for use with drill chucks, taper
- shank drills, reamers etc. • Powerful 1260W motor & 2 speed gearbox • 16.5kg (HMPRO50)



HOLEMAKER

• #3 Morse taper variable speed machine • Capacity (diameter) 75mm • Capacity (depth) 75mm (110mm with optional arbor) • 32mm #3MT drill bit capacity • 2 speed gearbox with electronic variable speed 80 to 160rpm; 210 to 420rpm • 1650W motor output • Motor soft start (HMPRO75)



\$4600

HOLEMAKER PRO 110

- Large Capacity #4 Morse Taper Heavy Duty Machine
- Capacity (diameter) 110mm • Capacity (depth) 75mm (110mm with optional arbor) • 47mm #4MT drill bit capacity • 4 speed heavy
- duty mechanical gearbox • 1650W motor output (HMPRO110)



Holemaker



HOLEMAKER

- PRO 36AD
- Ultra low profile, constant working height of 176mm · Super lightweight, only 9.5kg! · Capacity (diameter) 36mm • Capacity (depth) 30mm • Squeeze bottle coolant system • Comes complete in plastic carry case (HMPRO36AD)



HOLEMAKER 35 PNEUMATIC

 Pneumatic powered angle drive machine • Capacity (diameter) 35mm • Capacity (depth) 25mm • Constant working height of 183mm • Certified ATEX II2G/D C IIC T6; T4 motor & body for areas with risk of explosion • European made (HMP35AD-ATEX)

\$12305

HOLEMAKER 45 PNEUMATIC

• #2 Morse taper, pneumatic powered machine . Capacity (diameter) 45mm • Capacity (depth) 52mm • 23mm #2MT drill bit capacity • 2 speed 190 / 290rpm • Motor & body certified ATEX II2G/D C IIC T6; T4 motor & body for areas • with risk of explosion • European made (HMP45-ATEX)



Bonus

Valued at \$128

Set of Carbide Cutting Inserts (4 pcs) (WAP-BM16/1115)



BM7 COMPACT PLATE & PIPE BEVELLER

- Plate and pipe bevelling machine for bevelling steels and plastic, using carbide inserts
- 7mm max bevel width 45 degree bevel angle
- · Optional milling head for 30 degree angle
- Optional radius insert sizes R2 to R5 5.8kg
- Cutting inserts sold separately (BM7)



BM16 PORTABLE BEVELLER KIT

- KIT Including 30° milling head and 5 cutting tips
- 16mm maximum bevel width
- · Produces burr free angled or radius bevels quickly and easily • For milling steel, aluminium, brass or plastic • 22.5 to 65° working range and R2 to R5 radius edging
- depending on optional milling head 2200W 240V motor
- 1800 5850rpm 10kg (BM16-KIT30)

Valued at \$235

Extra Set of Carbide Cutting Inserts (10 pcs) (WAP-B020)



BM21 PLATE & PIPE BEVELLING MACHINE

- · Newly designed single milling head with 10 carbide inserts which is fast & easy to set up
- 0 to 60° working range
- Guide system bevels plate & pipe Ø150 300mm
- 1600W induction motor 21mm max bevel width
- 2800rpm 21kg (BM21)





M7 DEBURRING/CHAMFERRING **AIR TOOL**

- Aluminium & Steel chamfering depth 0.1mm to 2.0mm
- Stainless Steel chamfering depth 0.1mm to 1.2mm
- Light weight 500 grams Low air consumption
- Small light, quiet & powerful (M7-QC512)



PORTABLE BEVELLER

- 18mm maximum bevel width
- · Produces burr free angled or radius bevels quickly and easily • For milling steel, aluminium, brass or plastic
- 22.5 to 65° working range and R2 to R5 radius edging depending on optional milling head • Milling heads sold separately • 64CFM Air Consumption • 9.3kg (WA-BM18A)



ABM-14 PLATE & PIPE BEVELLING **MACHINE**

· Bevel plate and pipe made of mild steel, alloy steel, stainless steel or aluminum alloys • Auto feed on large plates with optional trolley • 2.6 m/min maximum auto bevel speed • 14mm maximum bevel width • 30° standard bevel angle, optional angle variation devices for 22.5°, 25°, 35°, 37.5° & 45° • 100mm Minimum pipe ID • 2200W 415V motor • Low noise 70dB • Weight 65kg (ABM14)





ENDS 30TH JUNE 2020 III





2" HYDRAULIC PIPE BENDER

- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2" cast steel formers
- 0° to 90° Bending angle 13,000kg Force capacity
- 250mm Stroke Heavy duty castor wheels (TM811-13050)



3" HYDRAULIC PIPE BENDER

- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2/1/2", 3" formers
- 0° to 90° Bending angle 20,000kg Force capacity
- 290mm Stroke Heavy duty castor wheels (TM811-20075)

18.5kg TM102-125

22.6kg TM102-150

TM102-200

37.0kg

100mm

125mm

150mm 200mm



4" HYDRAULIC PIPE BENDER

- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2/1/2", 3", 4" formers
- 0° to 90° Bending angle 20.000kg Force capacity
- 370mm Stroke Heavy duty castor wheels (TM811-20100)



PROFESSIONAL MECHANICS **BENCH VICES**

Jaw Width	Weight	Part No.	Price
75mm	7.5kg	TM100-075	\$85.50
100mm	10.0kg	TM100-100	\$121
125mm	15.5kg	TM100-125	\$171
150mm	18.0kg	TM100-150	\$205
200mm	31.0kg	TM100-200	\$310

FABRICATED STEEL BENCH VICES

• Precision machined knurled jaws with V-Groove • Large diameter screw • Extra heavy-duty • Precise sliding jaw



0	FF	S	FI	г.	ΙΔ	W	ı
\sim		v			-	A	ľ

Jaw Width	Weight	Part No.	Price
100mm	11.2kg	TM104-100	\$154
125mm	20.3kg	TM104-125	\$295
150mm	25.0kg	TM104-150	\$315
200mm	60.0kg	TM104-200	\$800

Ehoma



• For general purpose clamping applications • Swivel pad

-	Span x Depth	Clamping Force	Part No.	Price
	160x80mm	300kg	EC-G16CS	\$37
	200x100mm	450kg	EC-G20CS	\$47.50
	250x120mm	550kg	EC-G25CS	\$59
	300x140mm	670kg	EC-G30CS	\$72
	400x175mm	1000kg	EC-G40CS	\$97.50
	600x175mm	1000kg	EC-G60CS	\$111
	800x175mm	1000kg	EC-G80CS	\$128

EHOMA HEAVY DUTY FORGED STEEL CLAMPS

- Larger rail sizes 30x15mm
- · For heavy duty applications
- · Changeable clamping heads
- Socket drive handle
- · Up to 1000mm span available

Span x Depth	Clamping Force	Part No.	Price
300x140mm	1200kg	EC-GS30C	\$134
400x120mm	1200kg	EC-GS40C	\$144
500x140mm	1200kg	EC-GS50C	\$158
600x120mm	1200kg	EC-GS60C	\$167

EHOMA QUICK ACTION FORGED STEEL **CLAMPS**

• Ratchet type lever prevents overloading & resists vibration • For high pressure, fast action clamping purposes

Span x Depth	Clamping Force	Part No.	Price
160x80mm	300kg	EC-G16L	\$77
200x100mm	350kg	EC-G20L	\$87.50
300x140mm	500kg	EC-G30L	\$122
400x120mm	550kg	EC-G40L	\$131
500x120mm	550kg	EC-G50L	\$137



- Battery-powered welding tractor designed to produce continuous fillet welds using MIG torches • Compact and lightweight design to weld in narrow spaces, 200mm minimum working width • Horizontal speed: 0-110 cm/min
- 4 wheel drive with magnetic base allows for vertical & horizontal welding closed loop speed stabilization system
- Includes battery, charger sold separately (WA-SPIDER)



WELDING CARRIAGE

weld bead geometery. (WA-GECKO)

• 240V or battery-powered options available • 4 wheel drive with magnetic base allows for vertical & horizontal welding • Torch holder mechanism for different types of MIG torches with diameters of 16 - 22mm • Constant and repeatable travel speed with closed loop stabilization system enables specific



RAIL TUG - TRACK MOUNTED FILLET WELDING CARRIAGE

- Produce butt and fillet welds without oscillation
- Uses Rigid, Semi-flexible, HI-flex & Pipe ring track on ferrous and non-ferrous materials • Very wide range of tracks & accessories available to customise the machine to the job
- Accepts MIG torches with diameters of 16 22mm loop speed control system • Some components shown in image are sold separately, see website for list of included components: www.itmtools.com.au (WA-RAILTUG)





OUR BIGGEST SALE OF THE YEAR

INDUSTRIAL SERIES COMPRESSOR FEATURES

- Durable copper wound motors
- Full brass non-return valve
- Soft start valve
- Condor pressure switches
- 145psi (10 Bar) maximum pressure
- AS1210 Approved tanks
- Thermal overload protection
- · Includes filter regulator with one-touch
- "Nitto style" couplers
- 200mm Solid rubber wheels
- · 3 year pump warranty

Valued at \$60 30m Air hose (TM300-230)



2.5HP DIRECT DRIVE AIR COMPRESSOR

- Ideal builder's compressor Single cast iron cylinder pump with aluminium head • Filter regulator • 240v 10amp
- Large 50L tank FAD 175 L/min (TM350-25050)



2.2HP BELT DRIVE AIR COMPRESSOR

- Ideal builder's compressor V Twin cast iron cylinder pump with aluminium heads • Filter regulator • 240v 10a
- Large 50L tank FAD 185 L/min (TM351-22050)



AIR COMPRESSOR - 60L

- V Twin cast iron cylinder pump with aluminium heads
- FAD 257 L/min (TM351-25060)
- Filter regulator 240v 10amp Large 60L tank



2.5HP BELT DRIVE **AIR COMPRESSOR - 90L**

- V Twin cast iron cylinder pump with aluminium heads
- Filter regulator 240v 10amp Large 90L tank
- FAD 257 L/min (TM351-25090)



AIR COMPRESSOR - 50L

• Ideal for commercial applications • Cast iron cylinder pump with aluminium head • Filter regulator • Large 50L tank • FAD 318 L/min • 240v 15amp (TM351-30050)



AIR COMPRESSOR - 60L

- Ideal for commercial applications Triple cast iron cylinder pump with aluminium heads • Filter regulator • 60L tank • FAD 328 L/min • 240v 15amp (TM351-30060)



AIR COMPRESSOR - 90L

- Ideal for commercial applications Triple cast iron cylinder pump with aluminium heads • Filter regulator
- 90L tank FAD 328 L/min 240v 15amp (TM351-30090)



DRIVE AIR COMPRESSOR - 60L

• Powered by Honda GX160 5.5HP engine • HD cast iron cylinder with aluminum head • Filter regulator • Large 60L tank • FAD 355 L/min (TM352-55060)



5.5HP 3 PHASE, 200L STATIONARY AIR COMPRESSOR

· Ideal for commercial workshops · Twin cast iron cylinder pump with aluminium head • Soft start • Large 200L tank • FAD 507 L/min (TM353-55200)



7.5HP 3 PHASE, 270L STATIONARY AIR COMPRESSOR

- · Ideal for commercial workshops Triple cast iron cylinder pump with aluminium head • Soft start • Large 270L tank
- FAD 704 L/min (TM353-75270)



STATIONARY AIR COMPRESSOR

- Ideal for commercial workshops Triple cast iron cylinder pump with aluminium head • Soft start • Large 270L tank • FAD 1143 L/min (TM353-10270)

ENDS 30TH JUNE 2020



BONUS

Valued at \$59 1/2" Impact socket set 11 pce 10-24mm

(TM371-001)



1/2" COMPACT IMPACT WRENCH

- Lightweight Only 1.6KG!
- Low noise level Only 85DB!
- Compact size Only 115.5mm length! • Powerful - 500ft-lb Max torque! (M7-NC4610Q)



Valued at \$60 30m Air hose with couplers (TM300-230)

^{\$}415

1/2" DRIVE IMPACT WRENCH

- Lightweight Only 1.7KG!
- Low noise level Only 85DB!
- 1650Nm (1200ft-lb) Max Torque!
- New patented EZ grease anvil (M7-NC4255QH)



3/4" DRIVE IMPACT WRENCH

- Lightweight Only 1.9KG!
- Low noise level Only 85DB!
- 1900Nm (1400ft-lb) Max torque!
- New patented EZ grease anvil (M7-NC6255Q)

BONUS

Valued at \$29 M7 anti-vibration gloves



AIR NEEDLE SCALER

- Blows per minute: 5500 BPM
- Net weight: 1.3kg
- Needle size: 3 x 123mm (12 per set)
- Overall length : 290mm (*M7-SN1288*)



Valued at \$59 1/2" Impact socket set 11 pce 10-24mm (*TM371-001*)



1/2" DRIVE IMPACT WRENCH

- Aluminium composite material construction
- Heavy duty twin hammer 3 torque settings
- 820 Nm (625 ft-lb) Max torque
- 6,800rpm Free speed (TM340-136)



Valued at \$60 30m Air hose with couplers (TM300-230)



\$399 3/4" DRIVE

IMPACT WRENCH

- Aluminium composite material construction
- Heavy duty twin hammer 3 torque settings
- 1,200 Nm (885 ft-lb) Max torque
- 4,200rpm Free speed (TM340-145)

RONUS

Valued at \$31 M7 Heavy duty tool bag (M7Z-ZC111)



AIR HYDRAULIC RIVETER

- Traction power: 2303 lbfAlloy rivet: 3/16" Steel rivet
- : 3/16" Stainless rivet : 5/32"
- Stroke length: 16mm Net weight: 1.5kg (M7-PA301)





°1/b

3/8" AIR DRILL

- Chuck size : 3/8" Free speed : 1800 RPM Air requirement : 4.0CFM
- Length :185mm Sound pressure
- : 83DB Net weight : 1.1kg Quiet operation Keyless chuck Reversible (M7-QE831)



\$99

AIR DIE GRINDER KIT

- Includes 3x 3/8" premium Holemaker carbide burrs
- Compact design with rubber grip
- Rear 4-speed regulator
- 360° adjustable exhaust (TM340-312KIT3)



15M HOSE REEL

• Reinforced PVC air hose • Auto retractable • Auto lock to any length • Auto track guided hose laying system • Hose length: 15m • Hose I.D.: 10mm (3/8") (TM300-015)



20M HOSE REEL

- Hybrid high-flex air hose Anti-kink technology
- Auto lock to any length Auto retractable Hose length: 20m 10mm (3/8") Hi-visibility for safety (TM300-020)



30M HOSE REEL

• Braided PU hose • Manual rewind • Heavy duty steel frame • Kink-proof collar on hose • Hose length: 30m • Hose I.D.: 8mm (TM300-030)



OUR BIGGEST SALE OF THE YEAR - ENDS 30TH JUNE

TRADE SERIES GENERATORS

 AVR (Automatic Voltage Regulator) alternator utilising advanced electronic technology to provide a very pure energy supply with a THD (THD Total Harmonic Distortion) of <5%. This clean and pure output means they are suitable to power even the most delicate electronic devices

- · Powerful 4 stroke OHV engines
- · Low oil sensor
- · Digital multimeter display
- Large capacity fuel tanks
- 2 year trade warranty

|\$**9**99

4KVA 8HP GENERATOR

- 3400 Max Watts 3200 Rated Watts 2x 15A Outlets
- 14 Hours run time 15L tank Electric Start 76dBa
- 52kg (TM510-3400)



\$100 OFF \$1399

6.8KVA 13HP GENERATOR

- 5500 Max Watts 5000 Rated Watts 2x 15A Outlets
- 13 Hours run time 25L tank Electric Start 78dBa
- 81kg (TM510-5500)



\$200 OFF \$1499

8.1KVA 15HP GENERATOR

- 6500 Max Watts 6000 Rated Watts 2x 15A Outlets
- 12 Hours run time 25L tank Electric Start 79dBa
- 85kg (TM510-6500)



CONSTRUCTION SERIES GENERATORS

- · Push button electric start with remote control
- · IP66 rated power outlets
- RCD (Residual Current Device)
- · Powerful 4 stroke OHV engines
- Low oil sensor
- · Digital multimeter display
- Large capacity fuel tanks
- 2 year trade warranty
- AVR (Automatic Voltage Regulator)
- THD (Total Harmonic Distortion) of <5%





\$1199

4KVA 8HP GENERATOR

- 3400 Max Watts 3200 Rated Watts 1x 15A IP66 Outlet
- 14 Hours run time 15L tank Electric Start 76dBa
- 54kg (TM520-3400)



^{\$}1699

6.8KVA 13HP GENERATOR

- 5500 Max Watts 5000 Rated Watts 2x 15A Outlets
- 13 Hours run time 25L tank Electric Start 78dBa
- 81kg (TM520-5500)



Products imported and distributed nationally by Industrial Tool & Machinery Sales. Advertised prices include GST. Freight charges may apply on some products to some areas. Prices and specifications subject to change without notice.

OFFER VALID TO 30th June 2020