

See back page for store locations

WWW.TRADESMART.NET.AU

1ST AUG 2020 - 30TH SEPT 2020

SPRING INTO ACTION

ROTARY LASER KIT WITH BONUS 30M STEEL TAPE #006-SC3095

\$**699**00

GREAT BUY!

P/N: 012-E60K

TradeSmart

Hard carry case

Great value Laser

400m Range

Includes Tripod & Staff

P/N: FAMKS MEDIQ 5 X MODULE FIRST AID KIT

TradeSmart



- First aid kit with Soft Pack external case option.
 Designed in accordance with Safe Work Australia's First Aid Code of Practice (July
- 2019).
- Tamper Resistant zip tied.

\$**699**00

GREAT BUY!

- 5 Individually packed modules within each kit:
 1) Burns
 2) Eve
- 3) Haemorrhage (Major Bleeding)
- 4) Minor Wounds 5) Outdoor / Snake / Spider
- All external cases include carry
- handle.Practical & functional in stressful
- Fractical & functional in stression injury situations.
 Easily identified modules.

TRADESMART

P/N: SB SSD 200 BL M HD 5.5 + 4.0 - AUG8201554 **2 PIECE HAMMER DRILL & IMPACT DRIVER KIT** WITH BONUS 2 X 4.0 AH LIHD BATTERY PACKS, PLUS BONUS 12-18V AG/DC BLUETOOTH RADIO VIA REDEMPTION

• Dual faced receiver EMPTION P/N: 806092

BONUS (4.0 Ah lihd bat

TradeSmart

BONUS 30M STEEL TAPE #006-SC3095

20L WET/DRY WORKSHOP VACUUM with bonus standard filter bag (pk 5)

<section-header>

Vacmaster

(**PK5**)





WHEN HEAVY DUTY MATTERS!

WELDING



Weight (kgs)

128

SHOP SMART - BUY SMART!

Weldclass WeldForce Inverter Welder Range



WeldForce WF-180MST **MIG/Stick/TIG Inverter Welder** WF-06128

\$749 Ind.

Includes: MIG Torch 3m H/Duty BZL 25 / Earth Lead 3m / Stick Lead 3m / Gas Regulator / Drive Rollers for 0.8/0.9 Steel, 0.8/0.9 Gasless

Features:

PAGE 3

- Takes 1kg or 5kg spools
- Digital Readouts
- 9kg Compact, Robust & Lightweight Generator Compatible
- & more !



Includes: MIG Torch 4m H/Duty BZL 25 / Earth Lead

Power Factor Correction for High Duty Cycle

• 20+ Pre-set Programs for different materials

Gasless, 1.0/1.2 Aluminium

+ Ideal for Generator Use

Synergic or Manual Controls

for up to 20 jobs

System

Geared 4-Roll Wire Drive

Job Save store custom settings

Features:

4m H/Duty / Stick Lead 4m H/Duty / Gas Regulator

/ Drive Rollers for 0.6/0.8 Steel, 0.9/1.2 Steel, 0.8/0.9

WeldForce

WF-06167

WF-255MST

MIG/Stick/TIG

Inverter Welder

\$2.149 Intl



WeldForce WF-200MST MIG/Stick/TIG **Inverter Welder** WF-06129

Pulse TIG

WF-06172

Includes: Earth Lead 4m / Stick Lead 4m / Long 3m

Power Lead / Gas Regulator / Shoulder Strap /

Cable Strap / Carry Bag

Includes: MIG Torch 4m H/Duty BZL 25 / Earth Lead 4m H/Duty / Stick Lead 4m H/Duty / Gas Regulator / Drive Rollers for 0.8/0.9 Steel, 0.8/0.9 Gasless

Features:

- Takes 5kg or 15kg spools
- Digital Readouts
- 13kg Compact, Robust & Lightweight
- Generator Compatible
- Spool Gun Ready





WeldForce WF-205MST **MIG/Stick/TIG Inverter Welder** WF-06166

Includes: MIG Torch 4m H/Duty BZL 25 / Earth Lead 4m / Stick Lead 4m / Gas Regulator / Drive Rollers for 0.8/0.9 Steel, 0.8/0.9 Gasless, 1.0/1.2 Aluminium

WELDING

Features:

- Power Factor Correction for High Duty Cycle + Ideal for Generator Use
- Synergic or Manual Controls
- 20+ Pre-set Programs for different materials
- Job Save store custom settings for up to 20 jobs
- & more !





CutForce CF-45P **Plasma Cutter** WF-06176

Includes: Plasma Torch 6m / Air Regulator with filter & Nitto air fitting / Earth Lead 4m / Long 3m Power Lead / Carry Bag / Shoulder Strap / Cable Strap

- Features:
- Powerful Clean Cutting
- Power Factor Correction
- 8kg Compact, Robust & Lightweight
- High Quality Plasma Torch 6m
- Generator Friendly

clean cut up to 20mm steel



60



Features: • 8kg - Compact, Robust & Lightweight LCD Digital Controls • HF or Lift Arc Ignition • Pulse Frequency & Width Controls Slope Up/Down & Pre/Post Gas Controls Generator Friendly • & more ! \$1,599 list Promax 500 Now with Enhanced COLOUR RECOGNITION Electronic **Welding Helmet** 'Black Stealth' 85cm2 of Massive view area! WELDWOLF 85cm2 of Massive view

area!



Platinum GL-11 **Gasless Wire** 0.9mm 4.5kg 2-098FM

Have you tried Australia's No. 1 Gasless wire? Here's what our customers sav:

"Personally I have tried many different brands and types of gasless wire but the Weldclass Gasless Platinum GL-11 has done it for me... a smooth flowing and low spatter wire." - Matt, NSW

- Features
 - Ultra-Smoth arc with minimal spatter
 - Suitable for All-positional, single and multi-pass welds
 - Vacuum Foil-Sealed spool, for exceptional storage life Australia's No. 1 \$**95**00
 - gastess wire !



HOT DEALS STOREWIDE!

WELDING/GENERATORS



Innovative Technology. Comprehensive Welding and Cutting Solutions.



Inverter machine for maintenance, small repairs and general fabrication. It is designed to be used on aluminium, aluminium alloy, copper, titanium and other non ferrous metals as well as stainless steel, carbon steel and other metals. It is very compact and lightweight with built-in VRD and a function to save your settings with up to 20 set modes. You have full control over the output. Includes: 3m input cable with plug, 3m ground cable with work clamp, 3m welding cable with electrode holder, TIG torch 8m, argon regulator / flow metre, gas hose assembly. **PART NUMBER: K69021-4**



Powercrate® PL40 Plasma Lutter The PC40 makes short work of your cutting requirements using ordinary 240V power – simply take the torch and cut in seconds. Weighing only 76kg this versatile machine can be used anywhere, anytime – ideal for onsite use. Up to 10mm cut capacity. PART NUMBERS: K69044-1



Ideal choice for maintenance, small repairs and general fabrication. The inverter machine is very compact, lightweight and comes with a shoulder strap for ease of transportation. Accessories included, so it is ready to weld out of the box. Includes: Suitcase with welding leads, VRD 240V 10 A plug (small dinse). **PART NUMBER: K69041-1**



Viking[™] 1840 Series Welding Helmets These helmets feature 1/1/1/2 optics, continuously variable 9-13 shade with internal control, variable sensitivity and delay. 96 x 47 mm view size. Comes with extra cover lenses and decal sheet to decorate the helmet. PART NUMBERS: K32068-1 (RED SPLAT), K2812-1 (TRIBAL)

www.lincolnelectric.com.au



SHOP SMART - BUY SMART!

PAGE 5

HAND TOOLS





WHEN HEAVY DUTY MATTERS!

FAMOUS TOLEDO

EXCELLENCE BY DESIGN

10FL0

10RD0

Toledo Files 250mm

				Ĩ	\sim	
Part No.	Туре	Cut	Price	Ĩ	2CD	2CD
10FL02CD	Flat File	Second Cut	\$15.95		1	
10FL03CD	Flat File	Smooth	\$16.95		ų –	
10HR02CD	Half Round File	Second Cut	\$21.95	1 👘 - 1		
10HR03CD	Half Round File	Smooth	\$21.95			
10RD02CD	Round File	Second Cut	\$14.95	1	1	
10RD03CD	Round File	Smooth	\$14.95	U	0	U

Stainless Steel Rules Double Sided

- Manufactured from high grade stainless steel
- Made in Japan

Part No.	Туре	Length mm	Price	
150SP	Metric	150	\$8.95	
300SP	Metric	300	\$15.95	
150B6	Metric & Imperial	150	\$9.95	
30012	Metric & Imperial	300	\$19.95	
60024	Metric & Imperial	600	\$38.95	
100036	Metric & Imperial	1000	\$68.95	

KNIPEX Made in Germany

Knipex Cobra®

- Push the button for adjustment on the workpiece
- Self-locking on pipes and nuts: no slipping on the workpiece and low handforce required

•	Made	in	Germany	

Part No.	Length mm	Adj. Positions	Capacity mm	Price
87 01 125	125	13	27	\$54.95
87 01 150	150	11	30	\$64.95
87 01 180	180	18	36	\$74.95
87 01 250	250	25	46	\$79.95
87 01 300	300	30	60	\$105.00
87 01 400	400	27	95	\$175.00
87 01 560	560	20	120	\$287.00





SHOP SMART - BUY SMART

suttontools Tool Deals you need



Venom Venom Cutting Fluid

- 250mlLowest torque required for higher performanceReduced friction for
- extremely high quality surface finish • Extends tool life





Black Book

Black Book

- Matt laminated grease proof pages
- Wire bound to stay flat on workbench & much more

Size	ltem #	Price Inc. GST
Engineers Black Book	L100 V3EN	\$69.00
Engineers Black Book Large Edition	L103 V3EN	\$89.00
Electrical Black Book	L300 V2EN	\$69.00
Fasteners Black Book	L200 V1EN	\$69.00

LOCKJAW

Automatic Self-Adjusting Pliers

Jaw locks automatically with highest tip pressure without needing adjustments. No pinch easy squeeze release lever stays locked until you release it.







Straight Jaw Pliers 250mm L211 0250 35mm Jaw Opening

P/N: L211 0250



Needle Nose Pliers 200mm L212 0175 55mm Jaw Opening \$3495

P/N: L212 0175



INSULATED TO

HAND TOOLS

2 Pce Cutting & Linesman Insulated Pliers Set

- Insulated to 1000V these pliers are ideal for electrical tradespeople
- Includes: 3238 (212mm length) & 3248 (216mm length)

6 ē





COMPRESSORS

0 0

WWW:TRADESMART.NET.AU





FOLLOW US ON FACEBOOK **f** FACEBOOK.COM/TRADESMARTINDUSTRIAL

WORKSHOP



FOLLOW US ON FACEBOOK **f** FACEBOOK.COM/TRADESMARTINDUSTRIAL



\$7**4**9 AI GREAT VALUE ! PRODUCT CODE: 509675 VMVK1520SIW PRODUCT CODE: 807187 VMVDK1538SWC-06 30L WET / DRY 1500W VACUUM + BONUS STD FILTER BAG (5pk) 30L Stainless steel model with powerful 1500W motor 20L WET/DRY WORKSHOP VACUUM 1250W Sync socket for automatic power-tool operation. + BONUS STD FILTER BAG (5pk) Max. air flow 65 l/sec Stainless Steel Tank Max. vacuum 17kpa Max Airflow: 58L/s Comes with 2.5 metres of 35mm diameter hose Input Rating: 1250W 5m power cord for extra reach Synco function (800 Watt Max) Tank Drain: Plug \mathbf{n} Hose Length: 1.8m crush resistant \$219 Ś 19 GREAT VALUE ! GREAT VALUE ! PRODUCT CODE: 805895 PRODUCT CODE: 806092 VMVQ1530SWDC-P VMVQ1220SS-P

Distributed By: WHITE INTERNATIONAL

HOT DEALS | PRODUCT LAUNCHES | INDUSTRY UPDATES | HELPFUL HINTS

PAINT/SPARES





SPRING INTO ACTION



PAGE 12

0 0

GENERAL

YOUR NUMBER ONE CHOICE FOR WHEELS, CASTORS, AND MORE!

HEAVY INDUSTRIAL SERIES CASTORS

Ideal for applications that require high capacity castors such as logistics, manufacturing,display, exhibition services, and more!

100MM POLY TYRED CAST IRON CASTORS



WHEEL DIAMETER: 100mm

LOAD CAPACITY: 250kg

125MM POLY TYRED CAST IRON CASTORS



WHEEL DIAMETER: 125mm

LOAD CAPACITY: 250kg

150MM POLY TYRED CAST IRON CASTORS





INDUSTRIAL PRODUCTS



SHOP SMART - BUY SMART

WORKSHOP



GIFT CARDS AVAILABLE IN SELECTED STORES

PARAMOUNT

TradeSm INDUSTRIAL

SAFETY

GIFT CARD

TradeSmart \$25.00

GIFT CARD



NP (SIZE)

PROSENSE® SUPER-FLEX - NITRILE DIP **ON 13G POLYESTER LINER**

- Anti-static liner.
- Liahtweight.
- · Breathable.

SIZES: 7-12 / QTY/PACK: 12 PAIRS





PYTHON[®] SLIMLINE EARMUFFS

· Class 5 SLC8031dB.

- · Hearing protection for noise levels to 116dB(A).
- · Easy adjustment system for individual fit.
- · Solid, lightweight ear cup construction.

QTY/PACK: 1 PAIR





SURGE POLARISED BROWN LENS SAFETY GLASSES

- · Medium impact rated. • 99.9% UV protection for outdoor wear.
- Anti-scratch & anti-fog polycarbonate lens.

QTY/PACK: 1 PAIR





FLAMMABLE LIQUID STORAGE CABINET - 250L

Double walled 1.2mm galvanised steel.

PRAT

\$12900

GREAT VALUE!

SPILL KIT - 50L

SKGP050

PREMIUM GENERAL PURPOSE

Includes the following: 1 x General Purpose Floor Sweep 5kg/15L

2 x Grey General Purpose Booms 1.2m 1 x Grey General Purpose Pillow 420g

2 x Contaminated Waste Bags 1 x Pair of Green Nitrile Gloves XL 2 x Safety Tags & 1 x Instruction Sheet

1 x Dust Pan & Brush Set

- · 2 x sequential self closing doors fitted with speed adjustable hydraulic closures.
- 3 x 1.6mm, perforated, galvanised steel shelves.



COMPACT MOTORIST FIRST AID KIT -SOFT PACK

· Sturdy soft pack design with carry strap handle

· Ideal for in car glove box, boot or for general use.

• Tamper resistant zip tied.



· 5 individually packed modules: Burns,

MEDIC \$12⁹⁵ GREAT VALUE! ABW80

ANTIBACTERIAL WIPES 75% ALCOHOL -80 WIPES

 Instant results, kills 99,9% of common germs. · Ideal for your travel bag, home, car or office for a peace of mind clean.

SIZE: 103 x 160 x 60mm (W x H x D)



SANITISING HAND GEL 75% ALCOHOL - 500ML

- · Instant results, kills 99.9% of common germs. · Highly effective, fast drying, non-sticky,
- antibacterial formula.

BOTTLE MATERIAL: PLASTIC / VOLUME: 500ML



SANITISING HAND GEL

75% ALCOHOL - 1L

· Instant results, kills 99.9% of common germs. · Highly effective, fast drying, non-sticky, antibacterial formula.

BOTTLE MATERIAL: PLASTIC / VOLUME: 1L



99% SUGAR FREE SOLO SHOTS -MIXED PACK, 50 X 3G SACHETS · Caffeine & gluten free.

- · 3g sachet makes 600ml.
- 50 x 3g sachets per pack.

FLAVOURS: BLUE LEMONADE, LEMON LIME, ORANGE, TROPICAL & WILD BERRY





7FOLITE FLOOR SWEEP - 15L

- · All natural heat sterilised mineral, contains no chemicals.
- · Absorbs immediately on contact.
- Maintains strength integrity when fully absorbed reduces slippage and makes clean-up easy.





COUNT: 1 PERSON KIT / PIECES: 156



INCIDENT READY KIT - SOFT PACK

Eye, Haemorrhage, Minor Wounds, Outdoor/Snake/Spider.

· Tamper resistant zip tied

COUNT: 1-25 PERSON KIT / PIECES: 257



BIG BOY TOY DEALS

BEAVER LIFTING & RIGGING

PRO

.

Ś

BEAVER 1T ROUND LIFTING SLING - 1000kg x 1m Code: MRS1000X1



BEAVER 2T ROUND LIFTING SLINGS - 2000kg x 1m



BEAVER 3T ROUND LIFTING SLINGS - 3000kg x 1m

SAFETY/LIFTING

BEAVER GRADE 70





FRONTIER STANDARD COWGRAIN RIGGER

Code: FRRIGGSTDWW

PREMIU

- Sizes S-2XL
- B grade grey/white cow grain · Wing thumb allows better open hand pulling & grabbing



FRONTIER TAKT NITRILE FOAM GLOVES

Code: FRMICRFMNBK

Sizes: S-2XLSeamless nylon shell for enhanced movement

 Excellent wet & dry grip



HEIGHT SAFETY

B-SAFE TRADIE ROOFERS KIT Code: BK061215TRAD

• Rope Safety Line

- Tear Webbing Shock Absorber with loops
- Fall Arrest Harness
- Alloy Steel Twist Lock Karábiner x 3
- · Attachment strap 25mm
- web rated for 1 Person





B-SAFE HEAVY DUTY 2M SHOCK LANYARD



SPECIAL PRICE







6 0

472-062020



SHOP SMART - BUY SMART!

LUBRICATION

ube URKSHOP ENIPME

G10040N

ALEMLUBE EL SERIES

recharging is required

· Capable of delivering up to 80g/min

18V LITHIUM-ION CORDLESS GREASE GUN

· Generates grease pressures of up to 10,000psi (690bar)

· Supplied with two batteries, 3,000 mAh & 1,500 mAh

Spare battery, recharger, 106cm long grease gun flex

and plastic moulded carry case supplied standard

Dispenses grease from up to 12 x 450g cartridges before

TRIGGER ACTION GREASE GUN

- 450g capacity
- · Grease pressures of up to 8,500psi (586bar)
- · Delivers up to 1.1g of grease per stroke
- Ever-Flow System enables the gun to be used with thick tacky greases even in the coldest conditions 4 jaw coupler and flexible 30cm long extension
- High volume / high pressure option facilitates fast and efficient greasing

6336N **2.5KG GREASE KIT**

Grease pressures of up to 10,000psi (690bar)

 Foot operated design leaves hands free to access difficult to access lube points

YEAR

\$1 19.00

GREAT VALUE

- Up to 30 shots before the hand piece needs to be reloaded with grease High volume or high pressure option reduces greasing down time
- Convenient carry handle inclusive of a rubber grip 360° swivel eliminates annoving hose tangling
 - \$**349**.00 GREAT VALUE!



- 240V, maximum 10amp



 Supplied with 20m of 3 x 1.5mm² cable Thermal overload protection



- Durable construction with reel covers manufactured
- from high quality impact resistant polypropylene

205L CHEMICAL

\$499.00

GREAT VALUE!

 Swivelling steel wall bracket CR30060 as above but with 240V Electric Cable Reel - 15amp \$369



O30050 **ALEMLUBE EL SERIES OIL TRANSFER KIT WITH METER**

- Flow rates of up to 10L/min
- Suits 205L drums and transfers engine, gear hydraulic oils up to SAE130 and ATF
- Includes a 3:1 ratio oil pump, 1/2" hydraulic hose. electronic oil meter and adjustable 2" bung adaptor
- Air consumption of 3.6 cfm at 150psi Maximum operating pressure
- of 450psi (30bar) Maximum oil viscosity
- of SAE130
- Double acting pump with a differential air motor ensures smooth & constant oil delivery



10028 **HEAVY DUTY 20L GEAR OIL DRUM PUMP** Heavy duty fully serviceable drum pump

- delivers 170mL on the downstroke Height adjustable bung adaptor and two extra adaptors to suit local and
- international 20L drums supplied standard 1.8m long rubber
- assembly ensures a long service life Ideal for use with engine, hydraulic,
- gear, diff & synthetic oils Also suitable for
- underground coal mine use

\$139.00 GREAT VALUE



- 18m x 10mm ID hybrid polymer hose & 0.9m lead in hose
- · Impact resistant UV stabilised covers for maximum durability
- · Can be mounted on the wall, floor or ceiling
- 3/8" BSP inlet/outlet
- Detachable steel mounting bracket enables 180° hose reel rotation
- Dimensions: 490mm (L) x 448mm (H) x 228mm (W)
- SA400N as above but with 15m x 12mm ID hybrid polymer hose \$319





• Delivers 500mL on the up stroke

- 316 stainless steel body, outlet spout and pick up tube and piston with adjustable PTFE seals Also features an adjustable
- outlet spout Suitable for the transfer
- of ammonia. ethyl acetate. methyl acetate, AdBlue® and nitric acid up to a 50% concentration

\$419.00

GREAT VALUE!

POLYPROPYLENE PUMP TUBE Flow rates of up to 112L/min Polypropylene downtube suitable for transferring acids, alkalies and detergents

JP-280-PP-HC-1000

DRUM PUMP KIT WITH

- Supplied complete with electric motor, 1,000mm polypropylene pump tube, 2m multi-purpose chemical hose, stainless steel hose clamps and PVDF nozzle
- Operating temperatures of up to 80°C JP-280-PP-HC-1200
- as above but with 1,200mm pump tube for IBC **\$2,769**



L20040PA **ALEMLUBE LOCKABLE DIESEL REFUELLING STORAGE & DISPENSING KIT**

- Dispensing kit consists of a 12V pump, antistatic fuel delivery hose, 2 metre battery cables and auto shut off nozzle
- Suitable for storing and dispensing diesel fuel only
- 200L storage tank capacity
- · Delivery rates of up to 50L/min
- L45040PA as above but with 450L storage tank capacity \$1,599



alemlube.com.au



*Applies to the vast majority of Alemlube products unless indicated otherwise

FOLLOW US ON FACEBOOK **f** FACEBOOK.COM/TRADESMARTINDUSTRIAL

LUBRICATION

macnaught MACVALUABLE



Single Pedestal Air/ Water Reel 10mm x 15m

L-AWS1015

- Hose Size 10mm x 15m
- Hose Type Air/Water
- Inlet 3/8"BSPT (F)
- Outlet 3/8"BSPT (M)
- Pressure Rating 290 psi
- Hose Material NBR rubber



Heavy Duty Diesel/Air/ Water Reel 25mm x 15m

L-DTP2515

\$**599**00

GREAT VALUE!

L-GS1015

Single Pedestal

• Hose Type - Grease

Inlet- 3/8"BSPT (F)

SS4900

GREAT VALUE!

L-OS1215

• Hose Type - Oil

Inlet- 1/2"BSPT (F)

• Outlet - 1/2"BSPT (M)

Single Pedestal

Oil Reel 12.5mm x 15m

• Hose Size - 12.5mm x 15m

• Pressure Rating - 2320 psi • Hose Material - S.A.E. R1 wire braid

• Outlet - 3/8"BSPT (M)

• Pressure Rating - 5800 psi

• Hose Material - S.A.E. R2 wire braid

- Hose Size 25mm x 15m
- Hose Type Diesel/Air/Water
- Inlet- 1"BSPT (F)
- Outlet 1"BSPT (M)
- Pressure Rating 290 psi
- Hose Material NBR rubber

Grease Reel 10mm x 15m

• Hose Size - 10mm x 15m



LEVERGUN® 450g Grease Gun

K45-01

- Pressures up to 82,750kPa (12,000psi) • Includes 160mm (6") rigid extension
- and 300mm (12") flexible extension
- KY SUPERGRIP[™] 3 jaw high pressure
- coupler Maximum viscosity - Up to NLGI 2
- Up to 1.5g per shot



Mechanical

Diesel Meter

ΔΜΕΜ

- Flow range 20 120LPM
- Suitable for diesel, kerosene and light oils • Inlet/Outlet - 1" BSP (F)
- Nutating disc
- Maximum working pressure 50psi (3.5bar)
- 4-digit resettable total

\$749⁰⁰ **GREAT VALUE!**

Air Operated Greasing Kit

L-GK20

- Pump ratio: 50:1
- Suited to pails: 20kg
- Max. Output Pressure:
- 7,500psi (51,710kPa)
- Min/Max Air Pressure: 30psi (207kPa) / 150psi (1,034kPa)



- Pressures up to 7,000psi (48,300kPa)
- Output volume: 0.84g/stroke
- Cartridge: 450g (16oz) • Suitable for greases up to NLGI 2

GREAT VALUE! **RAPIDFLO**[™]

Rotary Fuel Pump

GT-01

- High-flow transfer of diesel, ULP, aviation fuels, kerosene and light oils (up to SAE 30) and ethanol • Delivers up to 100L/min
- (in both directions)





Multi-Purpose Gear Oil Pump

C7-01

0000

THE OWNER WHEN

- Wetted components Aluminium, steel, viton, delrin and zinc
- Compatible fluids kerosene, two stroke mix, lubricating oils up to SAE140
- Pump output: 100ml/stroke
- 1.8m rubber/nitrile delivery hose
- Suited to pails: 15-25L



240V High Flow Diesel Pump

AHFP100LPM

- Flow rate 100LPM
- Suitable for diesel use only
- 30min duty cycle
- Maximum current draw: 4.1 Amps
- Inlet/Outlet: 1"BSPP (F)
- Built-in strainer



Hi-Flo Automatic Diesel Nozzle

L-ANHF

- Flow rate: 120LPM
- Inlet: 1" BSP (F)



6 0

*Prices inclusive of GST. Stock Subject to availability. Warranty subject to Macnaught Terms & Conditions. ©Macnaught Pty Ltd, 2020.







FREIGHT CHARGES MAY APPLY



HOT DEALS STOREWIDE! ADHESIVES/CLEANING apidstick A NEW FORCE IN CHEMICAL MANUFACTURING WWW.CHEMTOOLS.COM.AU PRICED FROM. THREAD LOCKING **N**.50 KNEADING, MOLDING & GAP FILLING \$1 Impact resistant I Tough and permanent CONTROLLED FRICTION I High bond strength: cures hard as nails ☑ Can be sanded, tapped, drilled, filed, \$10.50 \$22.95 machined, and painted .50 8243-10 | 10g 8243-50 | 50g S1 10 REPAIRS CRACKS, HOLES, DENTS & LEAKS! 8263-10 | 10g 8263-50 | 50g 8-145-57 | 576 8272-10 | 10g 8272-50 | 50g BONDING, MOUNTING, SEALING & FILLING ANTI-SHOCK \$22.85 Almost NO surface limitations CT-HBS201W-300ML WHITE ☑ Durable and flexible

☑ Delicate materials

Porous & non-porous surfaces

All metals, including soft metals

>> Natural stone, granite, and marble

Polystyrene, polyurethane, plaster,

"NAILS IT EVERY TIME."

laminates, and most plastics

Mail woods, incl. timber, MDF, chipboard, and cork

Movable joints

Mirrors and glass

CT-HBS201BK-300ML

CT-HBS201GY-300ML

300ML CARTR

\$14.50

BLACK

GREY

A TOOL KIT IN A TUBE!

Ŧ PITBULL

DURA-FLEX

HYBRID SEALANT

Rapidstick

PAGE 18

0 0

SOG TUBES

\$24.95

RETAINING

8680-50 | 50g Bottle | \$22.95

☑ Contaminated Surfaces

I High strength formula ☑ Fast 10 min cure time

THREAD SEALING

GASKET SEALING

8567-50 ☑ High Lubrication ☑ Coarse Fittings

8515-50 I Machined Surfaces Flexible Bonding


8574-50 In Tight Surfaces Rigid Bonding

8577-50 Ø Potable Water Ø All Thread Types

Chemlech MADE TO WORK CAUTION 18 **CT14** EN CLEAN \$10900 \$**119**00 \$1**19**00 \$1295 \$1595 \$1595 CT18-20L CT20-20L CDT.500M -900.11 **CT18 CT20 SCREEN CLEAN CT14 ENGINE** DETAIL SHIELD INTERIOR **WINDSCREEN** SUPERWASH WASH'N'WAX & BILGE INTERIOR PROECTANT WASHER **DEGREASER 20L CLEANER 500ML 500ML** 20L 20L **ADDITIVE 1L** Chemtech CT18 Superwash has been ecifically formulated so that it is harmle to all materials used on trucks & other notor vehicles, including aluminium, bras Chemtech CT20 Wash 'N' Wax is a en Clean is a concentrater trated, rich gel that has been specia ted to gently break through the toug ime whilst leaving a streak free, mi mical additive for windscreen washer reservoirs in all types of vehicles. ides clear visibility for safer driving and is safe on all vehicle finishes. ser that is a safe, environm y and an economical alterna solvent based degreasers. ed to freshen & protect all type ic, vinyl and rubber surfaces in the interior of your car. stic, spray and wipe cl e on vehicle dashboar It pro copper, plass, plastic, rubber, neoprene and vinvl. like sheen on all vehicles

WHEN HEAVY DUTY MATTERS!

PAGE 19



DRILLING/CUTTING

suttontools Tool deals you need



HOT DEALS STORE WIDE

18V High Brightness LED Work Light | DML809

- Max. 10,000lm LED brightness
- Powered by either 18V Li-ion batteries or AC power
- Runtime of up to 8hours with 2x 6.0Ah

hakita



GREAT VALUE!



12V Max 2 Piece Combo Kit | CLX239 Kit includes: HP333DZ, TD110DZ, 2 x BL1016, DC10WD & carry bag





Thakita.

18V Inflator | DMP180Z

- Auto-stop function stops at desired pressuress
- High visibility digital display screen
- Max. air discharge pressure 121psi



18V Brushless 2 Piece Combo Kit | DLX2185T Kit includes: DHP481Z, DTW285Z, 2 x BL1850B, DC18RC & carry case



18V LED Long Distance Flashlight | DML812

- 640metre spot light distance
- 4 modes; spot, flood, spot/flood and strobe
- High brightness LED's provide a max 1,250lm



18Vx2 Brushless AWS* 235mm (9-1/4") Circular Saw | DHS901Z

- max cut capacity of 85mm with -1-60 bevel
- Automatic Torque Drive
- High brightness LED's provide a max 1,250lm
- 4,200rpm no load speed motor
- * AWS receiver sold separately






- Group chain link up to 10 speakers
- Bluetooth with FM / AM Frequencies
- Bidetooth with Fivi / Aivi Frequencies
- Quality sound produced by 2 speakers & subwoofer



125mm (5") Angle Grinder | 9565C

- Slide switch with lock on function
- SJS extends tool life and protects gears
- High performance 1,400W* motor





6 0





POWER TOOLS

PAGE 21

PAGE 22 POWER TOOLS

SHOP SMART - BUY SMART!

metabo









