



AUGUST TO OCTOBER 2020

WORKSHOP TOOLS & MACHINERY

ON SALE



\$3795

**NEW
PRODUCT**

HOLEMAKER SPECIAL 80

- Capacity (diameter) 80mm
- Capacity (depth) 110mm
- #3 Morse Taper Spindle
- M24 Tapping Capacity
- 25mm Twist Drill Capacity
- 2 Speed gearbox with variable speed control
- Powerful 1500Watt Italian motor
- Durable & Versatile, European Made Machine
- Through cutter coolant system
- Comes complete in plastic carry case
- 18.0kg - Very light weight compared to other machines of similar capacity (HMSPECIAL80)



\$1595

300MM x 180MM METAL BANDSAW

- Swivel vice enables 0° to 45° mitre cuts
- Taiwanese made machine • Hydraulic downfeed • 1HP, 240V • 4 speed belt drive
- Rectangle cut capacity @ 90° - 300 x 180mm
- Rectangle cut capacity @ 45° - 120 x 115mm (UE712A)



**BONUS
ITEM**

**5 LITRE
METAL CUTTING
FLUID \$112 Value
(MF-5LITRE)**



**BONUS
ITEM**

30M HOSE REEL
• 8mm I.D. Braided PU hose
• \$210 Value (TM300-030)

\$1899

5.5HP PETROL AIR COMPRESSOR - 60L

- Powered by Honda GX160 5.5HP engine • HD cast iron cylinder with aluminum head • Filter regulator • Large 60L tank • FAD 355 L/min (TM352-55060)



\$2199

10KVA PETROL GENERATOR

- Powerful 17HP 4 stroke engine
- Max watts: 8000W
- Sine wave technology (THD<5%)
- 2 x IP66 15A outlets
- Electric start with remote
- Large 25L tank (TM520-8000)



Holemaker
Drilling Solutions By **ITM**®

SPECIAL SERIES

- New generation Italian made motor
- Intelligent speed control system
Maintains stable speed regardless of load changes.
- Electronic Variable Speed Control
Achieves the ideal RPM for your application.
- Forward and Reverse Operation
- Electronic clutch
Engages in the case of cutting tool breakage
- Overload and Overheat protection
- Tilt sensor
Stops the motor in cases of machine break away.
- 360-degree visual monitoring system
with colored lights to indicate condition of the drill
- Intuitive control panel at top of the drill
- Very light weight

**NEW RELEASE
NOW AVAILABLE**

360-Degree Visual Monitoring System



Ready To Operate
(Solid Green)



Operating Normally
(Solid White)



Motor Overload
(Solid Blue)

Other Monitoring System Indicators

	Motor Overheat (Red)
	Emergency Stop / Low Adhesion (Violet)
	Inadequate Adhesion (Flashing Green)
	Near Overload (Flashing Blue)
	Voltage Drop (Red Flashes To Blue)
	Worn Brushes (Red Flashes To Green)

Intuitive control panel



- Speed control
- Motor START Reverse
- Motor START Forward
- Motor STOP
- 360 Degree Visual Monitoring System

\$3095

HOLEMAKER SPECIAL 60

- Capacity (diameter) 60mm
- Capacity (depth) 75mm
- #2 Morse Taper Spindle
- M20 Tapping Capacity
- 23mm Twist Drill Capacity
- 2 Speed gearbox with variable speed control
- Powerful 1500Watt Italian motor
- Durable & Versatile, European Made Machine
- Through cutter coolant system
- Comes complete in plastic carry case
- 17.0kg
(HMSPECIAL60)



\$3795

HOLEMAKER SPECIAL 80

- Capacity (diameter) 80mm
- Capacity (depth) 110mm
- #3 Morse Taper Spindle
- M24 Tapping Capacity
- 25mm Twist Drill Capacity
- 2 Speed gearbox with variable speed control
- Powerful 1500Watt Italian motor
- Durable & Versatile, European Made Machine
- Through cutter coolant system
- Comes complete in plastic carry case
- 18.0kg - Very light weight compared to other machines of similar capacity
(HMSPECIAL80)



\$4995

HOLEMAKER SPECIAL 110

- Capacity (diameter) 110mm
- Capacity (depth) 110mm
- #3 Morse Taper Spindle
- M30 Tapping Capacity
- 30mm Twist Drill Capacity
- 4 Speed gearbox with variable speed control
- Powerful 2150Watt Italian motor
- Durable & Versatile, European Made Machine
- Through cutter coolant system
- Comes complete in plastic carry case
- 25.0kg - Very light weight compared to other machines of similar capacity
(HMSPECIAL110)



\$5995

HOLEMAKER SPECIAL 140

- Capacity (diameter) 140mm
- Capacity (depth) 110mm
- #4 Morse Taper Spindle
- M42 Tapping Capacity
- 47mm Twist Drill Capacity
- 4 Speed gearbox with variable speed control
- Powerful 2150Watt Italian motor
- Durable & Versatile, European Made Machine
- Through cutter coolant system
- Comes complete in plastic carry case
- 31.0kg - Very light weight compared to other machines of similar capacity
(HMSPECIAL140)



MAGNETIC BASE DRILLING MACHINES



\$995

HOLEMAKER PRO 35

- Quality, Compact & Robust European Made Machine
- Lightweight, only 10kg! Ideal for onsite & overhead tasks
- Capacity (diameter) 35mm • Capacity (depth) 52mm • Gravity feed coolant system with magnetically attached bottle • Comes complete in plastic carry case (HMPRO35)



\$1495

HOLEMAKER PRO 40

- Durable & Versatile, European Made Machine
- Capacity (diameter) 40mm
- Capacity (depth) 52mm
- Through cutter coolant system • Comes complete in metal carry case • 12.5kg (HMPRO40)



\$2245

HOLEMAKER PRO 36AD

- Ultra low profile, constant working height of 176mm
- Super lightweight, only 9.5kg! • Capacity (diameter) 36mm • Capacity (depth) 30mm • Squeeze bottle coolant system • Comes complete in plastic carry case (HMPRO36AD)



\$2375

HOLEMAKER PRO 50

- Versatile & Multi-Purpose, European Made Machine
- Capacity (diameter) 52mm
- Capacity (depth) 52mm
- #2 Morse taper spindle, for use with drill chucks, taper shank drills, reamers etc.
- Powerful 1260W motor & 2 speed gearbox • 16.5kg (HMPRO50)



\$2199

HOLEMAKER PRO 65

- Magnetic Base Drill
- European Made Machine
- Capacity (diameter) 65mm
- Capacity (depth) 75mm
- Dual Rail Slide System
- 2 speed gearbox
- 17kg (HMPRO65)



\$4595

HOLEMAKER PRO 110

- Large Capacity #4 Morse Taper Heavy Duty Machine
- Capacity (diameter) 110mm • Capacity (depth) 75mm (110mm with optional arbor) • 47mm #4MT drill bit capacity • 4 speed heavy duty mechanical gearbox
- 1650W motor output (HMPRO110)



T.C.T. ANNULAR CUTTERS - AUSTRALIA'S LARGEST RANGE



MAXI-CUT 35

- 35mm Depth Of Cut
- 12 to 40mm Diameter Available



MAXI-CUT 50

- 50mm Depth Of Cut
- 12 to 200mm Diameter Available
- Imperial 1" to 2" Available




MAXI-CUT 75

- 75mm Depth Of Cut
- 14 to 100mm Diameter Available
- Imperial 1" to 2" Available




MAXI-CUT 100

- 100mm Depth Of Cut
- 14 to 120mm Diameter Available
- Imperial 1" Available



MAXI-CUT 150

- 150mm Depth Of Cut
- 18 to 100mm Diameter Available



MAXI-CUT 200

- 200mm Depth Of Cut
- 20 to 50mm Diameter Available



T.C.T CUTTER FEATURES

- Provides excellent life in mild steel
- Suitable for drilling difficult materials eg. stainless steel, Bissalloy and wear plate.
- Alloy metal body, and tungsten carbide teeth
- Less susceptible to breakage than standard high speed steel cutters, especially in larger diameters and longer lengths.
- The tungsten carbide cutting teeth can also be sharpened and replaced
- Very large range of sizes available

Multitool



\$419

150MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 370W induction motor • Capacitor start for maximum performance • 915mm x 50mm belt • 178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (PO362-150)



\$499

200MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 600W induction motor • Capacitor start for maximum performance • 915mm x 50mm belt • 178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (PO362-200)



\$949

250MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT


- Powerful 900W induction motor • Capacitor start for maximum performance • 1220mm x 50mm belt • 178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (PO482-250)



\$1055

250MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 900W induction motor • Capacitor start for maximum performance • 1220mm x 100mm belt • 178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (PO484-250)



\$269

915 x 50MM BELT & DISC GRINDING ATTACHMENT


- Suits most bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO362)



\$449

915 x 100MM BELT & DISC GRINDING ATTACHMENT


- Suits most bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO364)



\$499

1220 x 50MM BELT & DISC GRINDING ATTACHMENT

- Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO482)



\$549

1220 x 100MM BELT & DISC GRINDING ATTACHMENT

- Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO484)

Multitool



\$629

1220 x 50MM BELT & DISC GRINDING ATTACHMENT

- 200mm contact wheel • Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO8CW)



\$159

SHARPENING JIG

- Sharpening jig accessory enables a professional result when sharpening chisels, planer blades, and screwdrivers • For sharpening chisels up to 51mm, hand plane blades up to 60mm and power planer blades up to 82mm • Slotted screwdrivers up to 10mm square can also be retipped • Fits all Multitools except 8CW (POJIG)



\$119

MITRE TABLE ATTACHMENT

- Suitable for grinding ends square and adjust lengths and angles • For use with all Multitool models • Table can be tilted up 5°, down 50° • Table size 110 x 204mm (POMTA)

\$13



ADJUSTABLE PIN SPANNER

- Fits most grinders and saws (POSPANNER)

GRINDERS, BEVELLERS & WELDING CARRIAGES



\$169

150MM BENCH GRINDER

- 370W • 25mm width grinding wheels, 36 & 60 grit
- Durable cast iron body • Vibration absorbing pads
- Heavy duty tool rests (TM400-150)
- Stand to suit \$105 (TM403-010)



\$209

200MM BENCH GRINDER

- 600W • 25mm width grinding wheels, 36 & 60 grit
- Durable cast iron body • Vibration absorbing pads
- Heavy duty tool rests (TM400-200)
- Stand to suit \$105 (TM403-010)



\$419

250MM BENCH GRINDER

- 900W • 25mm width grinding wheels, 36 & 60 grit
- Durable cast iron body • Vibration absorbing pads
- Heavy duty tool rests (TM400-250)
- Stand to suit \$157 (TM403-012)

BELT DRIVE BENCH & PEDESTAL DRILLS

- Quality casting, construction & componentry • Emergency stop NVR safety switch • Chuck safety guard • Drill chuck & arbor • Drill drift (on MT models)



\$299

- 13mm capacity • 13mm B16 chuck • 1/2HP, 240V motor • 5 speed • 680mm height • 27kg weight (TD1013)



Back In Stock
1st Week
September

\$449

- 16mm capacity • 16mm B16 chuck • #2 MT Spindle • 1/2HP, 240V motor • 16 speed • 980mm height • 50kg weight (TD1316)



\$499

- 16mm capacity • 16mm B16 chuck • #2 MT Spindle • 3/4HP, 240V motor • 16 speed • 1580mm height • 60kg weight (TD1316F)



\$699

- 20mm capacity • 20mm B22 chuck • #3 MT Spindle • 1HP, 240V motor • 12 speed • 1600mm height • 80kg weight (TD1420F)



Back In Stock
1st Week
September

\$999

- 25mm capacity • 20mm B22 chuck • #3 MT Spindle • 2HP, 240V motor • 12 speed • 1710mm height • 120kg weight (TD1825F)



Back In Stock
1st Week
September

\$1199

- 32mm capacity • 20mm B22 chuck • #4 MT Spindle • 2HP, 240V motor • 12 speed • 1710mm height • 145kg weight (TD2032F)

EXTRA HEAVY DUTY DRILLS

- Quality Taiwanese machines with heavy duty casting and construction for proven lasting durability in industrial workshops

K1720HFD

- 23mm capacity
- 16mm #3 JT chuck
- #2 MT Spindle
- 1HP, 240V motor
- 12 speed
- 1600mm height
- 78kg weight

\$1095



K2532

- 32mm capacity
- 16mm #3 JT chuck
- #3 MT Spindle
- 1.2HP, 240V motor
- 12 speed
- 1752mm height
- 158kg weight

\$1795



GEARED HEAD DRILLING MACHINE QUALITY PRECISION MACHINE FOR DRILLING & TAPPING

- #4 Morse taper spindle
- Micro feed precision
- Geared head tilts 90° right & left • Forward and reverse operation • Accessories include arbor, drill chuck, drill sleeves • 40mm capacity • 1.5HP motor, 6 speed gearbox • 1770mm height • 320kg weight • 240V (TGD400-1) or 415V (TGD400-3)

\$3295



GEARED HEAD DRILLING & MILLING MACHINE

- All the features of the TGD400 combined with : Milling table, Recirculating coolant system
- 240V (TGMD400-1) or 415V (TGMD400-3)

\$3495



METAL CUTTING SAWS

ITM bandsaws are industrial quality machines, designed for all day use in demanding metal fabrication workshops.

- Made in Taiwan
- Quality casting & componentry
- Industry proven with over 20 years on the Australian market



Model	UE125DV	UE712A	WP210SH-1 Back In Stock Mid August	WP210SH-3	WP270SH-1 Back In Stock Mid August	WP270SH-3
Features	• Swivel head 0° to 60° • Emergency Stop Switch	• Swivel vice, 0° to 45° • Hydraulic downfeed		• Swivel head 0° to 60° • Hydraulic down feed		• Swivel head 0° to 60° • Hydraulic down feed
Motor	0.4HP, 240V	1HP, 240V	1HP, 240V	1HP, 415V	1HP, 240V	1.5HP, 415V
Speed	Variable 23-75mpm	4 speed 22, 33, 45, 65mpm	1 speed 80mpm	2 speed 40 & 80mpm	1 speed 72mpm	2 speed 36 & 72mpm
Rectangular Capacity 90°	120 x 120mm	300 x 180mm	210 x 95mm	210 x 95mm	260 x 110mm	260 x 110mm
Square Cut Capacity 90°	120 x 120mm	180 x 180mm	170 x 170mm	170 x 170mm	220 x 220mm	220 x 220mm
Square Cut Capacity 45°	70 x 70mm	110 x 110mm	120 x 120mm	120 x 120mm	145 x 145mm	145 x 145mm
Price	\$870	\$1595	\$2495	\$2495	\$3195	\$3195



Model	WP275DS-1	WP275DS-3	WP275DSV-1	WP310DS-3	WE350DS	WE350DSA-3
Features	• 2 way swivel head 0° to 60° • Hydraulic down feed			• 2 way swivel head 0° to 60° • Hydraulic down feed	• 2 way swivel head 0° to 60° • Hydraulic down feed	• Semi-automatic function • 2 way swivel head 0° to 60°
Motor	1HP, 240V	1.5HP, 415V	1.5HP, 240V	2HP, 415V	2HP, 415V	2HP, 415V
Speed	1 speed, 72mpm	2 speed, 36, 72mpm	Variable 20-85mpm	2 speed 36, 72mpm	2 speed 34, 68mpm	2 speed 34, 68mpm
Rectangular Capacity 90°	260 x 110mm	260 x 110mm	260 x 110mm	310 x 210mm	350 x 220mm	350 x 220mm
Square Cut Capacity 90°	220 x 220mm	220 x 220mm	220 x 220mm	250 x 250mm	260 x 260mm	260 x 260mm
Square Cut Capacity 45°	145 x 145mm	145 x 145mm	145 x 145mm	200 x 200mm	220 x 220mm	220 x 220mm
Price	\$4995	\$4995	\$4995	\$5695	\$7295	\$9595



Model	MB-280CSO-1	MB-280CSO-3	MB-330CSO-1	MB-330CSO-3	MB-330MS-3	MB-411CSO-3	MB-411MS-3
Features	• Swivel head 0° to 60° • Hydraulic down feed		• 2 Way swivel head 0° to 60° • Hydraulic down feed		• Semi-automatic function • 2 Way swivel head 0° to 60°	• 2 Way swivel head 0° to 60° • Hydraulic down feed	• Semi-automatic function • 2 Way swivel head 0° to 60°
Motor	1.5HP, 240V	1.5HP, 415V	1.5HP, 240V	1.5HP, 415V	1.5HP, 415V	2HP, 415V	2HP, 415V
Speed	1 speed 64mpm	2 speed 32, 66mpm	1 speed 75mpm	2 speed 38, 78mpm	2 speed 38, 78mpm	2 speed 38, 77mpm	2 speed 38, 78mpm
Rectangular Capacity 90°	250 x 155mm	250 x 155mm	330 x 220mm	330 x 220mm	330 x 220mm	400 x 200mm	400 x 200mm
Square Cut Capacity 90°	215 x 215mm	215 x 215mm	250 x 250mm	250 x 250mm	250 x 250mm	280 x 280mm	280 x 280mm
Square Cut Capacity 45°	150 x 150mm	150 x 150mm	210 x 210mm	210 x 210mm	210 x 210mm	220 x 220mm	220 x 220mm
Price	\$5595	\$5595	\$9495	\$9495	\$12595	\$11695	\$14695

METAL CUTTING SAWS



Model	NEW250DV-1	NEW250DV-3	TRS300-1	TRS300-3	TRS315EDV-1	TRS315EDV-3	NEW350E-3
Description	250mm Coldsaw		300mm Coldsaw		315mm Coldsaw		350mm Coldsaw
Features	• Swivel head 45° left & right • Double vice		• Swivel head 45° left & right		• Swivel head 45° left & right • Double vice		• Swivel head 45° left & right • Electric coolant pump
Motor	1.2HP, 240V	1.75HP, 415V	2HP, 240V	3HP, 415V	2HP, 240V	3HP, 415V	3.2HP, 415V
Speed	1 speed 40rpm	2 speed 40, 80rpm	1 speed 40rpm	2 speed 40, 80rpm	1 speed 40rpm	2 speed 40, 80rpm	2 speed 20, 40rpm
Round Cut Capacity 90°	70mm	70mm	90mm	90mm	90mm	90mm	110mm
Round Cut Capacity 45°	65mm	65mm	90mm	90mm	80mm	80mm	90mm
Price	\$2350	\$2350	\$2695	\$2695	\$4095	\$4095	\$4695



Model	NEW350EDV-3	NEW350S-3	NTS315-3	TA400-3	TV400-3
Description	350mm Coldsaw	350mm Coldsaw	315mm Vertical Coldsaw	400mm T.C.T. Coldsaw	400mm Friction Cut Saw
Features	• Swivel head 45° left & right • Electric coolant pump • Double vice	• Semi auto operation • Swivel head 45° left & right • Double vice • Includes stand	• Semi auto operation • Swivel head 45° left & right • Includes stand	• T.C.T. Compound Aluminium Saw • Swivel head 45° left & right • Belt drive	• Swivel head 45° left & right • Belt drive
Motor	3.2HP, 415V	3.2HP, 415V	2.5HP, 415V	3HP, 415V	7.4HP, 415V
Speed	2 speed 20, 40rpm	2 speed 20, 40rpm	2 speed 33, 66rpm	1 speed 3000rpm	1 speed 3800rpm
Round Cut Capacity 90°	110mm (90°), 80mm (45°)	110mm	100mm	140mm	130mm
Round Cut Capacity 45°	80mm	80mm	100mm	130mm	120mm
Price	\$5395	\$9950	\$10950	\$4695	\$3295




Model	MB-420DI-3 Bandsaw	MB-650DI-3 Bandsaw	Model	S14
Features	• Semi-automatic • 2 Way swivel head 0° to 60°	• Semi-automatic • 2 Way swivel head 0° to 60°	Description	350mm Cold Cut T.C.T. Saw
Rectangular Capacity 90°	550 x 400mm	620 x 450mm	Features	• Swivel vice, 0° to 45°
Square Cut Capacity 90°	400 x 400mm	450 x 450mm	Cut Capacity 90°	120 x 120mm
Square Cut Capacity 45°	380 x 380mm	430 x 430mm	Cut Capacity 45°	120 x 90mm
Motor	2HP, 415V	2.95HP, 415V	Motor	3HP, 240V
Speed	Variable 22 - 73mpm	Variable 23 - 95mpm	Speed	1 speed 1450rpm
Price	\$22,500	\$26,995	Price	\$790

INDUSTRIAL QUALITY PETROL GENERATORS

TRADE SERIES

ITM Trade Series generators are equipped with a reliable AVR (Automatic Voltage Regulator) alternator utilising advanced electronic technology to provide a very pure energy supply with a THD (Total Harmonic Distortion) of <5%. This clean and pure output means they are suitable to power even the most delicate electronic devices.

- Powerful 4 stroke OHV engines
- Low oil sensor
- Digital multimeter display
- Large capacity fuel tanks




Model No.	TM510-2300	TM510-2800	TM510-3400	TM510-5500	TM510-6500
Engine HP	6HP	7HP	8HP	13HP	15HP
KVA	2.8	3.5	4	6.8	8.1
Max Watts	2,300	2,800	3,400	5,500	6,500
Rated Watts	2,000	2,500	3,200	5,000	6,000
Noise @ 7m Full Load	75dB	75dB	76dB	78dB	79dB
Outlets	2 x 15A	2 x 15A	2 x 15A	2 x 15A	2 x 15A
Fuel Tank	15L	15L	15L	25L	25L
Running Time - 50% load	19 hours	16 hours	14 hours	13 hours	12 hours
Starting System	Recoil	Recoil	Electric	Electric	Electric
Handle & Wheel Kit	No	No	No	Yes	Yes
Net Weight	41Kg	44Kg	52Kg	81Kg	85Kg
Price	\$749	\$849	\$1099	\$1599	\$1799



CONSTRUCTION SERIES

The Construction Series models have a simple push button electric start (battery included) with a convenient remote control which is perfect for the large property or worksite where the generator may not be close to the tool being powered.



All models come complete with a heavy duty handle and wheel kit, IP66 rated power outlets and RCD (Residual Current Device.) The construction series gens are perfect for the professional tradesman needing a tough yet reliable source of power.

Model No.	TM520-3400	TM520-5500	TM520-6500	TM520-8000
Engine HP	8HP	13HP	15HP	17HP
KVA	4	6.8	8.1	10
Max Watts	3,400	5,500	6,500	8,000
Rated Watts	3,200	5,000	6,000	7,500
Noise @ 7m Full Load	76dB	78dB	79dB	80dB
Outlets	1 x IP66	2 x IP66	2 x IP66	2 x IP66
Fuel Tank	15L	25L	25L	25L
Running Time - 50% load	14 hours	13 hours	12 hours	10 hours
Starting System	Electric w/ Remote	Electric w/ Remote	Electric w/ Remote	Electric w/ Remote
Handle & Wheel Kit	Yes	Yes	Yes	Yes
Net Weight	54Kg	83Kg	88Kg	95Kg
Price	\$1299	\$1799	\$1999	\$2199



Ehoma
Clamping Solutions By ITM®



EHOMA GENERAL PURPOSE FORGED STEEL CLAMPS

- For general purpose clamping applications • Swivel pad

Span x Depth	Clamping Force	Part No.	Price
160x80mm	300kg	EC-G16CS	\$37
200x100mm	450kg	EC-G20CS	\$47.50
250x120mm	550kg	EC-G25CS	\$59
300x140mm	670kg	EC-G30CS	\$72
400x175mm	1000kg	EC-G40CS	\$97.50
600x175mm	1000kg	EC-G60CS	\$111
800x175mm	1000kg	EC-G80CS	\$128



EHOMA HEAVY DUTY FORGED STEEL CLAMPS

- Larger rail sizes 30x15mm
- For heavy duty applications
- Changeable clamping heads
- Socket drive handle
- Up to 1000mm span available

Span x Depth	Clamping Force	Part No.	Price
300x140mm	1200kg	EC-GS30C	\$134
400x120mm	1200kg	EC-GS40C	\$144
500x140mm	1200kg	EC-GS50C	\$158
600x120mm	1200kg	EC-GS60C	\$167



EHOMA QUICK ACTION FORGED STEEL CLAMPS

- Ratchet type lever prevents overloading & resists vibration • For high pressure, fast action clamping purposes

Span x Depth	Clamping Force	Part No.	Price
160x80mm	300kg	EC-G16L	\$77
200x100mm	350kg	EC-G20L	\$87.50
300x140mm	500kg	EC-G30L	\$122
400x120mm	550kg	EC-G40L	\$131
500x120mm	550kg	EC-G50L	\$137

\$37

HEAVY DUTY COMPACT HAND RIVETER

- 4 Nozzles included: 2.4mm, 3.2mm, 4.0mm & 4.8mm • Spring loaded handle for automatic ejection of mandrel
- Smooth, easy one-handed operation
- High grade aluminium construction
- Chrome Molybdenum heat treated 3 jaw system (TM620-005)



\$41

EASY PULL TWIN HANDLE RIVETER

- Chrome molybdenum steel collet • 3 Jaw system • 5 Nozzles : 3.2mm, 4.0mm, 4.8mm, 6.0mm & 6.4mm • Premium quality • Alloy body & Rubber grip handle (TM620-008)



\$73

HEAVY DUTY LAZY TONG RIVETER

- Premium quality • Single pull action designed for fast repetitive applications • Strong aluminium alloy body • Chrome molybdenum steel collet • 3 Jaw system • 5 Nozzles : 3.2mm, 4.0mm, 4.8mm, 6.0mm & 6.4mm (TM620-012)



\$62.50

NUTSERT HAND RIVETER

- Premium quality
- Cast aluminium construction
- Easy change mandrels
- Sets 3, 4, 5 & 6mm rivet nuts (TM620-014)



FROM \$39

FORGED HANDLE BOLT CUTTERS

- Two stage heat treated precision machined jaws for extended cutting and resilience
- Adjustable arms
- Solid forged steel handles for durability
- Non-slip comfort rubber grips
- Built in stops for added safety

Length	Part No.	Price
350mm	TM600-035	\$41
450mm	TM600-045	\$62.50
600mm	TM600-060	\$83.50
750mm	TM600-075	\$105
900mm	TM600-090	\$157
1050mm	TM600-105	\$210



EXTRA HEAVY DUTY BOLT CUTTERS

- Optimal performance for cutting high tensile material
- Two stage heat treated, precision machined jaws for extended cutting and resilience
- Adjustable arms
- Solid forged steel handles for durability
- Built in stops for added safety

Length	Part No.	Price
750mm	TM601-075	\$136
900mm	TM601-090	\$189
1050mm	TM601-105	\$240



\$23.50

C CLAMP REGULAR TIP 275MM (TM603-101)



\$26.50

C CLAMP SWIVEL PAD 275MM (TM603-102)



\$31.50

C CLAMP SWIVEL PAD 450MM (TM603-103)



\$21

CURVED JAW 250MM (TM603-202)



\$21

SHEET METAL LOCKING PLIER 200MM (TM603-500)



\$21

WELDING CLAMP LOCKING PLIER 220MM (TM603-600)



\$350

1" TUBE BENDER

- 3/8", 1/2", 9/16", 5/8", 3/4", 7/8", 1" Cast formers
- 0° to 180° Bending angle
- Bench mountable
- Supplied in robust plastic carry case (TM810-025)



\$295

1" HYDRAULIC PIPE BENDER

- 3/8", 1/2", 3/4", 1" cast steel formers
- 0° to 90° Bending angle
- 6,000kg Force capacity
- 150mm Stroke
- Supplied in metal carry case (TM811-03025)



\$475

2" HYDRAULIC PIPE BENDER

- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2" cast steel formers
- 0° to 90° Bending angle • 13,000kg Force capacity
- 250mm Stroke • Heavy duty castor wheels (TM811-13050)



\$895

3" HYDRAULIC PIPE BENDER


- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2-1/2", 3" formers
- 0° to 90° Bending angle • 20,000kg Force capacity
- 290mm Stroke • Heavy duty castor wheels (TM811-20075)



\$1370

4" HYDRAULIC PIPE BENDER

- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2-1/2", 3", 4" formers
- 0° to 90° Bending angle • 20,000kg Force capacity
- 370mm Stroke • Heavy duty castor wheels (TM811-20100)



\$465

ST2 SERIES


- 60 drawers • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-ST2460)



\$545

A8 SERIES


- 60 drawers • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-A8560)



\$545

ST1 SERIES


- 75 drawers • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-ST1575)



\$555

A5 SERIES

- 36 drawers • Large capacity • Transparent PS plastic window • 10kg capacity per drawer • Slots for 5x dividers • 1x divider supplied per drawer • 586W x 290D x 937H (PB-A5336)



Back In Stock
Late September

PB-A7448

48 DRAWERS

586W x 222D x 937H

\$450

A7 SERIES

- Transparent PS plastic window • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer



PB-A7448D

48 DRAWERS

586W x 270D x 970H
with lockable doors

\$695



HINGED PIPE VICES

- Hardened steel jaws
- Close grained cast iron body



Pipe Diameter	Part No.	Price
8 - 68mm	TM114-068	\$74
8 - 78mm	TM114-078	\$108

CHAIN PIPE VICES

- Hardened steel jaws
- Close grained cast iron body



Pipe Diameter	Part No.	Price
30-100mm	TM115-100	\$102
40-160mm	TM115-160	\$205
40-230mm	TM115-230	\$295



\$167

MULTI-PURPOSE BENCH VICE

- Jaw width : 135mm • Jaw opening : 135mm • Pipe holding capacity : 25mm - 65mm • 18.5kg • Hardened & tempered jaws • 360° Rotation with safety locking nuts
- 360° Swivel base • Hardened anvil (TM101-125)



WORKSHOP BENCH VICES

- Hardened steel jaws • Close grained cast iron body
- Integrated anvil for shaping and beating

Jaw Width	Weight	Part No.	Price
100mm	7kg	TM098-100	\$90
125mm	10kg	TM098-125	\$131
150mm	14kg	TM098-150	\$165
200mm	22kg	TM098-200	\$230



PROFESSIONAL MECHANICS BENCH VICES

Jaw Width	Weight	Part No.	Price
75mm	7.5kg	TM100-075	\$85.50
100mm	10.0kg	TM100-100	\$121
125mm	15.5kg	TM100-125	\$171
150mm	18.0kg	TM100-150	\$205
200mm	31.0kg	TM100-200	\$310



DRILL PRESS VICES

- Cast iron body • Machined steel jaws • Great for machine shops, fabrication workshops & tool rooms

Jaw Width	Jaw Height	Capacity	Weight	Part No.	Price
102mm	21mm	105mm	3.2kg	VDP102	\$44.50
150mm	28mm	150mm	7.2kg	VDP150	\$74


FABRICATED STEEL BENCH VICES

- Precision machined knurled jaws with V-Groove • Large diameter screw • Extra heavy-duty • Precise sliding jaw



STRAIGHT JAW

Jaw Width	Weight	Part No.	Price
100mm	10.5kg	TM102-100	\$148
125mm	18.5kg	TM102-125	\$260
150mm	22.6kg	TM102-150	\$295
200mm	37.0kg	TM102-200	\$545



OFFSET JAW

Jaw Width	Weight	Part No.	Price
100mm	11.2kg	TM104-100	\$154
125mm	20.3kg	TM104-125	\$295
150mm	25.0kg	TM104-150	\$315
200mm	60.0kg	TM104-200	\$800




CROSS VICES

- Cast iron body • Machined steel jaws

Jaw Width	Jaw Opening	X x Y Movement	Weight	Part No.	Price
110mm	100mm	85 x 110mm	7kg	TM130-100	\$83.50
160mm	150mm	160 x 155mm	14.5kg	TM130-150	\$168


MAGNETIC VICE JAWS

- Easy to use, simply place over existing jaws and 2 magnetic tabs hold jaws in place • Protects work piece from scoring or marking • Supplied as a pair



ALUMINIUM FACE

Part No.	To Suit	Price
TM120-100	100mm (4") Bench Vices	\$16
TM120-125	125mm (5") Bench Vices	\$18
TM120-150	150mm (6") Bench Vices	\$21



ALUMINIUM PRISM FACE

Part No.	To Suit	Price
TM121-100	100mm (4") Bench Vices	\$16
TM121-125	125mm (5") Bench Vices	\$18
TM121-150	150mm (6") Bench Vices	\$21



FIBRE FACE

Part No.	To Suit	Price
TM122-100	100mm (4") Bench Vices	\$16
TM122-125	125mm (5") Bench Vices	\$18
TM122-150	150mm (6") Bench Vices	\$21



RUBBER FACE

Part No.	To Suit	Price
TM123-100	100mm (4") Bench Vices	\$16
TM123-125	125mm (5") Bench Vices	\$18
TM123-150	150mm (6") Bench Vices	\$21

INDUSTRIAL SERIES COMPRESSOR FEATURES

- Durable copper wound motors
- Full brass non-return valve
- Soft start valve
- Condor pressure switches
- 145psi (10 Bar) maximum pressure
- AS1210 Approved tanks
- Thermal overload protection
- Includes filter regulator with one-touch "Nitto style" couplers
- 200mm Solid rubber wheels
- 3 year pump warranty



\$525

2.5HP DIRECT DRIVE AIR COMPRESSOR

- Ideal builder's compressor • Single cast iron cylinder pump with aluminium head • Filter regulator • 240v 10amp
- Large 50L tank • FAD 175 L/min (TM350-25050)



\$740

2.2HP BELT DRIVE AIR COMPRESSOR

- Ideal builder's compressor • V Twin cast iron cylinder pump with aluminium heads • Filter regulator • 240v 10amp
- Large 50L tank • FAD 185 L/min (TM351-22050)



\$899

2.5HP BELT DRIVE AIR COMPRESSOR - 60L

- V Twin cast iron cylinder pump with aluminium heads
- Filter regulator • 240v 10amp • Large 60L tank
- FAD 257 L/min (TM351-25060)



\$1055

2.5HP BELT DRIVE AIR COMPRESSOR - 90L

- V Twin cast iron cylinder pump with aluminium heads
- Filter regulator • 240v 10amp • Large 90L tank
- FAD 257 L/min (TM351-25090)



Back In Stock
Mid August

\$1055

3HP BELT DRIVE AIR COMPRESSOR - 50L

- Ideal for commercial applications • Cast iron cylinder pump with aluminium head • Filter regulator • Large 50L tank
- FAD 318 L/min • 240v 15amp (TM351-30050)



\$1265

3HP BELT DRIVE AIR COMPRESSOR - 60L

- Ideal for commercial applications • Triple cast iron cylinder pump with aluminium heads • Filter regulator
- 60L tank • FAD 328 L/min • 240v 15amp (TM351-30060)



Back In Stock
Mid August

\$1370

3HP BELT DRIVE AIR COMPRESSOR - 90L

- Ideal for commercial applications • Triple cast iron cylinder pump with aluminium heads • Filter regulator
- 90L tank • FAD 328 L/min • 240v 15amp (TM351-30090)



\$1899

5.5HP PETROL BELT DRIVE AIR COMPRESSOR - 60L

- Powered by Honda GX160 5.5HP engine • HD cast iron cylinder with aluminium head • Filter regulator • Large 60L tank
- FAD 355 L/min (TM352-55060)



Back In Stock
Mid August

\$2850

5.5HP 3 PHASE, 200L STATIONARY AIR COMPRESSOR

- Ideal for commercial workshops • Twin cast iron cylinder pump with aluminium head • Soft start • Large 200L tank
- FAD 507 L/min (TM353-55200)



\$3695

7.5HP 3 PHASE, 270L STATIONARY AIR COMPRESSOR

- Ideal for commercial workshops • Triple cast iron cylinder pump with aluminium head • Soft start • Large 270L tank
- FAD 704 L/min (TM353-75270)



Back In Stock
Mid September

\$4120

10HP 3 PHASE, 270L STATIONARY AIR COMPRESSOR

- Ideal for commercial workshops • Triple cast iron cylinder pump with aluminium head • Soft start • Large 270L tank
- FAD 1143 L/min (TM353-10270)

TRADE SERIES COMPRESSORS

\$295

2.5HP, 36L DIRECT DRIVE AIR COMPRESSOR

- Single cylinder oil lubricated pump • FAD : 135 L/min
- Max Pressure : 116 PSI (8 Bar)
- Solid rubber wheels • Regulated outlet with one-touch "Nitto style" connector (TM354-25036)



\$635

2.2HP, 50L BELT DRIVE AIR COMPRESSOR

- V Twin cast iron cylinder pump • FAD : 170 L/min
- Max pressure : 116 PSI (8 Bar) • Solid rubber wheels
- Regulated outlet with one-touch "Nitto style" connector (TM354-22050)



FILTER REGULATORS

- Sintered bronze filter element
- Max input pressure 175 PSI
- Max output pressure 145 PSI
- 80mL drain capacity
- Includes mounting bracket

Part No.	Description	Price
TM340-012	• 1/4" Port • Semi-auto drain • 1750 l/min max flow	\$63.50
TM340-014	• 1/2" Port • Automatic drain • 3000 l/min max flow	\$105



\$147

15M HOSE REEL

- Reinforced PVC air hose • Auto retractable • Auto lock to any length • Auto track guided hose laying system • Hose length: 15m • Hose I.D.: 10mm (3/8") (TM300-015)



\$168

20M HOSE REEL

- Hybrid high-flex air hose • Anti-kink technology
- Auto lock to any length • Auto retractable • Hose length: 20m • 10mm (3/8") • Hi-visibility for safety (TM300-020)



\$210

30M HOSE REEL

- Braided PU hose • Manual rewind • Heavy duty steel frame • Kink-proof collar on hose • Hose length: 30m • Hose I.D.: 8mm (TM300-030)



PVC AIR HOSES - UNFITTED

- Durable PVC • Grease, oil & abrasion resistant
- Non-marking • Max pressure: 300 PSI

Description	Part No.	Price
20M 3/8" I.D.	TM300-120	\$39
30M 3/8" I.D.	TM300-130	\$55



PVC AIR HOSES - FITTED

- Durable PVC • Grease, oil & abrasion resistant • Nitto style fittings • Kink proof collar • Max pressure : 300 PSI

Description	Part No.	Price
10M 3/8" I.D.	TM300-210	\$31.50
20M 3/8" I.D.	TM300-220	\$47.50
30M 3/8" I.D.	TM300-230	\$63.50



HIGH-FLEX AIR HOSES

- Hybrid polymer High-Flex hose • Anti-kink technology, the hose will not kink when under pressure • Superior all weather flexibility -5°C to 65°C
- 300PSI maximum working pressure • Hi-visibility for safety

Description	Fitting	Part No.	Price
15M 3/8" I.D.	1/4" BSP	TM300-315	\$52.00
30M 3/8" I.D.	1/4" BSP	TM300-330	\$83.50



BULK PVC AIR HOSE

- Durable PVC • Max pressure: 300 PSI
- Hose I.D.: 10mm (3/8")
- No fittings or collar

Description	Part No.	Price
100M 3/8" I.D.	TM300-1100	\$137
200M 3/8" I.D.	TM300-1200	\$265



BULK HIGH-FLEX AIR HOSE

- Hybrid polymer High-Flex hose • Anti-kink technology the hose will not kink when under pressure flexibility -5°C to 65°C • 300PSI max working pressure • No fittings or collar

Description	Part No.	Price
100M 3/8" I.D.	TM300-3100	\$315
100M 1/2" I.D.	TM300-4100	\$425
100M 3/4" I.D.	TM300-5100	\$685



\$26.50

DIAL GAUGE TYRE INFLATOR

- BAR, PSI, KPA & KG/CM²
- 0 to 220 PSI range
- 1/4" BSP inlet (TM340-001)



\$41

DIGITAL TYRE INFLATOR

- BAR, PSI, KPA or KG/CM
- 40cm Hose (TM340-002)

AIR IMPACT WRENCHES AIR HYDRAULIC RIVETERS



\$379

EASY GREASE ANVIL SERIES

1/2" AIR IMPACT WRENCH

- Compact length, only 104mm
- Lightweight - Only 1.4KG!
- Powerful - 900Nm (650ft-lb)
- Max Torque! • 16mm Bolt capacity • 4.69 CFM Air consumption (M7-NC4650H)



\$415

EASY GREASE ANVIL SERIES

1/2" AIR IMPACT WRENCH

- Lightweight - Only 1.7KG!
- Powerful - 1650Nm (1200ft-lb)
- Max Torque! • Value For Money - High quality & specs • 25mm Bolt capacity • 4.8 CFM Air consumption
- Magnesium composite body (M7-NC4255QH)



\$479

1/2" AIR IMPACT WRENCH

- Lightweight - Only 1.8KG!
- Compact size - Only 141mm length! • Powerful - 1500Nm (1100ft-lb)
- Max torque! • 25mm Bolt capacity • 5.1 CFM Air consumption
- Extra heavy duty twin hammer (M7-NC4256Q)



\$285

AIR HYDRAULIC RIVETER

- Traction power: 2303 lbf • Alloy rivet : 3/16" • Steel rivet : 3/16" • Stainless rivet : 5/32" • Stroke length: 16mm
- Net weight: 1.5kg (M7-PA301)



\$665

EASY GREASE ANVIL SERIES

COMPACT 3/4" AIR IMPACT WRENCH

- Lightweight composite body
- Only 1.9KG! • Low noise level - Only 85DB! • Powerful - 1900Nm (1400ft-lb) Max torque! • Compact - Only 198mm Length • 25mm Bolt capacity • 4.8 CFM Air consumption (M7-NC6255QH)



\$1025

SUPER DUTY 3/4" AIR IMPACT WRENCH

- Lightweight - Only 3.0KG!
- Low noise level - Only 88DB!
- Powerful - 2000Nm (1500ft-lb) Max torque!
- Super Duty - Designed for the commercial tyre industry • 30mm Bolt capacity
- 5.9 CFM Air consumption (M7-NC6266)



\$1575

3/4" AIR IMPACT WRENCH

- 2000Nm (1500ft-lb) Max torque! • 27mm Bolt capacity • 6.34 CFM Air consumption
- 320mm Overall length • 5.7KG • 106dB Sound pressure (M7-NC6218)



\$640

AIR HYDRAULIC RIVETER

- Traction power : 3534 lbf • Alloy rivet : 1/4" • Steel rivet : 1/4"
- Stainless rivet : 3/16" • Stroke length : 14mm • Net weight : 1.8kg (M7-PA201)



\$1255

1" AIR IMPACT WRENCH

- Powerful - 2000Nm (1500ft-lb) Max torque!
- 5KG Weight • 92DB Noise level • 30mm Bolt capacity • 5.4 CFM Air consumption (M7-NC8217)



\$1705

1" AIR IMPACT WRENCH

- 3250Nm (2400ft-lb) Max torque! • 36mm Bolt capacity • 10 CFM Air consumption
- 390mm Overall length • 100dB Sound pressure • 12.1KG (M7-NC8252)



\$2300

1" AIR IMPACT WRENCH

- 3650Nm (2710ft-lb) Max torque! • Lightest 2500+ ft-lb impact wrench in the world
- Mighty spring in the cylinder increases the air efficiency • 39.7mm Bolt capacity
- 15.9 CFM Air consumption • 370mm Overall length • 100dB Sound pressure
- 11KG (M7-NC8382)



\$1060

AIR HYDRAULIC RIVETER

- Traction power : 3748 lbf
- Alloy rivet : 1/4" • Steel rivet : 1/4" • Stainless rivet : 1/4" • Stroke length : 18mm • Net weight : 1.75kg (M7-PA211)



\$62.50

1/2" DRIVE DEEP IMPACT SOCKET SET

- 11 Piece 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24mm • Chrome Molybdenum Steel (Cr-Mo), hardened and tempered (TM371-001)



\$83.50

1/2" DRIVE DEEP IMPACT SOCKET SET

- 11 Piece 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24mm • Chrome Molybdenum Steel (Cr-Mo), hardened and tempered (TM371-002)



\$104

1/2" DRIVE DEEP IMPACT SOCKET SET

- 10 Piece 10, 12, 13, 14, 15, 17, 19, 21, 24, 27mm (M7-MB45010M)



\$1035

AIR HYDRAULIC RIVET NUT TOOL

- Traction power : 3638 lbf
- Stroke length : 9mm • Net weight : 1.5kg • Comes with mandrel sizes : M4, M5, M6, M8 & M10
- Suitable for use with : Steel M4 - M10, Stainless steel M4 - M8 (M7-PB2402)



\$249

AIR NEEDLE SCALER

• Blows per minute : 5500 BPM • Net weight : 1.3kg • Needle size : 3 x 123mm (12 per set) • Overall length : 290mm (M7-SN1288)



\$479

AIR PISTOL NEEDLE SCALER

• Blows per minute : 3700 BPM • Net weight : 2.8kg • Needle size : 3 x 180mm (19 per set) • Overall length : 330mm (M7-SN2110)



\$205

AIR HAMMER SET

• Blows per minute : 3200 BPM • Shank : Round 10.2mm • Air hammer (M7-SC211C) • 5pcs Chisel kit • Spring retainer (M7-SC0517C)



\$299

AIR FLUX CHIPPER

• Blow per minute : 4000 BPM • Shank size : Square 0.510" (13mm) • Net weight : 1.33kg (M7-SN1032)



\$135

MINI AIR DIE GRINDER

• Collets : 1/4" & 1/8" • Free speed : 25000 RPM • Rated power : 0.3 HP • Length : 155mm • Net weight : 0.38kg (M7-QA111B)



\$165

AIR DIE GRINDER

• Collets : 1/4" & 1/8" • Free speed : 20000 RPM • Rated power : 0.9 HP • Length : 190mm • Net weight : 0.65kg • Heavy duty model (M7-QA211B) • Die grinder with 6mm collet also available



\$192

90° ANGLE HEAD AIR DIE GRINDER

• Collets : 1/4" & 1/8" • Head height : 73mm • Free speed : 19000 RPM • Rated power : 0.3 HP • Net weight : 0.51kg (M7-QA611B)



\$260

EXTENDED AIR DIE GRINDER

• Length : 280mm • Collets : 1/4" & 1/8" • Free speed : 25000 RPM • Rated power : 0.3 HP • Net weight : 0.63kg (M7-QA315B)



\$199

AIR ENGRAVING PEN

• Blows per minute : 13000 BPM • Net weight : 0.23kg (M7-QA511)



\$290

AIR SAW SET

• Stroke length : 10mm • Quick change saw blade holder • 5 piece file set and 12 saw blades are included • Adjustable guard / guide controls depth of cut precisely • Air saw tool • 6x 24T saw blades • 6x 32T saw blades • Allen key: 4mm, 3mm • File set • Mini oiler 1/4" (M7-QD291N)



EXTRA HEAVY DUTY AIR ANGLE GRINDERS

• Free speed : 11000 RPM • 1.3 HP motor • Net weight : 1.81kg • Available with imperial or metric spindle sizes • Safety lever throttle

Diameter	Spindle	Part No.	Price
100mm	M10x1.5	M7-QB7114M	\$495
115mm	M14x2.0	M7-QB7245M	\$510
125mm	M14x2.0	M7-QB7215M	\$520

Grinding wheel not included



Chisels supplied separately :
Blade chisel (M7A-SN9201) \$42
Point chisel (M7A-SN9203) \$42



AIR CHIPPING HAMMERS

• Hex shank • Shank size : 0.58" (15mm) • Forged steel body provides industrial level quality and durability

Blows Per Minute	Stroke Length	Overall Length	Part No.	Price
2300	78mm	373mm	M7-SN3222	\$995
1900	119mm	419mm	M7-SN3223	\$1065
1700	142mm	445mm	M7-SN3224	\$1360



\$290

RANDOM ORBITAL AIR SANDER

• Self generated vacuum • Pad diameter : 150mm • Orbit : 5mm • Free speed : 10000 RPM • Net weight : 0.68kg (M7-QB55602)



\$148

HIGH SPEED MINI AIR SANDER

• Pad diameters : 50mm & 75mm • Free speed : 18000 RPM • Net weight : 0.5kg (M7-QP212)



\$285

1/2" AIR DRILL

• Chuck size : 1/2" • Free speed : 800 RPM • Air requirement : 4.0CFM • Length : 210mm • Sound pressure : 83DB • Net weight : 1.7kg • Quiet operation • Keyless chuck • Reversible (M7-QE841)



BELT SANDERS

• Free speed : 16000 RPM • Air requirement : 4.0CFM (M7-QB321 pictured)

Belt Size	Overall Length	Part No.	Price
10 x 330mm	320mm	M7-QB321	\$310
20 x 520mm	430mm	M7-QB322	\$440
12.7 x 610mm	455mm	M7-QB324	\$395



\$52

SUCTION FEED GENERAL PURPOSE

• 2.0mm Nozzle • 1000mL
Aluminium pot (TM340-901)



\$69

SUCTION FEED PROFESSIONAL

• 1.4mm & 2.0mm Nozzles
• 1000mL Aluminium pot (TM340-902)



\$52

GRAVITY FEED GENERAL PURPOSE

• 2.0mm Nozzle • 600mL Plastic pot
(TM340-903)



\$69


GRAVITY FEED PROFESSIONAL

• 1.4mm & 2.0mm Nozzles • 600mL
Plastic pot (TM340-904)

Star®

S770-S SERIES

• Pot size : 1000ml • Includes :
Gun, pot, stainless steel nozzle and
needle • A popular conventional
high pressure spray gun that
provides extremely fine
atomisation for the D.I.Y.
person to the professional



Nozzle Size	Spray Pattern	Part No.	Price
1.5mm	235mm	S770-11S	\$168
1.7mm	245mm	S770-21S	\$168
2.0mm	260mm	S770-31S	\$168
2.5mm	275mm	S770-41S	\$168
3.0mm	275mm	S770-51S	\$220

Star®

GRAVITY FEED SPRAY GUN

• Pot size : 600ml • Includes :
Gun, pot, stainless steel nozzle
and needle • Provides constant
paint flow at lower pressures,
and extremely fine atomisation



Nozzle Size	Spray Pattern	Part No.	Price
1.4mm	250mm	S106-141G	\$200
2.0mm	270mm	S106-201G	\$200
2.5mm	270mm	S106-251G	\$215
2.8mm	270mm	S106-281G	\$215

Star®

\$147

TOUCH UP GUN

Pot size : 250ml
Nozzle size : 1.4mm
Spray pattern : 120mm
Includes : Gun, pot, stainless
steel nozzle and needle
• Ideal for custom designing,
auto touch-up work, detail
spray work and stencil spraying
(SJ108)



\$189

COMPOSITE AIR IMPACT WRENCH 1/2" DRIVE

• Aluminium composite material
construction • Heavy duty twin hammer
• 3 torque settings • 820 Nm (625 ft-lb) Max
torque • 6,800rpm Free speed • 190 L/min
Average air consumption (TM340-136)



\$420

COMPOSITE AIR IMPACT WRENCH 3/4" DRIVE

• Aluminium composite material
construction • Heavy duty twin hammer • 3
torque settings • 1,200 Nm (885 ft-lb) Max
torque • 4,200rpm Free speed • 190 L/min
Average air consumption (TM340-145)



\$168

AIR HYDRAULIC RIVETER

• Sets 2.4, 3.2, 4.0, 4.8mm steel /
stainless steel rivets • Traction Power:
3,086lb (1400kg) • Stroke Length: 16mm
(TM340-802)



\$52

AIR DIE GRINDER

• Compact design • Rear 4 speed
regulator • Length: 173mm • Free
speed: 25,000rpm (TM340-312)

DISTRIBUTED BY