

### **Face Spanner Wrench**

Set 315158 Adjustable 9 Piece

- Suitable for loosening and tightening nuts with holes on surface
- Knurled central divider type nut allows width adjustment and locks it into place
- Pin size: 2.5, 3, 4, 5, 6, 7, 8, 9,mm

Double sided rule - Metric & Imperial

Easy Pick-up rule - Metric

Taper Gauge - Metric

Capacity: 20-100mm



# WHILE STOCKS LAST

# **Nut Cracking Bar**

321032 1/2" Sq.Dr 140mm

- For seized & stubborn nuts
- High leverage 180° rotating head Rubber handle for additional user support



# **Right Angle Drill**

- Provides up to 49Nm of torque Includes PH1 and PH2 bits

**CRAZY PRICE** 



**Professional Slimline** LED Headlamp 300607



Lightweight and easy to use LED headlamp easily lights up dark areas

Features three lighting modes: eco, normal and sense mode Sense mode allows for a truly hands free operation by just swiping your hand in front on the motion sensor to either quickly turn on or off the headlamp



### **Precision Screwdriver**

Set 301563 12 Piece

- Professional precision screwdrivers for removing and installing micro screws
- Manufactured from alloy steel for strength and durability
- Sizes: SL1, SL1.5, SL2, SL2.4, SL3, SL3.5, SL4, P#000, P#00, P#0, P#1, P#2



### 86 01 180 180mm

- 14% more gripping capacity, 10% less weight
- Laser etched adjustment scale and anti pinch handle design Black atramentized finish, smooth jaws
- Replaces a whole set
   Made in Germany



**RENNSTEIG** 

Parallel Pin Punch Set with **BONUS Mini 300mm** Wrecking Bar RBP006

Made in Germany







300

150

1-15











# TIME SPECIALS . TAX



### **Pistol Grease Gun**

305221 Heavy Duty 450g

- 300mm flexible hose and 4 jaw coupled



### Mini Pistol Grease Gun

### 305222 85q

- Single hand operated with convenient pull type mechanism
- Output: 0.4g per stroke (1oz per 71 strokes) Pressure: 24,000 kPa (3,500 PSI, 240 Bar)
- Bulk capacity: 120cm<sup>3</sup>



### **Lever Action Grease Gun**

- Cartridge capacity: 450g

# 305219 Heavy Duty 450q Lever action grease gun with 150mm steel extension, 300mm flexible hose and 4 jaw coupler Suitable for both cartridge and bulk fill Bulk capacity: 650cm<sup>3</sup> Output: 1g per stroke Pressure: 69,000 kpa





# Flexible Heavy Duty Grease Hose

- Superior construction inner tubing is polyamide with polyurethane sheathing, reinforced diagonally in highly tear resistant polyester with zinc plated end connections
- Suitable for hand operated grease guns only

| Part No. | Working Pressure | Length mm | Thread    | PRICE   |
|----------|------------------|-----------|-----------|---------|
| 305234   | 40,000 kPa       | 300       | 1/8" BSPT | \$10.95 |
| 305235   | 40,000 kPa       | 450       | 1/8" BSPT | \$13.95 |
| 305236   | 40,000 kPa       | 500       | 1/8" BSPT | \$14.95 |

### Variable Length 'Ezee-flo' Pump

### 305500

Down-stroke discharge

- Use on 20 litre containers with adaptors to suit most drum types including those with Rieke or regular openings
- Not for use with water based and other corrosive





**Heavy Duty** 

Suits 50–250 litre drums

Pump handle rotates a sintered powde

metal 3 vein rotor inside a pumping chamber

Not recommended for use with water based media

For use with class 1 and 2 flammable and combustible liquids such as Petrol, Naphtha, Alcohols\and other solvents





### Portable Oil **Drain Pans**

- Storage and evacuation
- Ensures safe transportation and storage without spillage

| Part No. | Capacity | PRICE   |
|----------|----------|---------|
| 305090   | 10 Litre | \$38.95 |
| 305091   | 17 Litre | \$59.95 |

# **Grease Gun Holder**

**305001** Heavy Duty

Suitable for most 400g and 450g grease guns with body diameters from 57-63.5 mm



# .95

### **Bearing Packer**

**305161** Heavy Duty

- For heavy vehicle and industrial applications Simply apply pressure and old grease is forced out and evenly replaced by fresh grease
- Unique design allows for mess free operation Grease is filled with grease gun via centre grease nipple
- Suits bearings with an outside diameter



# **Watering Can** 305095 10L

Ideal for under the bonne level refilling e.g. radiato battery, windscreen washer etc.





### Clear Canister Grease Guns 450g

- Enables easy grease identification
- Easily identify both contents and amount remaining
- High tolerance aluminium die cast head
- Extra strong polycarbonate tube with die cast aluminium adaptors

| Part No | Туре   | Includes   | Thread    | Output             | PRICE    |
|---------|--------|--|-----------|--------------------|----------|
| 305101  | Pistol | 100mm steel extension,<br>300mm flexible hose<br>and 4 Jaw coupler | 1/8" BSPT | 0.5g<br>per stroke | \$116.95 |
| 305100  | Lever  | 150mm steel extension<br>& 4 Jaw coupler                           | 1/8" BSPT | 1g per<br>stroke   | \$99.95  |

### Hydraulic Coupler 4 Jaw

- Hydraulic coupler with 4 jaw design allows greater working angle
- Spring loaded ball check to retain pressure
- For use on hand held grease guns only
- Pressure: 42,300 kPa

| ·· <del>····</del> |                  |           |        |  |
|--------------------|------------------|-----------|--------|--|
| Part No.           | Working Pressure | Thread    | PRICE  |  |
| 305231             | 42,300kPa        | 1/8" BSPT | \$3.95 |  |

305232 69,000 kPa 1/8" BSPT

# **Portable Bearing Packer**

- Handy tool for quickly packing bearings
- Suitable for cars, trailers and light trucks



\$5.95



### **Grease Filler Dispenser 305155** Heavy Duty

 Forces out old grease from bearings and evenly replaces with fresh

- Simply sits on top of a 20 litre grease
- drum for mess free operation Suits bearings from 100mm to 200mm in diameter
- Ideal for all heavy vehicle, industrial and agricultural applications
- Inbuilt cover keeps grease free from contaminates





# TIME SPECIAL

# **Rotary Drum Pump** 305251 50-205 Litre Drums Suitable for transfer of diesel, kerosene,

heating oils, motor oils, lubricating oils (up to SAE 90) and non-corrosive fluids of light to medium viscosity Output: 5 litres per 20 turns



### **Oil Cans**

- Seamless, heavy gauge tin sheet
- two ball valves for large volume delivery per stroke
- The suction valve at the bottom of the pump has no spring to prevent sticking valve



| Part No. | Туре                                      | Capacity | Spout Size                     | PRICE   |
|----------|---|----------|--------------------------------|---------|
| 305257   | Lever with rigid spout                    | 200ml    | 125mm                          | \$9.95  |
| 305260   | Lever with rigid and flexible spout       | 700ml    | Rigid: 175mm<br>Flexible:200mm | \$14.95 |
| 305261   | Pistol grip with rigid and flexible spout | 125ml    | Rigid: 100mm<br>Flexible:125mm | \$7.95  |

# **Drum Trap**

- Fits into 3/4" threaded
- opening on 20–65 litre drums Facilitates convenient dispensing of media under gravity flow
- Lockable with bucket hanger
- Not suitable for use with corrosive media



### Fluid Change Syringes

- For neat, clean and accurate fluid suction and dispensing
- Suitable for engine oil, gear oil, differential oil etc
- Replacement seal kits available

| Part No. | Capacity  | Hose Length | PRICE   |
|----------|-----------|-------------|---------|
| 305152   | 200ml     | 200mm       | \$41.95 |
| 305151   | 1.5 Litre | 400mm       | \$83.95 |

### Oil Measuring Container

- Suitable for use with non-corrosive liquids
- Detachable flexible spout and cover lid for easy pouring

| Part No. | Capacity | PRICE   |
|----------|----------|---------|
| 305214   | 1 litre  | \$15.95 |
| 305264   | 5 Litres | \$21.95 |



### **Suction Gun**

### 305227 500ml

- Designed to transfer gear oils in and out of gear boxes
- transfer cases and differentials Lip seal provides maximum suction
- Powder coated, textured steel barrel for firm grip No priming required

- Comes with 300mm (12") flexible vinyl hose



- Suitable for automotive fluids such as engine oil, coolant, brake fluid, transmission oil, petrol and diesel fuel, etc
- Suitable height for work under motorcycles and ATV's
- Recessed castors provide easy mobility and transportation
- Dimensions: 850 x 600 x 125mm





### Funnels 1.1 Litres

- Suitable for most passenger vehicles and light commercial vehicles with AdBlue® filler necks
- Manufactured from materials resistant to urea based fluids such as AdBlue®
- Supplied with lid for mess free storage

| Part No | Style        |
|---------|--------------|
| 305400  | Straight     |
| 305401  | Angled Spout |







# AdBlue<sup>®</sup>

### Filler/Extraction Syringe

### 305402 1.5L

- Specialty syringe designed for AdBlue® filling and extraction
- Safe and efficient way to handle AdBlue® Suitable for all passenger vehicles, LCV and heavy vehicles etc
- Features large double seal plunger and 410mm suction tube





### **Bolt Cutters** Centre Cut

- Suitable for general purpose use with soft and medium metal applications only
- Slim head centre cut iaw design enables close surface cutting
- Jaws can be adjusted by loosening nuts and rotating
- Ideal for mining, industrial and hardware applications
- Robust steel structure with chrome-molybdenum steel jaws







### **Compact Hand Cable Cutter**

- Curved blade design delivers a clean cut without causing distortion of the cable or
- Suitable for use on copper and aluminium cables
- Drop forged alloy steel for superior strength and durability
- PVC dipped handles

| Part No. | Length     | Cutting Range Max | PRICE   |
|----------|------------|-------------------|---------|
| 316009   | 150mm (6") | 22mm²             | \$27.95 |
| 316010   | 200mm (8") | 38mm²             | \$31.95 |



### **Compact Hand** Cable Cutter CC60A 230mm (9")

- Curved blade design delivers a clean cut without causing distortion of the cable or fraved ends
- Suitable for use on copper and aluminium cables up to 70mm<sup>2</sup>
- Not suitable for steel wire or wire ropes
   Cutting range (max): 70mm<sup>2</sup>



### **Aviation Snips**

- $Serrated\ cutting\ blades\ are\ heat\ treated\ for\ easy\ cutting, superior\ strength,$ toughness and durability
- Cuts up to 1.2mm cold rolled steel or 0.7mm AISI-304 stainless steel
- Manufactured from chromium molybdenum steel

| Part No. | Description           | Length      |
|----------|-----------------------|-------------|
| 301120   | Left Cut (Red)        | 250mm (10") |
| 301121   | Straight Cut (Yellow) | 250mm (10") |
| 301122   | Right Cut (Green)     | 250mm (10") |

### **Exhaust & Tailpipe Cutters**

### 312295 Plier Type

- Cut exhaust tubing easily without the need to exert pressure
- Chain with in-built roller cutters slice into the exhaust pipe Able to cut wall tube pipe from 20-82mm diameter





# Concrete Nippers EN8 200mm

- Precision cutting edges for cutting and twisting steel fixing wire
- Suitable for most soft and hard wire up to 3mm in diamete
- Jaw opening: 0-14mm Jaw width: 31mm

### **Pocket Cutter 316006** 200mm

- Slim head centre cut jaw design enables close surface cutting
- Hardened and tempered jaws for superior strength and durability



### Wire Rope

### & Spring Wire Cutter 316022 255mm

- Triangular cutting blade design delivers a clean cut without causing distortion of the cable or frayed ends
- Spring return and locking latch for single handed operation
- Hardened and tempered cutting blades for superior strength and durability
- Steel wire rope: 5mm (3/16") Cutting capacity: 1.5mm (1/16")

### **Ratchet Cable Cutter**

### 316023 255mm

- Curved blade design delivers a clean cut without causing distortion of the cable or fraved ends
- For cutting copper and aluminium wires, single and multiple wires up to 32mm diameter
- Not suitable for steel wire or wire ropes
- Cutting range: Up to 32mm



### **Mini Pocket Saw**

### 321041 220mm

- Retractable 90mm hardened alloy steel blade folds into handle





# **Rubber Hose Piper Cutter**

- Straight blade cuts rubber hoses 6-25mm in diameter
- Ideal for automotive and industrial applications
- A/C hose and workshop air line hose etc.





- Wide dual wheel roller design for neat
- Suitable for use on plastic, brass, copper, aluminium and mild steel tubing Metal construction with hardened SK2 alloy steel cutting wheel



# **Standard Tube Cutter**

301033 3-30mm

- Wide dual wheel roller design for neat and square tube cutting
- Tapered burr remover to clean piping after cutting
- Suitable for use on plastic, brass, copper, aluminium and mild steel tubing
- Ideal for automotive, plumbing, industrial and hardware applications

### **Electro-Mechanical Cutters**

### PC6 150mm

- Hardened precision cutting edges for cutting and twisting soft wire
- Suitable for use in fine electrical and electronics applications
- Ideal for cutting plastic e.g cable ties
- High carbon steel for superior strength and durability



### **Cutting, Crimping & Swaging Tools**

- For swaging copper or aluminium sleeves on to wire cables
- Features swaging jaws, cutter and crimper head design to
- enable complete crimp and cut operation Suitable for use on swaging sleeves up to 5mm (3/16")

| Part No. | Length | Capacity   | Head   | PRICE    |
|----------|--------|------------|--------|----------|
| 316007   | 350mm  | 1.58-3.5mm | 3 Hole | \$65.95  |
| 316008   | 600mm  | 1.58-5mm   | 5 Hole | \$110.95 |

### **Air Conditioning Hose Cutter**

### 308011 14mm

• Cuts through vinyl, poly and most hoses up to 14mm in dia. · Heat treated stainless steel blade for maximum durability









File Sets 4 Piece

| Part No. | Contents                                    | Cut Type   | Length |
|----------|---|------------|--------|
| TFR2501  | 1 x round, half round, flat and square file | Bastard    | 250mm  |
| TFR2502  | 1 x round, half round, flat and square file | Second Cut | 250mm  |
| TFR2503  | 1 x round, half round, flat and square file | Smooth Cut | 250mm  |

### **Cable Cutter** & Stripper

### 302035

- Curve blade design suitable for cutting up to 11mm
- Features additional SK5 carbon steel stripping knife in handle with adjusting knob design for longitudinal stripping

### **Pocket Knife**

321301 Single Blade Lock Back

- Compact pocket knife with lock back style mechanism
- Stainless steel drop point blade suitable for various applications



### Stock Knife

SK3 Triple Blade 180mm

- Stainless steel triple blade stock
- knife with wooden handle Suitable for various applications



### **Stock Knives**

Single Blade with Leather Pouch

- Suitable for automotive and industrial applications
- Stainless steel precision cut blade
- Ergonomic handle with brass trims Supplied with genuine leather pouch









### Stock Knife

### 2BK7 Twin Blade 160mm

- Double fold out precision cut stainless steel blades suitable for automotive and industrial applications
- Ergonomic wooden handle on stainless steel frame
- Clip point and spey point blades

# LEARANCE

### **Countersinks**

- Made from tempered and hardened carbon steel
- Suitable for use on plastics and wood
- Provides flush mount for countersunk screws

| <ul><li>Made Ir</li></ul> | E13 W       |            |        |            |
|---------------------------|-------------|------------|--------|------------|
| Part No.                  | Description | Shank Size | PRICE  |            |
| 321035                    | Light Duty  | 6mm        | \$5.95 | ė;         |
| 321036                    | Medium Duty | 6mm        | \$8.95 | Light Duty |


## CLEARANCE





- Unique tool for enlarging and shaping holes, scroll cutting and smoothing
- Creates own initial starting hole and cuts as per direction tool is moved
- Made In Japan





### Strike Thru Scrapers Extra Heavy Duty

- For scraping baked on gaskets, seals, cured silicone etc
- Extra strong steel striking cap provides endless blow without mushrooming end
- Ergonomic design handle provides non slip grip
- Made in Japan

| Part No. | Description    | Tip Width | Shaft | Length | PRICE   |
|----------|----------------|-----------|-------|--------|---------|
| 301558   | Straight Blade | 15mm      | 110mm | 235mm  | \$30.95 |
| 301559   | Curved Blade   | 30mm      | 230mm | 355mm  | \$37.95 |



# \$49.95



### Slot Chisel Heavy Duty 301560 Straight 240mm

- For the removal of slag during steel cutting or welding
   For cutting thin sheet metal, removing corroded bolt heads, removing old paint and
- Unique thin design maintains sharpness of blade
- Heavy duty specially hardened and tempered alloy steel
- Blade thickness: 5.5mm Blade width: 25mm
- Made in Japan

Medium Duty







### Razor Style Long Reach Scraper 301247 6 Piece 280mm

- Special tool designed for scraping windows and glass
  Also ideal for scraping paint from mirrors, tiles and other flat surfaces
- Blade width: 40mm

## **Automatic Self Grip Pullers**

- Quick change head design allows for 2 or 3 jaw external or internal pulling work
- Maximum grip for all pulling applications Easy removal of bearings, pulleys, gears and sprockets





| Part No. | Size | Spread mm | Reach mm | Capacity | PRICE    |
|----------|------|-----------|----------|----------|----------|
| 225040   | 4"   | 76-102    | 90       | 10 Tonne | \$124.95 |
| 225070   | 7"   | 76-178    | 135      | 20 Tonne | \$241.95 |



### Slide Hammer Gear / Bearing Puller Kit

269000 Mechanical 1.2kgs

 Includes two 100mm internal triple leg pullers (15-30mm & 30-80mm) and one 100mm external triple leg puller (15-80mm), slide hammer 1.1kg



Mechanical & Hydraulic 3 Jaw

- Kit contains all the components for mechanical and hydraulic assembly
- Removes stubborn bearings, gears, sprockets and pulleys effortlessly without damaging shaft and surrounding components
- Includes heavy duty 10 tonne hydraulic ram and 210mm forcing screw with centre nut, triple beam, various extension rods, puller leg set and three jaw bearing separator





### **Hydraulic Puller Set**

265050 Twin & Triple Leg 200mm

- Most popular sized hydraulic puller includes the famous Toledo hydraulic 10 tonne ram
- Suitable for all applications in automotive, agriculture, industrial, marine, mining
- Supplied in high grade EVA foam tray suitable for all tool boxes

# **Hydraulic Ram &**

**Nose Piece 265100** 10 Tonne

- Overall Length: 160mm
- Width: 35mm Thread Size: 1 1/2- 16TPI





### **Split Collet Extractor**

246300 9 Piece

- Extract components quickly and efficiently when conventional pullers cannot be used
- Removes bearings, oil seals etc. without damaging housing
- Collet size range: Ø 8-23mm





### **Bearing Puller** 246600 Mechanical 1 Tonne Capacity

- Designed for the rapid easy removal of small bearings and similar assemblies
- Three legs with independent leaf springs
- Spread: 19-45mm



# **Bearing Puller**



# Bearing Separator Puller Kit 221000

Mechanical 12 Piece 5 Tonne

- Tapered separator edge design enables insertion behind close fitting bearings, gears etc. Includes 30 - 50mm & 50 - 75mm
- capacity bearing separators
- Supplied in moulded plastic hard case



### **Bearing Separator** 245000 Three Jaw 35-105mm

To remove bearings, gears and sprockets

- effortlessly without damaging shaft and surrounding components Special three piece jaw design provides
- three positive contact points and distributes the load across the surface when force is applied



### **Power Steering Pump** Pulley Kit 245380

- For quick and damage free removal and installation of power steering pump pulleys
- Designed specifically to suit 28 - 35mm pulley hub diameters
- Applications include Ford Falcon FG, Ford C111, Saginaw, Thompson, C2 power steering pumps



### **Single Point Pressure Beam Puller Kit**

222001 Mechanical

- Pressure beam provides a superior grip to the application and extra stability
- Suitable for extra tough pulling jobs where additional strength and stability is required Spread: 60 - 100mm
- Reach: 100 170mm



### **Harmonic Balancer Puller** & Installer Set

### 245400 Mechanical

- Unique disc design intended for
- trouble free removal of harmonic balancers Range of metric and imperial sized bolts and
- adaptors provide a wide coverage
- Includes 3 x M8 x 1.25, M10 x 1.00, M10 x 1.25





Reach: 190mm



- Heavy duty slide hammer combination hub puller suitable for 4 and 5 stud axles
- Includes 10 tonne hydraulic ram and 2.8kg slide hammer
- Diameter 148.5mm, Height 90mm

**Torque Multiplier Nut Cracking Set** 309055 3200Nm



Features seven deep 75mm six point 1" square drive impact



### **321009** 1500Nm

- Designed for use in applications where a higher than
- otherwise achievable torque rating is required Ideal for breaking difficult or frozen fastener application
- Extension bar and stabiliser also included

### Wheel Hanger Pin

### **309110** Universal

- For fitting and removing heavy SUV and 4x4 wheels including wheels with spacers
  - Alians brake disc and hub when fitting
- Male: M12x1.50, M14x1.25, M14x1.50, M16x1.50
- Female: M12x1.50



# **Torque Extension Bar Set**

309500 10 Piece

- 1/2" square drive with colour coding for easy identification and precise
- Torque settings: 90, 100, 110, 120, 135, 150, 160, 175, 190, 200Nm



# .95

### Disc Brake Tyre Depth Gauge

### 310020

0-60mm

- Measure brake disc thickness or tyre tread depth
- Floating jaw enables removal from disc while retaining reading
- Robust aluminium construction





### **Tyre Valve Remover** & Installer 309000

Flexible Head 180°

- Rubber bumper protects rim edge from damage during removal and installation of valve stem
- Suitable for mag, alloy and steel wheels





### **Tyre Valve Remover Set**

309246 2 Piece

- Used for the removal and installation of tyre valve cores
- Moulded plastic handles allow for a secure grip
- Regular reach unit for passenger vehicles and motorcycles 110mm long Long reach unit ideal for trucks 155mm long





- The unique press frame design allows for complete portability
  Contains 22 press sleeves that are suitable for most passenger, 4WD and light
- The 10T hydraulic ram is strong enough to remove the most stubborn bushes or ball
- Supplied in a heavy duty blow mould case with castor wheels
- Outside diameter range: 26-68mm



### Tyre Lever Tyre lever to easily remove and refit tyres on to rims Manufactured from hardened and tempered drop forged chrome vanadium steel PRICE \$37.95 309035 600mm



# Professional Set 300mm

- Specifically designed for safe and effective compression of automotive coil springs
- Suitable for passenger vehicles and light commercials

### Inner Tie Rod Tool Set 311287

- Specialty kit designed for inner tie rods which are inaccessible to adjust
- Sizes include: 14, 17, 33.6 (mm) and 1 3/16", 1 14", 15/6", 17/6"



# **Oil Filter Cup Wrench Set 305800** 19 Piece Suitable for use on popular petrol or diesel filters used in passenger, light commercial and heavy duty applications

Features two of the popular Toyota sizes for removing the plastic cartridge housing on most 4cvl and 6cvl applications



### Oil Filter Remover 305211 Nylon Strap 1/2" Sq. Dr

- Sturdy non-slip nylon strap for spin-on type filters of up to 150mm(6") in diameter





## 

- Suitable for removing stubborn spin-on filters of up to 150mm diameter
   Width: 50mm

# **Pump Up Pressure Sprayers**

- Pump action pressure sprayer with heavy duty viton seals
- Ideal for most workshop liquids and solvents
- Adiustable nozzle from mist to direct jet spray pattern

| Part No. | Working Pressure | Capacity | PRICE   |
|----------|------------------|----------|---------|
| 305153   | 50-70psi         | 1 Litre  | \$33.95 |
| 305154   | 50-70psi         | 2 Litre  | \$43.95 |

### Flashlight

321033 Telescopic Magnetic

- Telescopic shaft, 360° flexible head. Max ext. 550mm
- 3 LED bulbs, batteries included



- Features pocket clip and telescopic body for adjustable reach
- Features strong magnetic power for firm retrieval and pick-up of ferrous material
- Manufactured from durable stainless steel

| Part No. | Range       | Magnet Size | Magnet Capacity | PRICE   |
|----------|-------------|-------------|-----------------|---------|
| 301298   | 170 - 760mm | Ø 7mm       | 700g            | \$16.95 |
| 301299   | 170 - 760mm | Ø 13mm      | 3600g           | \$19.95 |

# Pick-Up Tool 301697

Magnetic Claw Style Heavy Duty Flexible Shaft 700mm

Featuring flexible shaft with spring loaded extendable retrieval claw function including magnetic tip



### **Rubber Mallet**

Black natural rubber head provides enough force without damaging the striking surface

| Part No. | Weight | PRICE   |
|----------|--------|---------|
| 321090   | 16oz   | \$12.95 |
| 321091   | 24oz   | \$14.95 |

### Soft Face Hammer 321303 35mm

Ideal for fine bodywork adjustment or striking finely finished surfaces without causing damage

### **Ball Pein Hammers**

- Carbon fibre core increases bending when striking by more than 25% over a conventional fibreglass type
- Made from durable alloy steel head

| Part No. | Description         | Weight | PRICE   |
|----------|---------------------|--------|---------|
| 321051   | Carbon Fibre Handle | 16oz   | \$26.95 |
| 321052   | Carbon Fibre Handle | 24oz   | \$35.95 |
| 321053   | Carbon Fibre Handle | 32oz   | \$39.95 |
| 321054   | Hickory Handle      | 16oz   | \$23.95 |

### Curved

### Claw Hammer 321055 20oz

The unique ergonomically design handle prevents the hammer from slipping out of the users hand while striking

### Club Hammer 321056 3lb

Small compact sizes is ideal for use with steel chisels, demolition and construction work

### Sledge Hammer

### 321057 10lb 910mm

The durable hardened carbon steel head is ideal for repeated high impact striking

### Combination **Pliers**

- For firm gripping and cutting
- Serrated gripping zones for flat and round material
- For most soft and hard wire up to 3mm in diameter

| Part No. | Length mm | Jaw Opening | Jaw Width | PRICE   |
|----------|-----------|-------------|-----------|---------|
| 301990   | 180       | 0-40mm      | 11mm      | \$26.95 |
| 301991   | 210       | 0-45mm      | 12mm      | \$32.95 |
| 301992   | 230       | 0-32mm      | 12mm      | \$36.95 |

### **Long Nose Pliers**

- For cutting, gripping and manipulating all types of components and wires
- Excellent control and reach in confined spaces
- Suitable for most soft and hard wire up to 3mm in diameter

| Part No. | Tip      | Length mm | Jaw<br>Opening | Jaw<br>Width | PRICE   |
|----------|----------|-----------|----------------|--------------|---------|
| 301996   | Straight | 210       | 0-85mm         | 3-10mm       | \$26.95 |
| 301997   | 45°      | 210       | 0-75mm         | 3-10mm       | \$28.95 |



# TIME SPECIALS · TAX

### **Diagonal Cutters**

- Heavy duty cutters for powerful, efficient and precise cutting
- Suitable for most soft and hard wire up to 3mm in diameter

| Part No. | Length mm | Jaw Opening | Jaw Width | PRICE   |
|----------|-----------|-------------|-----------|---------|
| 301993   | 160       | 0-22mm      | 3-10mm    | \$24.95 |
| 301994   | 180       | 0-22mm      | 3-11mm    | \$28.95 |
| 301995   | 200       | 0-20mm      | 3-11mm    | \$33.95 |



- Adjustable jaw openings Gripping zones for flat and round material

| Part No. | Length mm | Jaw Opening | Jaw Width | PRICE   |
|----------|-----------|-------------|-----------|---------|
| 301998   | 250       | 0-35mm      | 8mm       | \$33.95 |
| 301999   | 300       | 0-60mm      | 9mm       | \$41.95 |



# **Plier & Cutter Set**

TPSA01 4 Piece

 Professional trade quality plier set includes combination, diagonal cutter, long nose and multi-grip pliers

 Chrome molybdenum with black phosphate finish



### **Plier & Cutter Set**

TPSA02 In re-usable Tool Roll 4 Piece

- Professional trade quality plier set includes combination, diagonal cutter, long nose and multi-grip pliers
- Chrome molybdenum with black phosphate finish



### **Long Nose Plier Set**

TPSA03 Extra Long 3 Piece

- Premium trade quality set features three different tip styles including straight, 45° bent and 90° bent Manufactured from chrome molybdenum with PVC
- dipped handles





### **Circlip Plier Tool Roll** TCPR01 4 Piece

- Four piece set includes external and internal straight circlip pliers
- Supplied in heavy duty tool roll External Straight Tip 130mm (5") External Straight Tip 230mm (9") Internal Straight Tip 130mm (5") Internal Straight Tip 230mm (9")





| Part No. | Jaw Opening | Jaw Width | Length | PRICE   |
|----------|-------------|-----------|--------|---------|
| FP10     | 0-52mm      | 13mm      | 260mm  | \$20.95 |
| FP10H    | 0-52mm      | 13mm      | 260mm  | \$27.95 |



### **Parrot Beak Fencing** Pliers HP10 270mm

- Designed for cutting, crimping, swaging, hammering and gripping wire and staples commonly used in fencing and farming applications
- Features two specially designed wire cutters, parrot lever assembly, serrated hammer and gripping zone, swager and crimper



### Lock Grip Pliers VG250 Curved Jaw 250mm

- Curved jaws for better contact on bolt heads, nuts and round work
- Applies extra pressure across four points of contact on any style nut/bolt head

# 95

### Circlip Pliers 4-20mm

- For the safe and easy removal and installation of circlips
- Drop forged and heat treated tips with specialty locating grooves

  PVC dipped handles and spring loaded operation

| Part No. | Туре     | Jaw<br>Opening | Tip<br>Dia. | Length | Style    |
|----------|----------|----------------|-------------|--------|----------|
| 301125   | Straight | 4-20mm         | 1.2mm       | 130mm  | Internal |
| 301126   | 90º tip  | 4-20mm         | 1.0mm       | 130mm  | Internal |
| 301127   | Straight | 4-20mm         | 1.2mm       | 130mm  | External |
| 301128   | 90º tip  | 4-20mm         | 1.0mm       | 130mm  | External |

### Circlip Pliers 6-40mm

 For the safe and easy removal and installation of circlips · Drop forged and heat treated tips with specialty locating grooves

| Part No. | Туре     | Jaw<br>Opening | Tip<br>Dia. | Length | Style    |
|----------|----------|----------------|-------------|--------|----------|
| 301133   | Straight | 6-40mm         | 1.8mm       | 230mm  | Internal |
| 301134   | 90º tip  | 6-40mm         | 2.0mm       | 230mm  | Internal |
| 301135   | Straight | 6-40mm         | 1.8mm       | 230mm  | External |
| 301136   | 90º tip  | 6-40mm         | 2.0mm       | 230mm  | External |





- Easy pick-up rules feature a bent edge at one end to enable user to easily pick-up the rule
- Made in Japan

| Part No. | Length | Width | PRICE   |
|----------|--------|-------|---------|
| 301956   | 150mm  | 15mm  | \$6.95  |
| 301957   | 300mm  | 25mm  | \$14.95 |



## # 100:00 cm cm cm 146150 cm cm 140:002000 cm cm cm m = = 50 m

### Stainless Steel Rules

- Manufactured from high grade stainless steel

| • Made in Japan |        |                                |         |  |  |
|-----------------|--------|--------------------------------|---------|--|--|
| Part No.        | Length | Description                    | PRICE   |  |  |
| 150BM           | 150mm  | Single sided Metric            | \$6.95  |  |  |
| 150B6           | 150mm  | Double sided Metric & Imperial | \$7.95  |  |  |
| 300M            | 300mm  | Single sided Metric            | \$13.95 |  |  |
| 30012           | 300mm  | Double sided Metric & Imperial | \$15.95 |  |  |
| 60024           | 600mm  | Double sided Metric & Imperial | \$35.95 |  |  |
| 600M            | 600mm  | Single sided Metric            | \$27.95 |  |  |
| 100036          | 1000mm | Double sided Metric & Imperial | \$64.95 |  |  |
| 1000M           | 1000mm | Single sided Metric            | \$52.95 |  |  |
|                 |        |                                |         |  |  |

### **Engineering Squares**

Non-Graduated High Grade Professional

- High grade Japanese Carbon Steel (S50C)
- For automotive, industrial, metalwork, woodwork and engineering applications
- Made in Japan







### **Taper Gauge**

with hanging hole

- Used to measure internal diameters Ideal for measuring gaps, slot widths, hole or bore sizes and flange face
- to face dimensions Accuracy: -/+ 0.05mm
- Size Range 1-15mm
- Made in Japan

| Tartito. | Jize hange | THICE    |
|----------|------------|----------|
| 700A     | 1-15mm     | \$35.95  |
| 700B     | 15-30mm    | \$49.95  |
| 700C     | 30-45mm    | \$83.95  |
| 700D     | 45-60mm    | \$100.95 |
|          |            |          |





# SPECIALS • TAX

### **Precision Measuring Set**

- 321904 6 Piece Stainless Steel
- Satin chrome finish with
- photographically etched markings
- Made in Japan



Mini Square Metric - 300 x 150mm, Protractor 180°, Scriber - Pen Style with Pocket Clip, Spring Divider - Solid Nut 150mm, Stainless Steel Single Sided Rule Metric - 300mm, Taper Gauge - with Hanger Hole 1-15mm

# 25.95 FROM

### **Spring Dividers & Calipers**

Stainless steel with spring joint for precision settings Legs pivot on a roller and are tensioned

| Divider  |           |        |         |  |  |
|----------|-----------|--------|---------|--|--|
| Part No. | Туре      | Length | PRICE   |  |  |
| 50100    | Solid Nut | 100mm  | \$25.95 |  |  |
| 50200    | Solid Nut | 200mm  | \$29.95 |  |  |
| 50300    | Solid Nut | 300mm  | \$42.95 |  |  |

| Inside Caliper |           |        |         |  |  |
|----------------|-----------|--------|---------|--|--|
| Part No.       | Туре      | Length | PRICE   |  |  |
| 51100          | Solid Nut | 100mm  | \$25.95 |  |  |
| 51200          | Solid Nut | 200mm  | \$29.95 |  |  |
| 51300          | Solid Nut | 300mm  | \$42.95 |  |  |

| Outside Caliper |           |        |         |  |  |
|-----------------|-----------|--------|---------|--|--|
| Part No.        | Туре      | Length | PRICE   |  |  |
| 52100           | Solid Nut | 100mm  | \$25.95 |  |  |
| 52200           | Solid Nut | 200mm  | \$29.95 |  |  |
| 52300           | Solid Nut | 300mm  | \$42.95 |  |  |



### **Fuel Filter Wrench Diesel**

307000 Hyundai/KIA 1/2"Sq. Dr

- For removing diesel fuel filters on Hyundai and KIA models (Also suits Volvo and Land Rover models)
- Applicable for Hyundai/KIA 2.0 2.2L CRDi engines Thin design allows enable to use in confined spaces
- Size: 106mm 15 Flutes

# **NEW PRODUCT**

### **Valve Shim Adjusting** Tool Set 304053 Toyota

- Essential tool for adjusting shims on Toyota/Lexus and Nissa engines
- Suitable for use with cylinder head on or off the vehicle
- Replace shims for adjusting valve clearance Equivalent OFM-Toyota 09248-55040
- and Nissan KV101151S0



# **Injector Fuel Rail Puller**

307011 Holden (GM)


- For removing injector fuel rails Avoids damaging injectors, injector bores and cylinder head during removal
- Both hooks reach under fuel rail to gently remove injectors evenly
- For V6 3.6L SIDI and 2.0L ECOTEC end
- Heavy duty steel to 0EM
- Equivalent 0EM: EN-49248



# **NEW PRODUCT**

### **Exhaust Gas** Temperature **Sensor Socket Set**

301561 3/8" Sq. Dr Size: 13, 14, 17mm 6 Piece



Includes single hex sockets in offset shallow



# NEW PRODUC Screw Extractor Set 301535 Heavy Duty 9 Piece

NEW PRODUCT

 For removing broken, stripped and corroded fasteners

Utilises left hand spiral design for gripping and removal

Includes metric and imperial size range with recommended drilling size Size range: 1/4" - 1 1/46" (3 - 36mm)

## **Crowfoot Wrench Set**

**302999** ¼" Sq. Dr

Metric 9 Piece

- For use in confined work areas where standard wrenches are unable to access
- Straight jaws suitable for low torque applications
- extension



### Torque Bar & Deep Socket Set 309512

1⁄2″ Sq. Dr 8 Piece

- Designed to accurately torque wheel nuts to correct specifications
- Thin wall with protective
- Polypropylene sleeve ensures whee surface is damage free
- Socket sizes: 17, 19, 21, 22mm
- Torque bar rating: 65, 80, 100, 120ft. lbs (88, 108, 135, 162nm)



- Size range: Ø35 90mm
- Working pressure: 25psi

# IUGE PRICE DROP!





- Reinforced aluminium frame
- Epoxy locked shockproof vials
- Precision milled surfaces for accuracy (up to 1200mm) Enlarged easy read horizontal vial (33% bigger)
- Unique side-view vial provides accurate plumb reading

| Part No. | Length | PRICE    |
|----------|--------|----------|
| 322060   | 600mm  | \$64.95  |
| 322120   | 1200mm | \$79.95  |
| 322180   | 1800mm | \$118.95 |



### PRICE DROP!



### **Magnetic Digital Box Levels**

- Digital magnetic box level with degree, percentage and pitch modes
- Tilted backlit LCD screen swivels for upright read out Hold function with up to 9 memory store and recall space
- Audible buzzer at buzzer at 0°, 45°, 90°

| Part No. | Length | PRICE    |
|----------|--------|----------|
| 322050   | 600mm  | \$134.95 |
| 322051   | 1200mm | \$179.95 |







### PRICE **DROP!** HUGE



- Handy five piece pipe level set suitable for standard metal, copper and plastic PVC pipes
- Perfect for all plumbing and electrical pipe/conduit work
- Sizes: ½", ¾", 1", ¹¼"-¹½", 2"



# Level Line 322455

- pocket clips and 20 metre line
- Includes two line levels with Lightweight levels eliminates sag V-groove for pipe work

### Mini Magnetic Level 322013

- Handy pocket size magnetic level
- Lightweight aluminium with rubber shockproof end caps



### **Digital Laser Distance** Measurer 322053 70m

Professional distance measurer for simple, quick and precise distance reading with the push of a button







### Dial Gauges Analogue

- High precision for precision mea uring work
- Waterproof & dustproof Shock-proof mechanism
- Easy read design
- Manufactured to JIS B 7503
- Made in Japan



### Vernier Caliper 322201

- Suitable for inside and outside
- Hardened stainless steel with satin chrome finish



**\$49**.00





### **Metric Analogue Micrometers**

| Part No. | Graduation     | Force (Nm) |
|----------|----------------|------------|
| 322205   | 0.01 x 0-25mm  | 5-10Nm     |
| 322206   | 0.01 x 25-50mm | 5-10Nm     |



## **Magnetic Base**

### 322110 8mm

- Traditional piece of measuring equipment with 8mm diameter indicator/gauge mount hole Cast iron base with ON/OFF permanent magnetic function to
- provide shock free and vibration free measurement
- Dual pivot joints provide good versatility and functionality Fine adjustment clamp for micro measurement work
- Attach to flat or round surfaces and keep work in perfect
- Ideal for use with milling machines, lathes etc
- Mounting hole diameter: 8mm

### T-Square 322215 450mm

- Ideal tool for all measuring and technical drawings
- Ideal for applications requiring accurate horizontal or vertical lines Aluminium construction with special UV resistant ink printed graduations
- Thickness: 1.2mm
- Graduations Upper Edge: 1mm
- Graduations Lower Edge: 1mm

### **Jenny Caliper**

### 321074 Fixed Joint 150mm

- Ideal tool for all measuring and technical drawings Ideal for applications requiring accurate horizontal or vertical lines
- Aluminium construction with special UV resistant ink printed graduations
- Thickness: 1.2mm Graduations Upper Edge: 1mm
- Graduations Lower Edge: 1mm

### Crack Measure Gauge 321066

### 0.1 - 1.4mm

- Check the width of cracks in walls and
- Small pocket size allows for easy portability
- Built in 80mm rule
- Hardened Japanese stainless steel
- Made in Japan









### **Rule & Crack Measure**

### 321079 150mm

- Gauge: 0.10 2.20mm
- Check the width of cracks in walls and foundations
- Hardened Japanese stainless steel
- Made in Japan





### **Security Spring Hooks**

- Used to secure tools when working with heights
- Prevents injury and downtime as a result of falling tools Coil spring style stainless steel wire with PU coating

| Part No. | Load | Range        | PRICE   |
|----------|------|--------------|---------|
| 321261   | 1 kg | 430 - 1400mm | \$17.95 |
| 321262   | 3 ka | 600 - 1800mm | \$19.95 |

# \$49.00

# **Precision Measuring Set**

### 321903 3 Piece Professional stainless steel measuring set

- Satin chrome finish with photographically etched markings
- Supplied in custom high grade EVA foam tray
- Made in Japan

Mini Square Metric - 150 x 75mm. Stainless Steel Rule Double Sided Metric & Imperial - 150mm. Taper Gauge - With Hanger Hole 1-15mm









### **DROP! HUGE PRICE DROP!**



- Made in Switzerland







- black painted coating







### **Combination Square Set**

### 322210 300mm

- Multi-application set for a wide range of measuring and lay out jobs
- Suitable for use as a rule, spirit level, plumb level, 45° level, try square (internal and external). height/depth gauge, marking gauge and scriber
- Common applications include jobs in woodworking, metal working and stonemasonry



# **FAMOUS OLEDO**

# **PRECISION MEASURING**

WITH BLUETOOTH®



### Bluetooth SWISS MADE

- Premium Swiss made ultra-precision instruments
- Fully built in Bluetooth® technology No clunky expensive attachments!
- Direct connectivity with patented PC Software (sold separately)
- Simultaneous measuring with up to 16 individual units
- Speed up data taking with automatic digital record taking at the press of a button
- Remove human error in data taking
- IP67 rated
- Enquire now for detailed information and demonstration
- See full range online at toledo.com.au



- · Metric and Imperial read out
- Range: 0-150mm/0-6"
- Resolution: 0.01mm/0.0005'
- Error (Max.): 0-100: 20 μm, >100: 30 μm (DIN 862)





- Calibration certificate included
- Metric & Imperial read out Range: 0-12.5mm/0-1/2"
- Resolution: 0.001mm/0.0001
- Frror (Max ): 0-100: 20 um >100: 30 µm (DIN 862)





16 17 18 19 20 21 22 23 24 25 26 27 29 29 30 10 11 12

.95

### **Stainless Steel Rules**

- One square end and one round end with easy hang hole
- Individually supplied with protective wallet

| Part No. | Length mm/inch | PRICE   |
|----------|----------------|---------|
| 801000   | 150mm          | \$1.95  |
| 801001   | 300mm          | \$4.95  |
| 801002   | 600mm          | \$6.95  |
| 801003   | 1000mm         | \$16.95 |

.95

### **Dividers & Inside** Calipers Solid Nut

- Manufactured from high grade polished steel
- Features solid nut for construction for firm adjustment





| ¢ | C QE         |   |
|---|--------------|---|
| P | 6.93<br>FROM | l |

### **Adjustable Wrenches**

- Drop forged chrome plated steel Four thread smooth
- operating jaws Graduated head

| Tartito. | Jize IIIII/IIICII                         | THICE   |
|----------|---|---|
| 89150    | 150 (6")                                  | \$6.95  |
| 89200    | 200 (8")                                  | \$8.95  |
| 89250    | 250 (10")                                 | \$11.95   |
| 89300    | 300 (12")                                 | \$14.95   |
| 89375    | 375 (15")                                 | \$27.95   |
| 89450    | 450 (18")                                 | \$38.95   |
|          | 89150<br>89200<br>89250<br>89300<br>89375 | 89150 150 (6")<br>89200 200 (8")<br>89250 250 (10")<br>89300 300 (12")<br>89375 375 (15") |



# SPECIALS · SPECIALS · SPECIALS · SPECIALS · SPECIALS

### TwinKey 00 11 01

• For the actuation of locking systems from the areas of facilities engineering, heating and sanitation, air conditioning, electro technology, gas and water supply and shut-off-systems

Two 4-way spider keys connected in a space-saving way using magnets



### **Heavy Duty Power Pack** 00 20 11 S

3 Piece Comfort Grip

### Contents

| Туре                               | Length<br>mm   |
|------------------------------------|--|
| High Leverage<br>Combination Plier | 200  |
| High Leverage<br>Diagonal Cutter   | 200  |
| Cobra®<br>Waterpump Plier          | 250  |
|                                    | High Leverage<br>Combination Plier<br>High Leverage<br>Diagonal Cutter<br>Cobra® |



### Cobra® Twin Pack 00 31 20 V01 2 Piece



### Alligator® Twin Pack 00 31 20 VO2 2 Piece

Contents: 180 and 250mm Knipex Alligator<sup>®</sup>



### Cobra® & Pliers Wrench Twin Pack 00 31 20 V03 2 Piece

Contents: 180mm Pliers Wrench and 250mm Knipex Cobra<sup>®</sup>



### **Professional & Precision Circlip Plier Sets**



- Professional: Solid style, forged with non-slip, solid tips Precision: With inserted tips, heavy duty in continuous operation, up to 10 times longer service life

| Part No. | Туре                              | Contents<br>(by part number)*               | PRICE    |
|----------|-----------------------------------|---|----------|
| 00 19 56 | Professional<br>4 Piece Tool Roll | 44 11 J2, 44 21 J21,<br>46 11 A2, 46 21 A21 | \$159.95 |
| 00 19 57 | Precision<br>4 Piece Tool Roll    | 48 11 J1, 48 11 J2,<br>49 11 A1, 49 11 A2   | \$189.95 |





# TOCKED!







### Tethered Tools & 1000 v △ €

Pliers with integrated, insulated tether attachment point for a tool tether

|            |                                     | Cutting Capac |                |                       |         |
|------------|-------------------------------------|---------------|----------------|-----------------------|---------|
| Part No.   | t No. Description                   |               | Hard<br>Wire Ø | Medium<br>Hard Wire Ø | PRICE   |
| 03 06 180T | Combination Pliers                  | -             | 2.2 mm         | 3.4 mm                | \$62.95 |
| 26 16 200T | Long Nose Pliers                    |               | 2.2 mm         | 3.2 mm                | \$74.95 |
| 70 06 180T | Diagonal Cutters                    | 4.0mm         | 2.5mm          | 3.0mm                 | \$74.95 |
| Part No.   | Description                         |               | Capaci         | ity                   | PRICE   |
| Turcito.   | Description                         | For Pipes Ø   |                | For Nuts Ø            | , mer   |
| 87 26 250T | Cobra® Hightech<br>Water Pump Plier | 2.2 mm        | 50"            | 46mm                  | \$99.95 |

# OVER STOCKED!



- For fine assembly work, e g.in electronics and fine mechani
- For gripping, holding and bending Edges carefully deburred
- Low-friction double spring for gentle and even opening

# .95

### Cobolt® Compact **Bolt Cutters**

- Precision cutting edges for soft and hard wire as well as piano wire
- Cuts bolts, nails, rivets, etc. up to 5.6 mm dia
- Most efficient joint design ensures exceptional cutting performance

| Part No.  | Handles   | Length | Capacity mm |      |       | PRICE    |
|-----------|-----------|--------|-------------|------|-------|----------|
| Part No.  | natitutes | mm     | Medium      | Hard | Piano | PRICE    |
| 71 01 160 | Plastic   | 160    | 4.4         | 3.2  | 3.0   | \$84.95  |
| 71 01 200 | Plastic   | 200    | 5.2         | 4.0  | 3.6   | \$97.95  |
| 71 01 250 | Plastic   | 250    | 5.6         | 4.0  | 3.8   | \$119.95 |

## **High Leverage Flush Cutter**

 Energy saving, flush cutting also of thick workpieces thanks to extremely effective lever action mechanism with very low friction





### Pliers Wrench 250mm

- Replaces a whole set of spanners metric and imperial
- Work directly on chrome: zero backlash jaw pressure prevents damage to edges of
- Lever transmission greater than 10: 1 for strong gripping power

| 3 11 31 1 |              |         |                        |                         |          |  |
|-----------|--------------|---------|------------------------|-------------------------|----------|--|
| Part No.  | Plier        | Handles | Capacities<br>for nuts | Adjustment<br>Positions | PRICE    |  |
| 86 01 250 | Atramentized | Plastic | 52mm                   | 19                      | \$139.95 |  |
| 86 02 250 | Atramentized | Comfort | 52mm                   | 19                      | \$149.95 |  |
| 86 03 250 | Chrome       | Plastic | 52mm                   | 19                      | \$149.95 |  |
| 86 05 250 | Chrome       | Comfort | 52mm                   | 19                      | \$159.95 |  |
| 86 06 250 | Chrome       | VDE     | 52mm                   | 19                      | \$189.95 |  |





# **MADE IN GERMANY**

# SPECIALS · SPECIALS · SPECIALS · SPECIALS · SPECIALS



- With crimp function for end sleeves (ferrules)
- Precisely ground blades with fine serration for clean, non-slip (nonskid) cut Crimp zone for crimping end sleeves (ferrules) up to a diameter of 6.0mm
- Handles with multi-component grips, glass fibre reinforced





- Saw blade for metal and wood with 25 teeth per inch
- Blade length: 150mm



- Sockets: 10, 11, 12, 13, 14, 17 & 19mm
- T-Handle 1/2"
- Knife: Dismantling Knife 135mm and Cable Knife 185mm



### **KNIPEX Cobra® XS**

### 87 00 100 100mm

- Grips like a big tool: The smallest water pump pliers with full functional capability Access in the narrowest spaces: an especially compact design with a very slim head
- Single-handed fine adjustment by opening and sliding to the desired size







★ 1000 V △★
◆



### **Insulated Ratchet**

98 42 265mm Sq. Drive 1/2"

- Reversible for clockwise and anti-clockwise directions
- Easy and secure locking of attached sockets



### KNIPEX TubiX Pipe Cutter 90 31 02

- With one hand only: cuts copper, brass or stainless steel pipes from 6 - 35mmØ with a wall thickness up to 2mm
- Quicklock single-handed quick adjustment: slide on, cut finished!





- More output and comfort compared to conventional water pump pliers of the same
- length: 9-notch adjustment positioning for 30 % more gripping capacity Good access to the workpiece due to slim size of head and joint area



- Flat, short, wide jaws
- Knurled gripping surfaces
- Chrome vanadium electric steel, forged, oil-hardened

### Electronics Pliers Set 00 20 16P

6 Piece

Contains six precision electronics pliers

For very precise assembly work and ultra fine cutting

### Contents

| Part No.  | Туре                                 | Length | QTY |
|-----------|--------------------------------------|--------|-----|
| 34 12 130 | Gripping Pliers - Flat Wide Jaws     | 130mm  | 1   |
| 34 22 130 | Gripping Pliers - Half Round Jaws    | 130mm  | 1   |
| 34 32 130 | Gripping Pliers - Round Pointed Jaws | 130mm  | 1   |
| 79 02 120 | Diagonal Cutters - With Bevel        | 120mm  | 1   |
| 79 02 125 | Diagonal Cutters - With Bevel        | 125mm  | 1   |
| 79 42 125 | Diagonal Cutters - Without Bevel     | 125mm  | 1   |



- For easy fuse and bulb removal and installation
- With durable plastic tips for secure gripping and preventing short circuits Limited iaw closure to stop damage to fuse
- Gripping surfaces plastic coated
- 30 41 160 160mm





- for Cable Connectors 97 90 22
- In a TANOS MINI-systainer® (solid plastic box) T-Loc fastener for one-handed operation: open or close the systainer® with one turn and connect to a second systainer
- With an assortment of standard cable connectors
- With Crimping Pliers PreciForce® 97 52 36 (for insulated terminals and plug connectors)
- With Self-Adapting Universal Insulation Stripper "Multistrip 10" 12 42 195



### Screwdrivers & 1000 v @€

- Ergonomically optimised dual component handle for fatigue reduced work and
- optimum transmission of force
- Handle design prevents rolling
- Chrome vanadium molybdenum stee

| Part No. | Length<br>mm | Size  | Description                     | PRICE   |
|----------|--------------|-------|---------------------------------|---------|
| 98 20 55 | 232          | 5.5mm | Screwdriver for slotted screws  | \$19.95 |
| 98 24 02 | 212          | PH2   | Screwdriver for Phillps® Screws | \$22.95 |

# LIMITED EDITION



### **Long Nose Side Cutting** Pliers Twin Pack KBP 021

- Elastic tips: dimensionally stable even when twisted
- Half-round, long, pointed jaws

### Contents

| Part No.  | Handles | Tip      | Capacit | y mm Ø | Length |
|-----------|---------|----------|---------|--------|--------|
| rareno.   | nunuics | ų,       | Soft    | Med    | mm     |
| 26 11 200 | Plastic | Straight | 3.2     | 2.2    | 200    |
| 26 21 200 | Plastic | Bent     | 3.2     | 2.2    | 200    |

# MADE IN JAPAN



# CLEARANCE **Anchor Bolt Plier** HITAB100 235mm Works fast with easy operation

# ARANCE



### **Angular Bolt Cutters**

HITAC600 600mm

- Angular jaws with side cut blades which have a  $30^{\circ}\,\text{offset}$  to keep work in view and hands clear of work surface while cutting
  For flush cutting of wire in concrete walls, ceilings and floors

| Length | Cutting Capacity |            |  |
|--------|------------------|------------|--|
| mm     | Soft Metal       | Hard Metal |  |
| 600    | 10mm             | 8mm        |  |



### **Professional Hand Riveter**


HITHR001 260mm

- Strong durable construction ensures precise riveting
- 4 interchangeable nose pieces for 2.4mm, 3.2mm, 4.0mm and 4.8mm rivets



HITHR003 450mm

Heavy duty riveter with long arms for additional







- Heavy duty riveter with a lazy tong setting action
- Single pull back design for quick and repetitive operation
- Suitable for aluminium and steel rivets
- 3 interchangeable nose pieces for 3.2mm 4.0mm and 4.8mm rivets

# BONUS PACKS

### Red Jaw High Tensile Bolt Cutters Centre Cut

- Recommended for heavy duty use, cuts through chain links, high tensile bolts, nuts and high tensile wire for pre stressed concrete
- Maximum hardness of material to be cut: Brinell 450, Rockwell C48, 162kg/mm<sup>2</sup> or 110 tonnes/sq.in

|  | BONUS<br>PACK | Contents    | Cutting Capacity | BONUS        | PRICE    |
|--|---------------|-------------|------------------|--------------|----------|
|  | Part No.      | Contents    | High Tensile     | Bolt Cutters | PRICE    |
|  | HBP009        | HITNBC0750H | 8mm              | HITNBC0300   | \$169.95 |
|  | HBP010        | HITNBC0900H | 9mm              | HITNBC0300   | \$229.95 |
|  | HBP011        | HITNBC1050H | 10mm             | HITNBC0300   | \$329.95 |



### **Reinforced Rubber Hose Cutters**

**Heavy Duty** 

- Designed for cutting reinforced rubber hose
- Suitable for gas, air and water hoses that have an inbuilt steel core

| Part No. | Length<br>mm | Cutting Capacity<br>mm dia. | Weight kg | PRICE    |
|----------|--------------|-----------------------------|-----------|----------|
| HITHC400 | 400          | 9.5-13                      | 1.0       | \$84.95  |
| HITHC500 | 500          | 9.5-25                      | 1.8       | \$134.95 |



Left, Right and Straight Cut 250mm

- Light weight metal snips for all general sheet metal work
- Suitable for cutting sheet metal up to 18 gauge
- Special alloy hardened and heat-treated cutting blades Comfortable grip with spring action allows for one hand operation

| Part No.  | Cut Type | Cutting Capacity<br>mm dia. | Cutting Capacity<br>Gauge | Length<br>mm |
|-----------|----------|-----------------------------|---------------------------|--------------|
| HITMS260L | Left     | 1                           | 18                        | 250          |
| HITMS260R | Right    | 1                           | 18                        | 250          |
| HITMS260S | Straight | 1                           | 18                        | 250          |





### **Pocket Cutters**

200mm

- Special heat treated and tempered drop forged alloy steel blades
- Comfortable grip with spring action permitting one hand operation



| Part No. | Tuna        |      | Capacity mm | 1     |
|----------|-------------|------|-------------|-------|
| rart No. | Туре        | Hard | Mild        | Piano |
| HITPC200 | Hand Cutter | 2.5  | 4           | 2.5   |
| HITPE200 | End Cutter  | 2    | 3.5         | -     |
| HITPH200 | Wire Cutter | 3    | 4           | 2.5   |

### **Aluminium Pipe Wrenches**

- Lightweight construction for greater portability
- Floating forged steel jaws for fast ratcheting action

O Kin Million and Bill

Wide and smooth teeth are ideal for vinyl coated pipes Hook jaw with spring suspension for quick grip and release

| Part No.   | Length<br>mm | Capacity<br>mm | PRICE    |
|------------|--------------|----------------|----------|
| HITALP250S | 250          | 48             | \$66.95  |
| HITALP300S | 300          | 60             | \$73.95  |
| HITALP350S | 350          | 72             | \$89.95  |
| HITALP450S | 450          | 86             | \$124.95 |
| HITALP600S | 600          | 105            | \$169.95 |
| HITALP900S | 900          | 150            | \$299.95 |



### **Concrete Mesh Cutter**

HITRCA800 800mm

- Specially designed for cutting extra hard steel concrete mesh (high tensile 8mm)
- Comfortable rubber handles ensure a firm and safe grip during operation







# RENNSTEIG

**MADE IN GERMANY** 



- $\bullet \quad \text{For stamping out or producing gaskets and seal rings from materials such as rubber,} \\$ leather, felt, plastic, cork, fabric or similar components
- Size Range: 3 19, in increments of 2mm

### **Flat Cold Chisels**

Designed to cut metal

| Part No. | Length<br>mm | Blade Length<br>mm | Shaft<br>mm | PRICE   |
|----------|--------------|--------------------|-------------|---------|
| 310 150C | 150          | 18                 | 17 x 11     | \$14.50 |
| 310 200C | 200          | 24                 | 23 x 13     | \$16.95 |
| 310 250C | 250          | 25                 | 23 x 13     | \$19.95 |
| 310 300C | 300          | 26                 | 23 x 13     | \$24.95 |



- Set of five parallel pin punches XXL in foam tray with quality case
- Heat treated for the perfect balance of hardness, strength and durability
- Two-component soft handguard protects from miss hits, hand slippage and reduces hand fatigue from excess vibrations




| Contents            | Size mm         | Contents             | Size mm      |
|---------------------|-----------------|----------------------|--------------|
| Pin Punch Insert    | 3, 4, 5, 6, & 8 | Brass Inserts        | 4, 5, 6, & 8 |
| Taper Punch Insert  | 3, 4, 5, 6, & 8 | Open End Spanner     | 8 & 10       |
| Centre Punch Insert | 4               | Two Component Handle | 90           |

### **Wrecking & Podger Bars**

- Heavy duty forged steel construction
- Rustproof red powder-coated finish
- Wrecking Bars Flat oval design, twice as strong (compared to hexagonal)
- Podger Bars Taper point and pry bar tip

| Part No. | Туре         | Length<br>mm | Shaft<br>mm | PRICE   |
|----------|--------------|--------------|-------------|---------|
| 273 400  | Podger Bar   | 400          | 16 Hex      | \$49.95 |
| 273 500  | Podger Bar   | 500          | 20 Hex      | \$49.95 |
| 273 600  | Podger Bar   | 600          | 20 Hex      | \$49.95 |
| Part No. | Туре         | Length<br>mm | Shaft<br>mm | PRICE   |
| 276 400  | Wrecking Bar | 400          | 20 x 12     | \$29.95 |
| 276 500  | Wrecking Bar | 500          | 20 x 12     | \$31.95 |
| 276 600  | Wrecking Bar | 600          | 20 x 13     | \$33.95 |
| 276 800  | Wrecking Bar | 800          | 20 x 13     | \$39.95 |
| 276 1000 | Wrecking Bar | 1000         | 20 x 13     | \$59.95 |







430 143 3 Piece

- For exact, offset free centring on various applications
- Perfect alignment due to the adjustable sleev
- Contains sizes 6-8mm, 8-11mm, 11-16 mm



**Automatic Self Adjusting** Insulation Stripper

- Fully automatic adjustment to all single, multi and fine stranded cables with PVC insulation
- Recessed wire cutter



### **Taper & Parallel Pin Punch Set**

RTP8 8 Piece

- Set of seven pin punches and one taper punch in durable fabric wallet
- Contents: 3mm taper punch, 2, 3, 4, 5, 6, 8 and 10mm pin punches

# **BONUS PACK**

**Parallel Pin Punch Set RBP006** 150mm 5 Piece

• Bonus Rennsteig Mini Wrecking Bar

- Parallel pin punches used for removing pins in parallel holes and to punch holes when struck by a hammer
- Two-component soft handguard protects from miss hits, hand slippage and reduces hand fatigue



### Contents RBP006

| Part No. | Description        | Punch Size mm | Length mm | Qty |
|----------|--------------------|---------------|-----------|-----|
| 425 152  | Parallel Pin Punch | 2             | 150       | 1   |
|          | Parallel Pin Punch | 3             | 150       | 1   |
|          | Parallel Pin Punch | 4             | 150       | 1   |
|          | Parallel Pin Punch | 5             | 150       | 1   |
|          | Parallel Pin Punch | 6             | 150       | 1   |
| BONUS    |                    |               |           |     |
| 279 300  | Mini Wrecking Bar  |               | 300       | 1   |

### **Mounting Tool**

449 500 With pointed tip 500mm

- Used for the alignment of holes prior to fixing
- Suitable for scaffolding assembly and steel construction work
- Special tool steel, painted
- Hardened and tempered striking head

| Length mm | Shaft Size mm | Tip Size mm | Weight g |
|-----------|---------------|-------------|----------|
| 500       | 20            | 5           | 1035     |





# SPECIALS · SPECIALS · SPECIALS · SPECIALS · SPECIALS

# **Thread File Set**

- 015 605 For the restoration of damaged or worn threads
- Works on both left and right hand thread applications Each thread file provides eight different pitch sizes
- File Length: 75mm
- Overall Length: 215mm
- Made in England



### Contents

| Part No | Thread  | Pitch                               |
|---------|---------|-------------------------------------|
| 015600  | BSW/BSF | 11, 12, 14, 16, 18, 20, 22, 26      |
| 015601  | SAE/UN  | 12, 13, 14, 16, 18, 20, 24, 28      |
| 015602  | Metric  | 0.75, 1, 1.25, 1.5, 1.75, 2, 2.5, 3 |
| 015603  | BSP     | 11, 12, 14, 16, 19, 20, 22, 28      |



### **Professional Flood** and Area Worklight 300609 Rechargeable

- Multifunctional flood and area light suitable for use in workshops, building, camping an
- Adjusts the brightness from 60-1000 Lumens



### **Professional LED Work Light**

### 300601 Rechargeable

- Multifunctional work light
- Lighting modes: top light with direct beam and work light with wide flood beam
- Super strong magnets and two 360° rotating hooks





### **Professional Twinbeam Pocket Worklight**

300608 Rechargeable Multifunctional Twinbeam worklight contains

- both a spot light and flood light Four lighting modes: direct beam spotlight and eco
- normal and full power flood light modes
- 180° flexible handle with inbuilt super strong magnet

# WHILE STOCKS L

# **Cam Belt Pulley Puller**

- Removes pulleys by using the holes in the pulley
- Spread: 40-70mm, Reach: 40mm, Diameter: 90mm



### Twin & Triple Leg Puller Kit 082 705

- Quick and safe removal of gears, races, bearings pulleys and sprockets Contains three double ended reversible legs
- and two beams to suit various pulling applications
- Makes four different puller combinations Spread 0 - 150mm,
- Reach 80mm
- Made in England



### **Hydraulic Twin Leg** Puller Kit 152 400

- Ideal for a wide range of automotive and industrial applications including gear pulling, bearing extraction and hub removal
- Features forged alloy steel legs for added strength and durability
- Supplied in custom moulded EVA foam tray
- Spread 50 100mm.
- Made in England



### **Professional Foldable LED Slimlight**

300606 Rechargeable

- Handy foldable pocket pen light for quick and easy illumination
- Features three lighting modes: front fold out flood light with normal and eco modes, rear flood light and direct





### **Hook, Pick and Scraper Set**

### 660 887 9 Piece

- Includes multi-purpose scraper, ideal for gasket scraping
- $Contains\ eight\ hooks\ and\ picks,\ ideal\ for\ the\ fitting\ and\ removal\ of\ seals,\ 0\ rings,\ bushes,\ rings,\ rings,$ springs, cotter pins and fuses


# **Thin Jaw Twin Leg Puller**

- Specially designed leg jaw profile for pulling tasks where there is limited clearance behind the component to be removed
- Features two legs for removing gears, races, bearings and sprockets
- Spread 0 75mm, Reach 75mm
- Made in England



### 1500 Series Hydraulic Ram 150 000

- Renowned globally for quality and reliability
- Rated to 80kN providing 8 tonnes of force
- Direct force eliminates twisting and improves stability under load
- Made in England



# **WHILE STOCKS LAST**

# **Pulley Holding Tool**

- Designed for removing or replacing pulleys on water pumps, alternators, power steering pumps etc. Can also be used to rotate camshafts and crankshafts
- The hold is tighter than with a normal strap wrench, therefore these tools can also be used to remove oil & fuel filters where access permits
- Handle length: 365mm
- Belt length: 800mm



### **Professional Digital** Torque Wrench 830 200

- Easy to read OLED digital display
- Push-thru ratchet head
- TimeStrip re-calibration indicator Rapid push/pull torque adjustment knob
- Rechargeable lithium battery
- 12 different units of Torque measure Supplied with USB charging lead
  - Calibration certificate included
  - Made in England
- Length Range Nm 40 - 200 474mm







### SPECIALS · SPECIALS · SPECIA S · SPECIALS · SPECIALS · SPECIALS

### **Bush Driver Set**

- **BS9144** 17 Piece Designed for removal and replacement of bearings and oil seals
- Features tapered cone bearing and seal driver tools, manufactured from aluminium for damage free bearing and oil seal replacement





### U Hook Handle BS5201 220mm

- Convenient hook handle used to remove exhaust springs, seat or tank holding springs, side stand springs, split pins and other parts
- Easier and safer to use than pliers
- T-handle grip for comfortable easy use
- Made from heat treated low carbon steel



### **Sealing Ring Assembly** Tool Set

### **BS5810** 4 Piece

- Tapered tool set for pulling o'rings or sleeves onto brake components and hydraulic systems without risk of damage
- Size range: 14.4-22.4mm



### **Pulley Nut Wrench Dual End**

### BS9853

- "T" type dual head pulley wrench is • used in conjunction with a locking wrench while torquing the pulley nut
- Dual size suits common applications
- Style: 12 Point
- Size: 14, 17mm



### 6 in 1 Magneto Fly Wheel Puller BS9950

- Specially designed tool for the standard AC flywheel wheel ring
- Since some flywheels are the taper lock style, they can only be disengaged using this specialist tool
- Use with soft face hammer for quick removal from tapered shafts Sizes: M10 x 1.25 RH, M14 x 1.5 RH, M16 x 1.5 RH, M18 x 1.5 RH, M24 x 1.0 RH, M27 x 1.0 LH



# **Tappet Adjusting Tool**

# **Set BS2201**

- Three sockets and three adjusters which are interchangeable to allow nine different combinations
- Hollow socket design provides access for adjuster making tappet adjustment an easy single operation
- For most motorcycles and ATVs with screw-type tappet adjustments
- Hex wrenches: 8, 9, 10mm; Square adjusters: 3, 4mm; Flat adjuster: 4mm

### Cylinder Compression Test Kit BS8001

- Designed specifically for testing motorcycle and small engine compression
- Features a 70mm dual scale gauge (0-300PSI / 0-20kg/cm2) with chrome bezel and quick coupler fitting
- Supplied with three 12" hose adaptors featuring quick coupler attachments
- Thread sizes: M10 x 1.0, M12 x 1.25, M14 x 1.25



# Piston Ring Compressor Set

- $\bullet \ \ \, \text{The ideal compressor set for quick top end rebuilds or serious engine overhauls}$
- Supplied with piston ring pliers and swivel type compressor pliers
- Ratcheting plier function holds the piston ring in
- position for easy installation of the piston into the bore Suitable for piston rings 35mm 111mm (1 3/8" 4 3/8")



## Professional digital Torque wrench with LCD display

- 72 teeth reversible ratchet enables left and right hand thread capability
- Oil and impact resistant handle ensures durability and long service life.

| Part No. | Square Drive | Range  | PRICE    |
|----------|--------------|--------|----------|
| BS5421   | 1/4"         | 10-50  | \$199.95 |
| BS5422   | 3/8"         | 20-100 | \$210.95 |
| BS5423   | 1/2"         | 40-200 | \$249.95 |





### **Stud Remover** and Installer

- Easily removes and installs studs without damage to threads
- Suitable for most popular thread stud sizes

| Part No. | Thread      |
|----------|-------------|
| BS2311   | M6 x P1.0   |
| BS2312   | M8 x P1.25  |
| BS2313   | M10 x P1.25 |
| BS2314   | M10 x P1.5  |



# Spark Plug Maintenance Kit BS1298 6 Piece

- Specially designed hole can adjust the gap width of the spark plug without pressuring the centre electrode
- Tapered edge sets spark plug gaps from 0.50 to 2.25mm (0.020" to 0.100")
- Five thin mini files designed for ignition points and
- electrode cleaning
   Range: 0.50-2.25mm (0.020"-0.100")



### Thin Wall Spark Plug Sockets

• Extra thin wall deep socket designed to access narrow spark plug holes found on many motorcycles

| Part No. | Size |                      | PRICE   |
|----------|------|----------------------|---------|
| BS9132   | 14mm | %"Sq dr. and Hex dr. | \$13.95 |
| BS9133   | 16mm | %"Sq dr. and Hex dr. | \$13.95 |
| BS9134   | 18mm | %"Sq dr. and Hex dr. | \$14.50 |
| BS9135   | 21mm | %"Sq dr. and Hex dr. | \$14.50 |

### **Personal Tool Pack BS9725** 34 Piece

- Convenient tool carrying pack
- designed for metric motorcycle Contains a selection of hex sockets, drive bits
- open-end wrenches and pliers
- Fits metric and SAE 6 point, 12 point, TX-Star, square 30% round off, spline and ribe nuts



### **Personal Tool Pack**

### BS9728 26 Piece

- Contains 1/4"Sq. Dr. ratchet and a selection of multi driver sockets and drive bits
- Fits metric and SAE 6 point, 12 point, TX-Star, Square, 30% round off, Spline and Ribe nuts



### Tyre Change Extruder **Tool BS8008**

- Used to assist in tyre changing or common alloy wheel rims
- Pushes the tyre bead down into the centre of the rim allowing room for tyre levers



| Part No. | Length mm | PRICE   |
|----------|-----------|---------|
| BS5603   | 200       | \$14.95 |
| BS5604   | 400       | \$24.95 |
| BS9953   | 280       | \$23.95 |
| BS5612   | 350       | \$34.95 |









SUPER HOT PRICE!

# SPECIALS · SPECIALS · SPECIALS · SPECIALS · SPECIALS


# SUPER HOT PRICE!





### **Portable USB Solar Charger**

- MA1105 5.3 WATT
- 5V USB Solar Charger Ultra-Light
- Compact
- Water Resistant
- Size: 299 x 152 x 3mm



# SUPER HOT PRICE!



- 7 metres of 7mm<sup>2</sup> Twin Core Cable
- 50 AMP Connectors
- 100% Pure Copper
- Rec. Max Continuous Current 50 amps

# SUPER HOT PRICE!



### **Portable Solar Charger**



- 5V USB Solar Charger
- Ultra-Light Compact
- Water Resistant
- 160 x 250 x 18mm



# **NEW PRODUCT!**



### 40AMP DC-DC Charger

MA40DCS With solar input

- 40 AMP charging Chemistry selectable
- Dual input alternator/solar
- IP65 under-bonnet suitable
- Suits smart and conventional alternates MPPT solar charge controller



# **12V Battery Monitor**

### MA98416

- DIY install in two minutes
- Bright colour coded LED's indicate battery voltage

12V/5V Portable Solar Charger

NEW PRODUCT!

MA1103 14 WATT

Water Resistant

 12V/1A Solar Maintainer 5V/2A USB Solar Charger

Ultra-light and compact

Size: 495 x 235 x 2mm

- Easily visible from metres away Fast, accurate and reliable
- Water and dust proof to IP67



# \$2.50 FROM

### **Cable Lug Pairs**


- 100% pure copper crimp terminals
- Crimp or Solder connections





| Part No.   | mm² | mm | PRICE  |
|------------|-----|----|--------|
| MA10-8BL2  | 10  | 8  | \$2.50 |
| MA10-10BL2 | 10  | 10 | \$2.50 |
| MA16-8BL2  | 16  | 8  | \$2.80 |
| MA16-10BL2 | 16  | 10 | \$2.80 |
| MA25-8BL2  | 25  | 8  | \$3.50 |
| MA25-10BL2 | 25  | 10 | \$3.50 |
| MA35-8BL2  | 35  | 8  | \$4.30 |
| MA35-10BL2 | 35  | 10 | \$4.30 |
| MA35-12BL2 | 35  | 12 | \$4.30 |
|            |     |    |        |

| Part No.   | Cable<br>mm² | Hole<br>mm | PRICE  |
|------------|--------------|------------|--------|
| MA50-8BL2  | 50           | 8          | \$5.25 |
| MA50-10BL2 | 50           | 10         | \$5.30 |
| MA50-12BL2 | 50           | 12         | \$5.50 |
| MA70-8BL2  | 70           | 8          | \$6.00 |
| MA70-10BL2 | 70           | 10         | \$6.60 |
| MA70-12BL2 | 70           | 12         | \$6.60 |
| MA95-10BL2 | 95           | 10         | \$9.90 |
| MA95-12BL2 | 95           | 12         | \$9.90 |
|            |              |            |        |



# S · SPECIALS · SPECIALS





| Part No.       | Colour            | Length mm | Width mm | Pack Qty | PRICE           |
|----------------|-------------------|-----------|----------|----------|-----------------|
| СТР07          | Assorted          | 100       | 2.5      | 500      | \$8.00          |
| CIFU           | Assorted          | 150       | 2.3      | 300      | 30.00           |
| CTP25          | Assorted          | 100       | 2.5      | 1000     | \$20.00         |
| CIF25          | Assorted          | 100       | 4.8      | 1000     | 32 <b>0.</b> 00 |
| CTP26          | Assorted          | 300       | 4.8      | 300      | \$29.50         |
| CTP27          | Black             | 100       | 2.5      | 200      | ćr 20           |
| CIPZI          | Black             | 200       | 3.6      | 200      | \$5.30          |
| CTDOO          | Accepted          | 100       | 2.5      | 200      | ćr 20           |
| CTP29 Assorted | 200               | 3.6       | 200      | \$5.30   |                 |
| CTD20          | Military Asserted | 100       | 2.5      | 200      | ¢E 20           |
| СТР30          | Military Assorted | 200       | 3.6      | 200      | \$5.30          |



1.00 **Cable Tie Combo Pack** 

Assorted cable tiesAll popular sizes

CTCP10 1000 Piece





CT154RKCD CT205BKCD Cable Tie Packs Black

| • OV Stabilised |        |              |             |          |         |  |  |
|-----------------|--------|--------------|-------------|----------|---------|--|--|
| Part No.        | Colour | Length<br>mm | Width<br>mm | Pack Qty | PRICE   |  |  |
| CT154BKCD       | Black  | 150          | 4           | 100      | \$2.50  |  |  |
| CT205BKCD       | Black  | 200          | 5           | 100      | \$3.60  |  |  |
| CT305BKCD       | Black  | 300          | 5           | 100      | \$7.10  |  |  |
| CT308BKCD       | Black  | 300          | 8           | 25       | \$3.40  |  |  |
| CT559BKCD       | Black  | 550          | 9           | 25       | \$9.25  |  |  |
| CT759BKCD       | Black  | 750          | 9           | 25       | \$15.80 |  |  |
| CT408BKCD-100   | Black  | 400          | 8           | 100      | \$14.75 |  |  |
| CT408BKCD       | Black  | 400          | 8           | 25       | \$4.70  |  |  |

# **Tridon Clock Hose Clamp Bonus Pack**

# **HURRY! HURRY! LIMITED PACKS AVAILABLE!**

# • Manufactured in Australia to the highest standard

• Part stainless steel, perforated band

Easy to install

· Maximum strength



| Part No: TBP134 Contents |            |     |          |            |     |
|--------------------------|------------|-----|----------|------------|-----|
| Part No.                 | Size Range | Qty | Part No. | Size Range | Qty |
| MH004                    | 6-16mm     | 50  | HS010    | 14-27mm    | 40  |
| MH005                    | 11-18mm    | 30  | HS020    | 21-44mm    | 30  |
| MH006                    | 11-22mm    | 40  | HS024    | 27-51mm    | 30  |
| HS008                    | 13-25mm    | 30  | FREE     | WALL CLOCK | 1   |





# Handy 30cm wall clock Sweep motion Batteries included • Size 300 x 46mm

# TRIDON AVAILABLE 1 MAY - 31 JULY 2021 ALL PRICES INCLUDE GST



### **Thread Files**

- Designed to restore damaged, worn or corroded threads
- Suitable for left and right handed threads of almost any diameter

| Part No. | Description | Thread Pitch                                  |
|----------|-------------|---|
| 301065   | Metric      | 0.80, 1.00, 1.25, 1.50, 1.75, 2.00, 3.00 (mm) |
| 301066   | Imperial    | 10, 11, 12, 14, 16, 18, 20, 24 (TPI)          |



# OLEDO

### **Magnetic Torpedo Level**

### 322010 250mm

- Handy magnetic level suitable for minor and major tasks
- Features horizontal and vertical shockproof acrylic vials
- Precision milled flat surface with an accuracy of <0.5mm/m (0.0005 in/in)



- Special set to create or repair threads for auto, industrial and engineering applications
- Rapid ratcheting handle with rubber grips suitable for working in confined areas
- Includes metric thread pitch gauge



**@** Bikeservice **Tyre Pressure** Dial Gauge BS80086 Professional tyre pressure gauge with protective rubber bumper Incorporates thread depth measuring tool
 Includes braided steel hose, swivel chuck and pressure release button. Working pressure to 5 Bar (70 PSI)



# **Hand Drive Bit Sets**

- Drive bits are essential for motorcycle work
- High quality heat treated S2 steel bits
- Palm size 1/4" high torque ratchet wrench is suitable for confined spaces

| Part No. | Style           | Size  | PRICE   |
|----------|-----------------|---|---------|
| BS6005   | Flat & Phillips | 3, 4, 4.5, 5.5, 6.5mm & PH0, PH1, PH2, PH3  | \$29.99 |
| BS6006   | HEX             | 1.5, 2, 2.5, 3, 3.5, 4, 5, 5.5, 6, 8mm      | \$29.99 |
| BS6007   | 5 Point         | T10, T15, T20, T25, T27, T30, T40, T45, T50 | \$31.95 |



# **@** Bikëservice

### **Key Set**

BS9102 Hex Magnetic 9 Piece

- 9 piece angled key set with inbuilt magnet
- Ball end allows improved access to application and up to 25° working angle
- Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm






Wire Rope Cutter HITWC16 With Cable Locator 900mm

- Heavy duty design with built in cable locator
- Holds and locks cable in cutting position to
- ensure a clean and precise cut Notched shear cut blade is designed to cut wire rope up to 150kg/mm<sup>2</sup>
- Max. Cutting Cap: 150kg/mm<sup>2</sup>
- Made in Japan





- Features extra-long angled key shafts
- With magnetiser to assist in the fitment and removal of fasteners
- Chrome-vanadium steel with polishe chrome plated finish
- Supplied in a hinged storage holder with magnetiser attached



0147-21. Prices valid 1 May to 31 July 2021. Prices include GST. Please refer to the relevant Tridon catalogues for more comprehensive product information. As participating stores are independant businesses, they reserve the right to set their own selling prices. Pricing throughout this publication is the recommended trade price and may vary from store to store. Every effort has been made to ensure stocks are available at the time of printing. Should any item not be in stock on placement of orders, stores will endeavour to procure those published items. Product images are for illustration purposes only. Produced by Tridon Australia Pty Ltd ACN 001 398 698 ABN 90 001 398 698