





RUNUS Valued at \$225 13mm Drill

Chuck & Adaptor (SA70102)

^{\$}1569 HOLEMAKER **PRO 40 MAGNETIC DRILL**

• Durable & Versatile,

- European Made Machine
- Capacity (diameter) 40mm
- Capacity (depth) 52mm
- Optional 13mm twist drill chuck for use with standard drill bits
- Through cutter coolant system
- · Comes complete in metal carry case
- Only 12.5kg
- (HMPRO40)



TORQUE WRENCHES

- Nm engraved marking scales on the front
- Ft-lb or in-lb engraved marking scales on the back
- Non-slip knurled handle design
- Turn screw to unlock and lock the torque setting
- Premium quality Made in Taiwan



Part No.	Drive	Torque Range	Price
M7-TE205025N	1/4"	5~25Nm (44.3~221.3in-lb)	\$69
M7-TE225250N	1/4"	2.8~28.2Nm (2~20 ft-lb)	\$69
M7-TE305025N	3/8"	5~25Nm (44.3~221.3in-lb)	\$69
M7-TE320110N	3/8"	20~110Nm (14.8~81.1ft-lb)	\$69
M7-TE428210N	1/2"	28~210Nm (20.7~154.9ft-lb)	\$72
M7-TE450350N	1/2"	50~350Nm (36.9~258.1ft-lb)	\$125
M7-TE820100N	1"	200~1000Nm (166~719ft-lb)	\$869
M7-TE850250N	1"	500~2500Nm (443~1771ft-lb)	\$2995

TO FIND YOUR

\$**5**99

ALUMINIUM TANK **2HP SILENT MPRESSO**

- Silent oil free pump only 67dB • 125 l/min free air delivery
- · Ideal for on site nailing applications. Will run 2x framing or 3x finishing nailers continuously.
- 16L aluminium tank
- Lightweight, only 26kg
- (TM350-20016)



7.5 KVA PETROL ENERATOR

- Powerful 13hp
- GX390 Honda engine 6000 Watts max
- Large 25L tank 13 hours run time

CLICK HERE

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

- 2x 15A IP66 outlets 2-year warranty, 3-year
- Honda engine warranty • A.V.R.
- (Automatic Voltage Regulator)
- R.C.D. (Residual Current Device (TM522-6000)

STOCKIS



POWERED by



PETROL GENERATORS

- Powered by Australian approved Honda GX Series Engines All models come complete with, IP66 rated power outlets and R.C.D. (Residual Current Device), the Construction Series Generators are perfect for the professional tradesman needing a tough vet reliable source of power
- Powerful 4 stroke O.H.V. engines
- · Low oil sensor
- · 2-year warranty, 3-year Honda engine warranty
- A.V.R. (Automatic Voltage Regulator)



POWERED by

WATER PUMPS





Part N<u>o.</u> TM522-3000 Engine Model GX200 Engine HP 6.5hp 3,000 Max Watts Rated Watts 2.800 Outlets 1 x 15A Fuel Tank 3.6L Running Time 4.5 hours Net Weight 47kg Price \$1199



· Powered by Australian approved Honda GX Series Engines

- · Heavy duty roll cage frame
- Heavy duty pump body
- 3-year Honda engine limited warranty
- · 2-year trade warranty on pump

50MM PETROL WATER TRANSFER PUMP

HONDA



P E Ir

'art No.	TM532-050
ngine HP	5.5hp
nlet / Outlet Size	50mm (2")
Naximum Suction Lift	7m
Aaximum Head	32m
flaximum Flow	35,000 l/hr (583 l/min)
let Weight	25kg
Price	\$999

80MM PETROL WATER TRANSFER PUMP

NEW RANGE

- Powered by Honda GX160 5.5hp 4 stroke engine Ideal for
- high volume applications

	-
Part No.	TM532-080
Engine HP	5.5hp
Inlet / Outlet Size	80mm
Maximum Suction Lift	7m
Maximum Head	30m
Maximum Flow	60,000 l/hr (1000 l/min)
Net Weight	27kg
Price	\$1099

50MM PETROL WATER PRESSURE PUMP

- Powered by Honda GX200 6.5hp 4 stroke engine
- Twin impeller delivers water higher and further



Part No.	TM532-250
Engine HP	6.5hp
Inlet Size	50mm (2")
Outlet Size	1x 50mm (2"), 2x 38mm (1.5")
Maximum Suction Lift	7m
Maximum Head	75m
Maximum Flow	21,000 l/hr (350 l/min)
Net Weight	29kg
Price	\$1099

WATER PUMPS



NEW RANGE

· Powerful 7hp 4 stroke engines · Heavy-duty roll cage frame



Part No.	TM530-080
Engine HP	7hp
Inlet / Outlet Size	80mm
Maximum Suction Lift	7.5m
Maximum Head	25m
Maximum Flow	60,000 l/hr (1000 l/min)
Net Weight	37kg
Price	\$679

· Heavy-duty aluminium pump body 2-vear trade warranty

50MM PETROL WATER PRESSURE PUMP

 Twin impeller delivers water higher and further



Part No.	TM530-250
Engine HP	7hp
Inlet / Outlet Size	1x 50mm (2"), 2x 38mm (1.5")
Maximum Suction Lift	7m
Maximum Head	80m
Maximum Flow	17,000 l/hr (283 l/min)
Net Weight	36kg
Price	\$539



INDUSTRIAL QUALITY PETROL GENERATORS

TRADE SERIES

ITM Trade Series generators are equipped with a reliable AVR (Automatic Voltage Regulator) alternator utilising advanced electronic technology to provide a very pure energy supply with a THD (Total Harmonic Distortion) of <5%. This clean and pure output means they are suitable to power even the most delicate electronic devices.

- Powerful 4 stroke OHV engines
- Low oil sensor
- · Digital multimeter display
- · Large capacity fuel tanks





Part No.	TM510-2300	TM510-2800	TM510-3400	TM510-5500	TM510-6500
Engine HP	6hp	7hp	8hp	13hp	15hp
KVA	2.8	3.5	4	6.8	8.1
Max Watts	2,300	2,800	3,400	5,500	6,500
Rated Watts	2,000	2,500	3,200	5,000	6,000
Noise @ 7m Full Load	75dB	75dB	76dB	78dB	79dB
Outlets	2 x 15A				
Fuel Tank	15L	15L	15L	25L	25L
Running Time - 50% Load	19 hours	16 hours	14 hours	13 hours	12 hours
Starting System	Recoil	Recoil	Electric	Electric	Electric
Handle & Wheel Kit	No	No	No	Yes	Yes
Net Weight	41kg	44kg	52kg	81kg	85kg
Price	\$799	\$899	\$1099	\$1649	\$1849

SINE WAVE TECHNOLOGY

λA

THD <5%




CONSTRUCTION SERIES

The Construction Series models have a simple push button electric start (battery included) with a convenient remote control which is perfect for the large property or worksite where the generator may not be close to the tool being powered.

All models come complete with a heavy duty handle and wheel kit, IP66 rated power outlets and RCD (Residual Current Device.) The construction series gens are perfect for the professional tradesman needing a tough yet reliable source of power.







Part No.	TM520-3400	TM520-5500	TM520-6500	TM520-8000
Engine HP	8hp	13hp	15hp	17hp
KVA	4	6.8	8.1	10
Max Watts	3,400	5,500	6,500	8,000
Rated Watts	3,200	5,000	6,000	7,500
Noise @ 7m Full Load	76dB	78dB	79dB	80dB
Outlets	1 x IP66	2 x IP66	2 x IP66	2 x IP66
Fuel Tank	15L	25L	25L	25L
Running Time - 50% load	14 hours	13 hours	12 hours	10 hours
Starting System	Electric w/ Remote	Electric w/ Remote	Electric w/ Remote	Electric w/ Remote
Handle & Wheel Kit	Yes	Yes	Yes	Yes
Net Weight	54kg	83kg	88kg	95kg
Price	\$1299	\$1899	\$2099	\$2299



TO FIND YOU न गम FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

CLICK HERE

H

NEW RANGE

STANDARD TORQUE WRENCHES

- · Nm engraved marking scales on the front
- · Ft-lb or in-lb engraved marking scales on the back
- Non-slip knurled handle design
- Turn screw to unlock and lock the torque setting
- Premium quality Made in Taiwan
- · Supplied with certificate of calibration Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TE205025N	1/4"	5~25Nm (44.3~221.3in-lb)	\$69
M7-TE225250N	1/4"	2.8~28.2Nm (2~20 ft-lb)	\$69
M7-TE305025N	3/8"	5~25Nm (44.3~221.3in-lb)	\$69
M7-TE320110N	3/8"	20~110Nm (14.8~81.1ft-lb)	\$69
M7-TE428210N	1/2"	28~210Nm (20.7~154.9ft-lb)	\$72
M7-TE450350N	1/2"	50~350Nm (36.9~258.1ft-lb)	\$125
M7-TE820100N	1"	200~1000Nm (166~719ft-lb)	\$869
M7-TE850250N	1"	500~2500Nm (443~1771ft-lb)	\$2995

WINDOW SCALE TYPE TORQUE WRENCHES

- Window scale screen with both Nm and ft-lb indicated
- Very precise adjustment of the torque setting can be achieved,
- with the turn handle clicking with each 1Nm adjustment · Turn lever to unlock and lock the torque setting
- Premium quality Made in Taiwan
- · Supplied with certificate of calibration
- · Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TW210222	1/4"	2~25Nm (1.5~18ft-lb)	\$139
M7-TW310552	3/8"	5~50Nm (3.5~37ft-lb)	\$159
M7-TW311102	3/8"	10~100Nm (8~75ft-lb)	\$169
M7-TW412202	1/2"	20~200Nm (10~150ft-lb)	\$189
M7-TW416302	1/2"	60~300Nm (45~200ft-lb)	\$199
M7-TW611602	3/4"	100~600Nm (75~440ft-lb)	\$659
M7-TW612102	3/4"	200~1000Nm (150~740ft-lb)	\$799

WINDOW SCALE TYPE TORQUE WRENCHES - REVERSIBLE

- · Window scale screen with both Nm and ft-lb indicated
- · Reversible works in both clockwise and anti-clockwise direction
- Very precise adjustment of the torque setting can be achieved, with the turn handle clicking with each 1Nm adjustment
 Turn lever to unlock and lock the torque setting

- Premium quality Made in Taiwan
- Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TD202025	1/4"	2~25Nm (1.5~18.4ft-lb)	\$169
M7-TD305050	3/8"	5~50Nm (3.5~36.9ft-lb)	\$179
M7-TD410100	1/2"	10~100Nm (8~75ft-lb)	\$199
M7-TD420200	1/2"	20~200Nm (10~150ft-lb)	\$215
M7-TD610060	3/4"	100~600Nm (75~440ft-lb)	\$699

PROFESSIONAL TORQUE WRENCHES - REVERSIBLE

- · Nm engraved marking scales on the front
- · Ft-lb engraved marking scales on the back
- · Reversible works in both clockwise and anti-clockwise direction Very precise adjustment of the torque setting can be achieved, with the turn handle clicking and locking with each 1Nm adjustment
 Pull back collar locking mechanism

Dort

- Premium quality Made in Taiwan
 Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TB205025N	1/4"	5~25Nm (3.69~18.4ft-lb)	\$99
M7-TB305025N	3/8"	5~25Nm (3.69~18.4ft-lb)	\$99
M7-TB320110N	3/8"	20~110Nm (14.8~81.1ft-lb)	\$109
M7-TB420210N	1/2"	20~210Nm (14.8~155ft-lb)	\$129
M7-TB450350N	1/2"	50~350Nm (36.9~258.1ft-lb)	\$169
M7-TB610060N	3/4"	100~600Nm (75~440ft-lb)	\$729
M7-TB615080N	3/4"	150~800Nm (110~590ft-lb)	\$850
M7-TB620100N	3/4"	200~1000Nm (150~740ft-lb)	\$939

FLEXIBLE HEAD TORQUE WRENCHES

- 15 Degree flexible head
- · Ft-lb marking scales on the front
- · Pull back collar locking mechanism
- Premium quality Made in Taiwan
- Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TF310080N	3/8"	13.5~108Nm (10~80ft-lb)	\$189
M7-TF430250N	1/2"	40.6~339Nm (30~250ft-lb)	\$245

SPLIT BEAM TORQUE WRENCHES

- - · Window scale screen with ft-lb indicated
 - · Adjustment of torque setting made with turn dial on side
 - 15 Degree flexible head
- Premium quality Made in Taiwan
- · Supplied with certificate of calibration
- · Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TS320100N	3/8"	27~135.6Nm (20~100ft-lb)	\$225
M7-TS440250N	1/2"	54.2~339Nm (40~250ft-lb)	\$255





Multitool



150MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 370W induction motor
 Capacitor start for
- maximum performance 915mm x 50mm belt • 178mm disc • 25mm wide grinding wheel
- Durable cast iron body (PO362-150)



\$**999**

250MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 900W induction motor
 Capacitor start for maximum performance
 1220mm x 50mm belt
- 178mm disc 25mm wide grinding wheel Durable cast iron body Heavy duty tool rest (PO482-250)



200MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

 Powerful 600W induction motor • Capacitor start for maximum performance • 915mm x 50mm belt
 178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (*PO362-200*)



250MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

Powerful 900W induction motor • Capacitor start for maximum performance • 1220mm x 100mm belt
178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (PO484-250)



915 x 50мм BELT & DISC

GRINDING ATTACHMENT • Suits most bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO362)

1220 x 50мм BELT & DISC

GRINDING ATTACHMENT

Suits most 200mm & 250mm bench grinders • Ideal

for sharpening, sanding, polishing & more • 178mm



915 x 100MM BELT & DISC GRINDING ATTACHMENT

• Suits most bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO364)



1220 x 100_{MM} BELT & DISC GRINDING ATTACHMENT

• Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (*PO484*)

Multitool



1220 x 50MM BELT & DISC GRINDING ATTACHMENT • 200mm contact wheel • Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO8CW)



SHARPENING JIG

• Sharpening jig accessory enables a professional result when sharpening chisels, planer blades, and screwdrivers • For sharpening chisels up to 51mm, hand plane blades up to 60mm and power planer blades up to 82mm • Slotted screwdrivers up to 10mm square can also be retipped • Fits all Multitools except 8CW (*POJIG*)



ADJUSTABLE PIN SPANNER • Fits most grinders and saws (POSPANNER)





150MM BENCH GRINDER

- 370W 25mm width grinding wheels
- 36 & 60 grit Durable cast iron body Vibration absorbing pads
- (TM400-150)

200MM BENCH GRINDER • 600W • 25mm width grinding wheels

36 & 60 grit • Durable cast iron body • Vibration absorbing pads • Heavy duty tool rests (TM400-200)

250MM BENCH GRINDER • 900W • 25mm width grinding wheels 36 & 60 grit • Durable cast iron body · Vibration absorbing pads · Heavy duty tool rests (TM400-250)



200MM BUFFING MACHINE

• 550W • 14mm width mop wheels Durable cast iron body
 Vibration absorbing pads (TM402-200)

BUFFING COMPOUNDS

• Different metals have varying characteristics and to achieve the best results, it is essential that the correct compounds and buffs are selected



BENCH GRINDER STANDS • For use with TM400-150,

TM400-200, TM400-250, TM402-200

Part No.	Part No. Description	
TM403-010	Bench Grinder Stand	\$125
TM403-012	Premium Bench Grinder Stand Without Emergency Stop Switch	\$185
TM403-014	Premium Bench Grinder Stand With Emergency Stop Switch	\$305



POLISHING MOPS

Part No.	Diameter	Description	Price
TM405-001	150mm	50 Fold Loose Leaf	\$22
TM405-002	200mm	50 Fold Loose Leaf	\$32
TM405-003	150mm	Stitched	\$21
TM405-004	200mm	Stitched	\$32

BENCH GRINDING WHEELS

ALUMINIUM OXIDE, for general purpose grinding SILICONE CARBIDE, for precision grinding



Part No.	Diameter	Grit	Description	Price
TM406-001	150mm	36	Aluminium Oxide	\$21
TM406-002	150mm	60	Aluminium Oxide	\$21
TM406-003	200mm	36	Aluminium Oxide	\$32
TM406-004	200mm	60	Aluminium Oxide	\$32
TM406-005	150mm	80	Silicone Carbide	\$32
TM406-006	200mm	80	Silicone Carbide	\$32
TM407-009	250mm	36	Aluminium Oxide	\$44
TM407-010	250mm	60	Aluminium Oxide	\$44



SURFACE CONDITIONING BELTS

• 915mm x 50mm For use with PO362

Part No.	Abrasive Level	Price
TM408-003	Polishing	\$50
TM408-001	Fine	\$50
TM408-002	Medium	\$50

,	, חח		-	
F	\BR/	1210	E	
S	SANE	DING	BEI	LTS
	~			

•	915mm	x 50mm
	Foruse	with PO362

Part No.	Belts Per Pack	Grit	Abrasive Level	Price	
TM408-008	3	400	Very Fine	\$12	
TM408-007	3	240	Fine	\$12	
TM408-006	3	150	Medium	\$12	
TM408-005	3	80	Coarse	\$12	
TM408-004	3	40	Very Coarse	\$12	
Part No.	Belts Per Pack		Grits	Price	
TM408-009	5	40, 8	80, 150, 240, 400	\$18	

ALUMINIUM OXIDE SANDING DISCS

175mm

• For use with PO362, PO364, PO482, PO484

	,	- , .	,	
Part No.	Discs Per Pack	Grit	Abrasive Level	Price
TM408-011	4	60	Coarse	\$14
TM408-012	4	100	Medium	\$14
Part No.		ncludes	3	Price
TM408-013	Hook & Loop Backing Pad			\$20
TM408-010	40, 60, 800, 1	40, 60, 800, 100 Grit & Backing Pad		







^{\$1099}

^{\$}3249

Hill

TH

^{\$}6299

PRO 35 MAGNETIC DRILL

- Quality, Compact & Robust European Made Machine
- Lightweight, only 10kg! Ideal for onsite & overhead tasks
- Capacity (diameter) 35mm
- Capacity (depth) 52mm Gravity feed coolant system with magnetically attached bottle
- Dual rail slide system Comes complete in
- plastic carry case (HMPRO35)

Holemaker **SPECIAL 60 MAGNETIC DRILL**

- #2 Morse taper
- European made
- Capacity (diameter) 60mm
- · Capacity (depth) 75mm • 23mm #2MT drill bit capacity
- M20 Tapping Capacity
- · 2-speed variable gearbox
- Powerful 1500W Italian motor Electronic clutch
 Overload and overheat protection
- Tilt sensor 360-degree visual monitoring system
- Intuitive top mount control panel • Very light weight 17kg (HMSPECIAL60)

Holemaker SPECIAL 140 MAGNETIC DRILL • #4 Morse taper spindle

- European made
- Capacity (diameter) 140mm Capacity (depth) 110mm
- 47mm #4MT drill bit capacity
- M42 Tapping Capacity
- 4-speed variable gearbox
- Powerful 2150W Italian motor • Electronic clutch • Overload and overheat protection
- Tilt sensor 360-degree visual monitoring system
- Intuitive top mount control panel • Very light weight 31kg (HMSPECIAL140)



Holemaker

PRO 50 MAGNETIC DRILL

- Versatile & Multi-Purpose, European Made Machine
- Capacity (diameter) 52mm Capacity (depth) 52mm
- #2 Morse taper spindle, for use with drill chucks, taper shank drills, reamers etc.
- Powerful 1260W motor 2-speed gearbox • 16.5kg
- · Comes complete in metal
- carry case (HMPRO50)



\$**3999**

Hill

Holemaker

PRO 65 MAGNETIC DRILL

- European made
- Capacity (diameter) 65mm
- Capacity (depth) 75mm
- Dual rail slide system
- Powerful 1500W motor
- 2-speed gearbox
- Lightweight, only 17kg Comes complete in plastic carry case (HMPRO65)

\$2319

Holemaker **SPECIAL 110** MAGNETIC DRILL

- #3 Morse taper spindle
- European made
- Capacity (diameter) 110mm
- Capacity (depth) 110mm 32mm #3MT drill bit capacity
- M30 Tapping Capacity
- 4-speed variable gearbox
 Powerful 2150W Italian motor
- Electronic clutch
 Overload and overheat protection
- Tilt sensor 360-degree visual monitoring system
- · Intuitive top mount control panel • Very light weight 25kg (HMSPECIAL110)

Holemaker

MAX T.C.T. SERIES ANNULAR CUTTERS

- Available in sizes 12 200mm diameter
- Available in 35mm, 50mm, 75mm, 100mm, 150mm & 200mm depth of cut
- Suitable for drilling hard steels
- Less susceptible to breakage than standard HSS cutters, especially in larger diameters

Tible bullets, especially in larger					
50mm DI	EPTH		7		
Part No.	Diameter	Price			
MAX50-12	12mm	\$120			
MAX50-14	14mm	\$120			
MAX50-16	16mm	\$130			
MAX50-18	18mm	\$135			
MAX50-20	20mm	\$135			
MAX50-22	22mm	\$135			



^{\$5249}

75MM DEPTH Part No. Diameter MAX75-14 14mm \$230 MAX75-16 16mm MAX75-18 18mm MAX75-20 20mm MAX75-22 22mm MAX75-24 24mm



50мм DEPTH

AT1250 12mm

AT2050 20mm

AT1450

AT1650

AT1850

AT2250

Part No. Diameter Price

14mm

16mm

18mm

22mm

2499 Holemaker

SPECIAL 80 MAGNETIC DRILL

- #3 Morse taper spindle
- European made
- Capacity (diameter) 80mm
- Capacity (depth) 110mm • 25mm #3MT drill bit capacity
- M24 Tapping Capacity
- 2-speed variable gearbox
 Powerful 1500W Italian motor Electronic clutch
 Overload
- and overheat protection Tilt sensor • 360-degree
- visual monitoring system Intuitive top mount control
- panel Very light weight 18kg (HMSPECIAL80)

Holemaker **GOLD SERIES** ANNULAR CUTTERS

Available in sizes 12 - 60mm diameter

- Available in 25, 50 & 75mm depth of cut
- Titanium nitride coating
- Universal shank
 M2AL high speed

steel material • Multi-cut geometry

25мм DEPTH Part No. Diameter Price AT1225 12mm \$56 AT1425 14mm AT1625 16mm AT1825 18mm AT2025 20mm AT2225 22mm AT2425 24mm

TH	

\$72




- Supplied with T.C.T. mild steel blade (*S14*)
- Emergency stop safety switch (UE712A)

310мм х 210мм САРАСІТУ

\$6995



350mm x 220mm CAPACITY 2-WAY SWIVEL HEAD BANDSAW • 2-way swivel head 0° to 60° • Taiwanese made machine • Hydraulic down feed • 2hp, 415V • 2-speed • Round cut capacity: 90°: 270mm, 45°: 240mm *(WE350DS-3)*



220мм x 220мм CAPACITY SWIVEL

\$**3495**



400MM X 200MM CAPACITY 2-WAY SWIVEL HEAD BANDSAW • 2 way swivel head 0° to 60° • Italian made machine

• 2 way swivel head 0° to 60° • Italian made machine • Hydraulic down feed • 2hp, 415V • 2-speed • Round cut capacity: 90°: 300mm, 45°: 240mm *(MB-411CSO-3)*



2-WAY SWIVEL HEAD BANDSAW

• 2-way swivel head 0° to 60° • Taiwanese made machine

• Hydraulic down feed • 2hp, 415V • 2-speed • Round cut capacity: 90°: 250mm, 45°: 200mm (*WP310DS-3*)

550MM X 400MM CAPACITY SEMI AUTO SWIVEL HEAD SAW

• 2 way swivel head 0° to 60° • Italian made machine • Semi-Auto Operation • 2hp, 415V • 2-speed • Round cut capacity: 90°: 400mm, 45°: 400mm *(MB-420DI-3)*



620MM X 450MM CAPACITY SEMI AUTO SWIVEL HEAD SAW • 2 way swivel head 0° to 60° • Italian made machine

• 2 way swivel head 0° to 60° • Italian made machine • Semi-Auto Operation • 2hp, 415V • 2-speed • Round cut capacity: 90°: 460mm, 45°: 450mm *(MB-650DI-3)*





PIVOT PRO KNIFE & TOOL SHARPENER

 Handheld sharpener for a 25° convex edge · Sharpens knives, scissors, shears, garden tools, axes

· Convex carbides quickly restore a sharp edge, while the fine grit ceramic rods hone a knife edge to factory sharp results

 Compact, packable & portable design (WSHHDPVT-I)



WHETSTONE KNIFE SHARPENER

• The Whetstone Knife Sharpener is an angle guided, dual-grit sharpening water stone for knives and fine edge tools Premium 1000 grit and 6000 grit aluminium oxide sharpening stone creates incredibly sharp edges

 Sharpening base provides a stable platform and increased water control for less mess and faster clean up

 17° and 20° removeable sharpening guides (WSBCHWHT-I)



WSKTS MK2 **ELECTRIC** SHARPENER

• 240V Flexible Belt Sharpener Quickly toggle between the 25° angle for outdoor and pocket knives and the 20° angle for thinner blades and kitchen knives

Scratch resistant leather linings to protect blade faces

• Two-speed motor, low speed gives more control when sharpening a knife yet still provides all the power you need for heavier sharpening and grinding tasks on tools like lawnmower blades, axes and other common lawn & garden tools (WSKTS2-I)



\$**20**.95

NEW PRECISION ADJUST **KNIFE SHARPENER**

• Angle adjustable, three abrasive grit, knife sharpening system that delivers precision and repeatability Sharpening angle can be easily adjusted from 15° to 30° in 1° increments to sharpen every knife you own 320 grit & 600 grit diamond plates to quickly restore a sharp edge, and a fine grit ceramic stone to hone an incredibly keen edge on any knife Innovative clamp design quickly and safely secures the knife Sharpening base provides a stable platform for benchtop sharpening (WSBCHPAJ-I) SUL.



BENCHSTONE **KNIFE SHARPENER**

• The Benchtop Bench Stone is an angle guided, 3-sided abrasive sharpening system Medium and fine grit diamond plates quickly restore a sharp edge, while the fine grit ceramic stone creates an incredibly keen edge on any knife • The innovative Pivot-Response™ System allows the abrasive to follow the curve of the blade - making manual sharpening faster, easier and more precise than ever • 20° and 25° sharpening guides (WSBCHBSS-I)



sgg

^{\$}420 **KEN ONION EDITION**

KNIFE & TOOL SHARPENER

• 240V Electric knife sharpener • The 3/4" x 12" premium, flexible engineered abrasive belts sharpen virtually any shape or type of knife • The sharpening guide is fully adjustable in 1° increments from 15° to 30° • Variable speed control 6000 - 14000rpm (WSKTS-KO)



^{\$}215

INDUSTRIAL SERIES COMPRESSOR FEATURES

- Durable copper wound motors
- Full brass non-return valve
- · Soft start valve
- · Condor pressure switches
- 145psi (10 Bar) maximum pressure
- AS1210 Approved tanks
- Thermal overload protection
- · Includes filter regulator with one-touch
- "Nitto style" couplers
- 200mm Solid rubber wheels
- 3-year pump warranty



AIR COMPRESSOR - 50L

• Ideal builder's compressor • Single cast iron cylinder pump with aluminium head • Filter regulator • 240V 10amp • Large 50L tank • FAD 175 I/min (TM350-25050)



 Ideal builder's compressor • V-Twin cast iron cylinder pump with aluminium heads • Filter regulator • 240V 10amp • Large 50L tank • FAD 185 I/min (TM351-22050)



2.5HP BELT DRIVE AIR COMPRESSOR - 60L

- V-Twin cast iron cylinder pump with aluminium heads
- Filter regulator 240V 10amp Large 60L tank
- FAD 257 l/min (TM351-25060)



AIR COMPRESSOR - 90L

· V-Twin cast iron cylinder pump with aluminium heads • Filter regulator • 240V 10amp • Large 90L tank

• FAD 257 I/min (TM351-25090)



3HP BELT DRIVE AIR COMPRESSOR - 50L

• Ideal for commercial applications • Cast iron cylinder pump with aluminium head • Filter regulator • Large 50L tank • FAD 318 l/min • 240V 15amp (TM351-30050)



3HP BELT DRIVE AIR COMPRESSOR - 60L

• Ideal for commercial applications • Triple cast iron cylinder pump with aluminium heads • Filter regulator • 60L tank • FAD 328 I/min • 240V 15amp (TM351-30060)



3HP BELT DRIVE AIR COMPRESSOR - 90L

• Ideal for commercial applications • Triple cast iron cylinder pump with aluminium heads • Filter regulator • 90L tank • FAD 328 l/min • 240V 15amp (TM351-30090)



5.5HP PETROL BELT **DRIVE AIR COMPRESSOR - 60L**

• FAD 1143 I/min (TM353-10270)

CAL STOCKIS

• Powered by Honda GX160 5.5hp engine • HD cast iron cylinder with aluminum head • Filter regulator • Large 60L tank • FAD 355 I/min (TM352-55060)



pump with aluminium head • Soft start • Large 200L tank • FAD 507 I/min (TM353-55200)

TO FIND YOUR L

 Ideal for commercial workshops • Triple cast iron cylinder pump with aluminium head • Soft start • Large 270L tank • FAD 704 I/min (TM353-75270)

CLICK HERE

1

ALUMINIUM TWIN TANK COMPRESSOR FEATURES

- Perfect for nailing applications
- Powerful 4 pole induction motors
- Oil free pumps for virtually maintenance free operation
- · Very quiet, ideal for indoor use
- Light weight aircraft aluminium alloy tanks
- · Compact and portable design
- Max pressure: 135psi (9.3 bar)
- One-touch "Nitto style" couplers
- 3-year complete warranty



TRADE SERIES COMPRESSOR **FEATURES**

- Ideal for the home workshop and intermittent professional user
- Maximum working pressure of 116 psi (8 bar)
- · Regulated outlet
- One-touch "Nitto style" coupler
- 3-year pump warranty



s<u>Aqq</u>

1.0HP DIRECT DRIVE AIR COMPRESSOR - 10L

• Silent oil free pump - only 60dB! • FAD: 62 l/min • 10L tank • Weight: 19kg (TM350-10010)



\$5gg 2.0HP DIRECT DRIVE

AIR COMPRESSOR - 16L • Silent oil free pump - only 67dB • FAD: 125 l/min • 16L tank • Weight: 26.4kg (TM350-20016)



\$749 2.2HP BELT DRIVE AIR COMPRESSOR - 50

• V-Twin cast iron cylinder pump • FAD: 170 l/min Solid rubber wheels • 50L tank • Regulated outlet with one-touch "Nitto style" connector (TM354-22050)



PVC AIR HOSES - FITTED

• Durable PVC • Grease, oil & abrasion resistant • Nitto style fittings • Kink proof collar • Max pressure: 300psi

	•	
Part No.	Description	Price
TM300-210	10M 3/8" I.D.	\$32
TM300-220	20M 3/8" I.D.	\$49
TM300-230	30M 3/8" I.D.	\$66

HIGH-FLEX AIR HOSES

\$**32**9

2.5HP DIRECT DRIVE

AIR COMPRESSOR - 36L

• Single cylinder oil lubricated pump • FAD: 135 l/min

one-touch "Nitto style" connector (TM354-25036)

ITM AIR

• Solid rubber wheels • 36L tank • Regulated outlet with

• Hybrid polymer High-Flex hose

• Anti-kink technology, the hose will not kink when under pressure • Superior all weather flexibility -5°C to 65°C • 300psi maximum working pressure • Hi-visibility for safety Nitto style fittings

Part No.	Description	Price	
TM300-315N	15M 3/8" I.D.	\$55	
TM300-330N	30M 3/8" I.D.	\$85	
TM300-415	15m 1/2" I.D.	\$69	
TM300-430	30m 1/2" I.D.	\$119	

HIGH-FLEX AIR HOSES - BULK Hybrid polymer High-Flex hose

 Anti-kink technology the hose will not kink when under pressure flexibility -5°C to 65°C • 300psi max working pressure • No fittings or collar

Part No.	Description	Price
TM300-3100	100M 3/8" I.D.	\$319
TM300-4100	100M 1/2" I.D.	\$429
TM300-5100	100M 3/4" I.D.	\$699

FILTER REGULATORS

- Sintered bronze filter element
- Max input pressure 175psi
- Max output pressure 145psi
- 80ml drain capacity • Includes mounting bracket

	•	
Part No.	Description	Price
TM340-012	• 1/4" Port	\$65
	 Semi-auto drain 	
	• 1750 I/min max flow	
TM340-014	• 1/2" Port	\$110
	 Automatic drain 	

3000 l/min max flow



15M HOSE REEL

 Reinforced PVC air hose • Auto retractable • Auto lock to any length • Auto track guided hose laying system • Hose length: 15m • Hose I.D.: 10mm (3/8") (TM300-015)



20M HOSE REEL

 Hybrid high-flex air hose • Anti-kink technology • Auto lock to any length • Auto retractable • Hose length: 20m • Hose I.D.:10mm (3/8") • Hi-visibility for safety (TM300-020)



30M HOSE REEL

 Braided PU hose • Manual rewind • Heavy duty steel frame • Kink-proof collar on hose • Hose length: 30m • Hose I.D.: 8mm (TM300-030)





IMPACT WRENCH 1/2" DRIVE

• Heavy duty twin hammer • 3 torque settings • Max torque: 680 Nm (500 ft-lb) • Free speed: 7000rpm (*TM340-135*)




COMPOSITE IMPACT WRENCH 1/2" DRIVE

 Aluminium composite material construction • Heavy duty twin hammer • 3 torque settings 820 Nm (625 ft-lb) Max torque 6,800 rpm Free speed (*TM340-136*)



COMPOSITE IMPACT WRENCH 3/4" DRIVE

 Aluminium composite material construction • Heavy duty twin hammer • 3 torque settings 1,200 Nm (885 ft-lb) Max torque • 4,200 rpm Free speed (*TM340-145*)



IMPACT SOCKET SET

1/2" DRIVE







RATCHET WRENCHES

Compact design • Rear 4-speed regulator
Max torque: 85 Nm (60 ft-lb)

Max torque: 85 Nm (6
 Free speed: 160rpm

- Tiee Speed. Toolpin					
	Part No.	Drive	Price		
	TM340-225	3/8"	\$89		
	TM340-235	1/2"	\$99		



ITM AIR

DIE GRINDER

- Compact designRear 4-speed regulator
- Length: 173mm
- Free speed: 25000rpm
- (TM340-312)





DIE GRINDER KIT WITH 3 CARBIDE BURRS

 Die grinder as per TM340-312, Including: 3/8" Cylindrical - End Cut, 3/8" Oval Shape, 3/8" Tree Shape - Radius End Cut (TM340-312KIT3)



DIE GRINDER

- Compact design
- Rear 4-speed regulator
- Length: 180mm
- Free speed: 20000rpm (TM340-322)



\$69

- CUT OFF TOOL
- Compact design
- Rear 4-speed regulator
 Cutting wheel: 75mm (3")
- Free speed: 20000rpm (*TM340-502*)
- Free speed: 20000rpm (1M340-502)



HYDRAULIC RIVETER

- Sets 2.4, 3.2, 4.0, 4.8mm Steel,
- Aluminium & Stainless steel rivets
- Traction Power: 3,086lb (1400kg) • Stroke Length: 16mm (*TM340-802*)
- ^{\$109}

NEEDLE SCALER


- Heavy duty metal construction
- Blows per minute: 2800
- Stroke: 24mm • Length: 315mm *(TM340-414)*



AIR HAMMER KIT

- Includes 5 piece chisel kit
- Blows per minute: 3000rpm
- Stroke: 66mm (TM340-404)





Star

S-770 SERIES SUCTION FEED GUNS

• Pot size: 1000ml • Includes: Gun, pot, stainless steel nozzle and needle • A popular conventional high pressure spray gun that provides extremely fine atomisation for the D.I.Y. person to the professional

Nozzle Size	Spray Pattern	Price	64	
1.5mm	235mm	\$175	1.1	
1.7mm	245mm	\$175		
2.0mm	260mm	\$175		
2.5mm	275mm	\$175		and the
3.0mm	275mm	\$230		
	Size 1.5mm 1.7mm 2.0mm 2.5mm		Size Pattern Price 1.5mm 235mm \$175 1.7mm 245mm \$175 2.0mm 260mm \$175 2.5mm 275mm \$175	Size Pattern Price 1.5mm 235mm \$175 1.7mm 245mm \$175 2.0mm 260mm \$175 2.5mm 275mm \$175

PREMIUM SMP SERIES SUCTION FEED GUNS

 Achieves large fan, premium
 finishing results, fast application speed and 65% transfer efficiency at 29psi
 Ideal for car refinishing, high class furniture and industrial use
 Adjustable spray pattern 280-330mm
 Includes: Gun, 1000ml pot, stainless steel nozzle and needle

			- 1
Part No.	Nozzle Size	Price	
SG-SMP106FS-014	1.4mm	\$310	
SG-SMP106FS-016	1.6mm	\$310	1
SG-SMP106FS-018	1.8mm	\$310	
SG-SMP106FS-020	2.0mm	\$310	
SG-SMP106FS-025	2.5mm	\$310	

S-106 SERIES GRAVITY FEED GUNS

Pot size: 600ml
Includes: Gun, pot, stainless steel nozzle and needle
Provides constant paint flow at lower pressures, and extremely fine atomisation

Part No.	Nozzle Size	Spray Pattern	Price	1
S106-141G	1.4mm	250mm	\$210	
S106-201G	2.0mm	270mm	\$210	
S106-251G	2.5mm	270mm	\$225	
S106-281G	2.8mm	270mm	\$225	

PREMIUM SMP SERIES GRAVITY FEED GUNS

Achieves large fan, premium finishing results, fast application speed and 65% transfer efficiency at 29psi
Ideal for car refinishing, high class furniture and industrial use
Adjustable spray pattern 280-330mm
Includes: Gun, 600ml pot, stainless steel nozzle and needle

Part No.	Nozzle Size	Price	
SG-SMP106FG-013	1.3mm	\$300	
SG-SMP106FG-014	1.4mm	\$300	
SG-SMP106FG-015	1.5mm	\$300	
SG-SMP106FG-018	1.8mm	\$300	5
SG-SMP106FG-020	2.0mm	\$300	
SG-SMP106FG-025	2.5mm	\$300	

CLICK HERE

\$155 SUCTION

SUCTION FEED TOUCH UP GUN

Pot size: 250ml Nozzle size: 1.4mm Spray pattern: 120mm Includes: Gun, pot, stainless steel nozzle and needle • Ideal for custom designing, auto touch-up work, detail spray work and stencil spraying (SJ108)

PROFESSIONAL EVO-T SERIES GRAVITY FEED GUNS

• EVO-T Patented air cap design providing ultra fine finish & excellent transfer efficiency exceeding 72% at 15psi

Adjustable spray pattern 280-330mm
 Includes: Gun, 600ml pot,
 stainless steel nozzle & needle

Part No. Nozz Siz	Price
SG-EV0106FG-013 1.3m	1m \$320
SG-EV0106FG-014 1.4m	1m \$320
SG-EV0106FG-018 1.8m	1m \$320
SG-EV0106FG-020 2.0m	1m \$320
SG-EV0106FG-025 2.5m	1m \$320

OCAL STOCKIST

TO FIND YOUR L



- Nozzle sizes: 2.4, 3.2, 4.0, 4.8mm • 4.8mm (3/16") Aluminium & steel rivet capacity
- 4.0mm (5/32") Stainless rivet capacity
- Stroke length: 16mm Net weight: 1.5kg
- Traction power: 2303 lbf (M7-PA301)

Nozzle sizes:

- 2.4, 3.2, 4.0, 4.8, 6.0 & 6.4mm • 6.4mm (1/4") Aluminium & steel
- rivet capacity
- 4.8mm (3/16") Stainless rivet capacity
- Stroke length: 14mm Net weight: 1.8kg
- Traction power: 3534 lbf (M7-PA201)
- ATTACHMENT • Nozzle sizes: 2.4, 3.2, 4.0, 4.8mm
- Net weight: 0.3kg
- Hex shank: 1/4"
- For use with 3/8" cordless drills (M7A-PA9048P)
- Net weight: 0.28kg • Hex shank: 1/4" • For use with 3/8" cordless drills (M7A-PB9006P)

• Mandrel sizes: M3, M4, M5, M6







FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

TO FIND YOUR LOCAL STOCKIS

CLICK HERE

SHEET METAL

200мм (ТМ603-500)

LOCKING PLIER

WELDING CLAMP

LOCKING PLIER

200mm (TM603-600)

LONG NOSE

165мм (ТМ603-402)

WITH RUBBER GRIP

LONG NOSE 165MM (TM603-401)

 Clamping Solutions By ITM ® FORGED STEEL CLAMPING Part No. Span x Depth Clamping Force Price EC-BC4 100x50mm 900kg \$62 EC-BC5 125x65mm 850kg \$66 EC-BC5 125x65mm 1000kg \$75 EC-BC1 250x115mm 1200kg \$125 EC-BC12 300x125mm 1500kg \$155 	FORGED STEEL Locamped tampered & hot forged steel • Nickel & chrome platingHEAVY DUTY State • Nickel & chrome platingPart NoSpan x DepthClamping Force Price EC-G10CSPrice 160x1075mmPrice 160x80Part NoSpan x DepthClamping Force 950kgPrice 864 160C-G20CS200x100mmEC-G20CS200x100mm450kg\$52 \$52 EC-G20CS\$00x175mm1000kgEC-G40CS400x175mm1000kg\$105 \$120 EC-G80CS\$00x175mm1000kgEC-G80CS800x175mm1000kg\$140 \$150EC-G80CC200x140mmEC-G80CS800x175mm1000kg\$140 \$150EC-G80CC200x140mmEC-G80CS1000x175mm1000kg\$140 \$150EC-G80CC200x140mmEC-G80CC1000x175mm1000kg\$140
OUICK ACTION FORGED STEEL FORGED STEEL CLAMPS • Ratchet type lever prevents vibration • For high pressure, fast action clamping purposes Part No. Span x Depth Clamping Force FC-G16L 160x80mm 300kg \$85 EC-G20L 200x100mm 350kg \$95 EC-G30L 300x140mm 500kg \$135 EC-G30L 300x120mm 550kg \$145	PIVOT HANDLE DORGED STEEL LOLAMPSEXTRA HEAVY DUTY FORGED STEEL LOLAMPS• The comfortable pivot handle makes it easier to achieve maximum clamping in restricted working areas• Changeable clamping heads • Socket drive handle • Up to 1500mm span available• Part NoSpan x DepthClamping Force Price• C-REG20C200x110mm670kg• C-REG40C400x175mm700kg• C-REG40C400x175mm700kg• C-REG40C600x175mm700kg• C-REG60C600x175mm700kg• C-REG60C600x175mm700kg• C-REG60C600x175mm2200kg• C-S150C1500x175mm2200kg• C-S150C1500x175mm• C-S150C1500x175mm• C-S150C1500x175mm• C-S150C <t< th=""></t<>



Ehom₂



CAST IRON F CLAMPS

 Malleable cast jaws for strength and durability • Serrated slip resistant profiled rail CAST IRON C CLAMPS Rubber grip handle
 Removable soft pads

Part No.	Span x Depth	Price
TC-F200120	200x120mm	\$18
TC-F250120	250x120mm	\$20
TC-F300120	300x120mm	\$20
TC-F400120	400x120mm	\$22
TC-F500120	500x120mm	\$28
TC-F600120	600x120mm	\$31
TC-F800120	800x120mm	\$32

Malleable cast jaws for

Part No. Span x Depth Price TC-C075 75 x 47mm \$11.50 TC-C100 100 x 54mm \$12.50
TC-C100 100 x 54mm \$12 50
TC-C150 150 x 68mm \$16
TC-C200 200 x 75mm \$19
TC-C250 250 x 95mm \$25
TC-C300 300 x 105mm \$39

BAR CLAMP & SPREADER

 Durable plastic construction Removable rubber pressure pads • Rubber grip handle • Quick release lever • Head can be placed on opposite end to create a spreader

Part No.	Span x Depth	Price	
TC-6PT	150 x 85mm	\$28	
TC-12PT	300 x 85mm	\$29	
TC-18PT	450 x 85mm	\$30	
TC-24PT	600 x 85mm	\$31	



MULTI FUNCTION Cast alloy construction • 400kg clamping

pressure • Head can be reversed to create a spreader • Removable soft pads • Spring loaded pressure jaw

	•	
Part No.	Span x Depth	Price
EC-TC-6A	150x85mm	\$44
EC-TC-12A	300x85mm	\$48
EC-TC-18A	450x85mm	\$50
EC-TC-24A	600x85mm	\$54



FORGED HANDLE **BOLT CUTTERS**

- Two stage heat treated precision machine jaws for extended cutting and resilience Adjustable arms
- · Solid forged steel handles for durability
- Non-slip comfort rubber grips
- · Built in stops for added safety

	Part No.	Length	Price
	TM600-035	350mm	\$39
ned	TM600-045	450mm	\$59
	TM600-060	600mm	\$79
	TM600-075	750mm	\$99
	TM600-090	900mm	\$149
	TM600-105	1050mm	\$199

EXTRA HEAVY DUTY BOLT CUTTERS

- Optimal performance for cutting high tensile material
- Two stage heat treated, precision machined
- jaws for extended cutting and resilience
- Adjustable arms
- · Solid forged steel handles for durability
- · Built in stops for added safety

Part No.	Length	Price
TM601-075	750mm	\$129
TM601-090	900mm	\$169
TM601-105	1050mm	\$199





WORKSHOP BENCH VICES

 Hardened steel jaws
 Close grained cast iron body Integrated anvil for shani

 Integrated a 	nvii ior snap	nng anu	beating
Part No.	Jaw Width	Weight	Price
TM098-100	100mm	7kg	\$95
TM098-125	125mm	10kg	\$139
TM098-150	150mm	14kg	\$175
TM098-200	200mm	22kg	\$245



PROFESSIONAL MECHANICS BENCH VICES

Part No.	Jaw Width	Weight	Price
TM100-075	75mm	7.5kg	\$89
TM100-100	100mm	10.0kg	\$129
TM100-125	125mm	15.5kg	\$185
TM100-150	150mm	18.0kg	\$220
TM100-200	200mm	31.0kg	\$330



MULTI-PURPOSE BENCH VICE

 Jaw width: 135mm • Jaw opening: 135mm • Pipe holding capacity: 25mm - 65mm • 18.5kg • Hardened & tempered jaws • 360° Rotation with safety locking nuts • 360° Swivel base • Hardened anvil (TM101-125)

MAGNETIC VICE JAWS

• Easy to use, simply place over existing jaws and 2

magnetic tabs hold jaws in place • Protects work piece from scoring or marking . Supplied as a pair

FABRICATED STEEL BENCH VICES

 Precision machined knurled jaws with V-Groove • Large diameter screw • Extra heavy-duty • Precise sliding jaw



	Part No.	Jaw Width	Weight	Price
	TM102-100	100mm	10.5kg	\$160
Ĩ	TM102-125	125mm	18.5kg	\$280
ĺ	TM102-150	150mm	22.6kg	\$315
ľ	TM102-200	200mm	37.0kg	\$585



Part No. Jaw Width Weight Price TM104-100 11.2kg 100mm \$165 20.3kg \$315 TM104-125 125mm TM104-150 150mm 25.0kg \$335 TM104-200 200mm 60.0kg



FIBRE FACE

Part No.	To Suit	Price
TM122-100	100mm (4") Bench Vices	\$16
TM122-125	125mm (5") Bench Vices	\$18
TM122-150	150mm (6") Bench Vices	\$21

RUBBER FACE

Part No.	To Suit	Price	
TM123-100	100mm (4") Bench Vices	\$16	
TM123-125	125mm (5") Bench Vices	\$18	
TM123-150	150mm (6") Bench Vices	\$21	



- X movement: 85mm Y movement: 110mm
- Net weight: 7kg Cast iron body
- Machined steel jaws (TM130-100)
- X movement: 160mm Y movement: 155mm
- Net weight: 14.5kg
 Cast iron body
- Machined steel jaws (TM130-150)



DRILL PRESS VICES

 Cast iron body
 Machined steel jaws
 Great for machine shops, fabrication workshops & tool rooms

Part No.	Jaw Width	Jaw Height	Capacity	Weight	Price
VDP078	78mm	19mm	86mm	1.7kg	\$30
VDP102	102mm	21mm	105mm	3.2kg	\$48
VDP150	150mm	28mm	150mm	7.2kg	\$82

HINGED	
PIPE VICES	
Hardened steel jaws	

Close grained cast iron body

· Perfect for repetitive clamping tasks

· Hinged section allows quick access to material Part No Pipe Diameter Price

TM114-068	8 - 68mm	\$80
TM114-078	8 - 78mm	\$115
TM114-120	13 - 120mm	\$230

CHAIN PIPE VI • Hardened s • Close grain iron body • Offers exce for irregular s due to flexibi the chain • Can be rap tightened to very strong g	ed cast el cast el cast ellent grip shapes lity of idly		
Part No.	Pipe Diameter	Price	
TM115-100	30-100mm	\$110	
TM115-160	40-160mm	\$220	
TM115-230	40-230mm	\$315	



PARTS CABINETS

- Highest quality & heavy duty, robust parts cabinets designed for every day industrial use
- Metal frame construction using 0.8mm galvanised steel
 ABS High strength plastic drawers. Oil, acid and impact
- resistant.Large range of sizes and styles
- Drawers come with dividers & contents description slip

DIVIDERS

Packs of 10

Part No.	Description	Price
PB-A4DIVIDER	10x A4 Series Dividers	\$5.60
PB-A5DIVIDER	10x A5 Series Dividers	\$6.70
PB-A6DIVIDER	10x A6 Series Dividers	\$7.70
PB-A7DIVIDER	10x A7 Series Dividers	\$5.60
PB-A8DIVIDER	10x A8 Series Dividers	\$6.70
PB-HDDIVIDER	10x HD Series Dividers	\$7.70



A8 SERIES

• 60 drawers • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586Wx222Dx937H *(PB-A8560)*



ST1 SERIES

70

• 75 drawer • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (*PB-ST1575*)



ST2 SERIES

A7 SERIES

drawer

• 60 drawer • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (*PB-ST2460*)



• Transparent PS plastic window • 10kg capacity per

drawer • Slots for 3x dividers • 1x divider supplied per

A5 SERIES

• Large capacity • Transparent PS plastic window • 10kg capacity per drawer • Slots for 5x dividers • 1x divider supplied per drawer

A6 SERIES

• 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer







24 PIECE SET

- Cold Chisels: 125 x 6mm, 125 x 8mm, 140 x 10mm,
- 150 x 13mm, 163 x 16mm, 175 x 19mm, 190 x 22mm • Pin Punches: 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16"
- Starting Punches: 1/16", 1/8", 5/32", 3/16", 3/16", 1/4", 5/16"
- Centre Punches: 5/64", 5/32", 1/4" (*GZ-33003*)



14 PIECE SET

- Cold Chisels: 140 x 10mm, 150 x 13mm, 163 x 16mm, 175 x 19mm, 190 x 22mm
- Centre Punches: 5/32", 1/4"
- Pin Punches: 1/16", 1/8", 3/16"
- Drift Punches: 1/8", 5/32"
- Starting Punches: 5/16", 1/8" (*GZ-33001*)



16 PIECE SET

- Cold Chisels: 125 x 8mm, 150 x 13mm, 163 x 16mm, 175 x 19mm, 200 x 22mm
- Centre Punches: 1/8", 5/32", 1/4"
- Pin Punches: 1/8", 3/16", 1/4"
- Drift Punches: 3/16", 1/4"
- Starting Punches: 1/8", 3/16", 1/4" (*GZ-33002*)
- **HOLLOW & ARCH PUNCH SETS** GROZ For punching round holes in gasket material, leather, rubber, canvas, cardboard, plastic & other soft material. HOLLOW PUNCH SET 26 PIECE SET • 6 piece set including 5, 6, 8, 10, • Centre Punches: 5/32", 1/4", 3/8" 11, 12mm (GZ-26391) • Pin Punches: 3/32", 1/8", 5/32", \$56 3/16", 1/4", 3/8" • Starting Punches: 1/16", 1/8", 3/16", 1/4" • Drift Punches: 1/8", 3/16", 1/4" 8 PIECE SET Prick Punch: 5/32" ARCH PUNCH SET • Cold Chisels: 150 x 13mm, • Cold Chisels: 125 x 6mm, 163 x 16mm, 175 x 19mm • 7 piece set: 6, 10, 12, 16, 125 x 8mm, 140 x 10mm, Centre Punch: 5/32 19, 22, 25mm (GZ-26441) 150 x 13mm, 163 x 16mm, • Pin Punches: 1/8", 3/16", 1/4" 175 x 19mm, 190 x 22mm, 25 ^{\$215} Starting Punches: 3/16" 200 x 25mm, 300 x 13mm (GZ-33004) (GZ-33000) **OCTAGONAL COLD CHISELS** STEEL 🔆 GROZ High quality forged alloy steel PUNCHES Part No. Size WITHOUT GRIP WITH GRIP NUMBER **BRICK BOLSTERS** GZ-25902 3mm \$14 GZ-25903 4mm \$16 **STAMPS** · High quality carbon steel \$20 \$26 GZ-25904 5mm Accurately hardened to BS GZ-25905 6mm 3066 specification GZ-25906 8mm GZ-25907 10mm \$36 \$44 Part No. Dimensions Price • 52 - 58 HRC cutting edge GZ-32800 125 x 6mm GZ-32801 125 x 8mm GZ-25908 12mm WITHOUT GRIP GZ-32802 140 x 10mm GZ-32803 150 x 13mm \$7.20 Part No. Blade Width Price LETTER Part No. GZ-32804 163 x 16mm Size Price .50 GZ-32601 75mm GZ-32805 175 x 19mm GZ-26102 3mm **STAMF** GZ-32602 \$42 100mm GZ-26103 4mm GZ-32818 200 x 13mm \$44 \$60 9.50 GZ-32825 200 x 19mm Part No. Dimensions Price GZ-26104 5mm WITH GRIP GZ-32841 250 x 19mm GZ-32826 250 x 19mm \$22 G7-26105 6mm \$13 GZ-32812 300 x 19mm GZ-32843 300 x 19mm Part No. Blade Width Price GZ-26106 8mm \$14 \$105 GZ-32621 75mm GZ-32842 250 x 25mm GZ-32823 250 x 25mm GZ-26107 10mm \$125 GZ-32844 300 x 25mm GZ-32622 100mm G7-32814 300 x 25mm G7-26108 12mm GROZ GROZ



COLD CHISEL SET • 6 pce • 125x6mm, 125x8mm, 140x10mm, 150x13mm, 163x16mm 175x19mm (*GZ*-32830)



• Hardened and tempered carbon steel • 6 piece set: 2.4mm (3/32"), 3mm (1/8"), 4mm (5/32"), 5mm (3/16"), 6mm (1/4"), 8mm (5/16") (*GZ-25612*)



EXTRA LONG PIN PUNCH SET • 200mm OAL • 5 piece set: 3mm

 200mm OAL • 5 piece set: 3mm (1/8"), 5mm (3/16"), 6mm (1/4"), 8mm (5/16"), 9.5mm (3/8") (GZ-25655)



• Hardened and tempered carbon steel, designed for demanding industrial use • 5 piece set: 2mm (5/64"), 3mm (1/8"), 4mm (5/32"), 6mm (1/4"), 9.5mm (3/8") (GZ-25205)



• Hardened and tempered high grade carbon steel • 9.5mm (3/8") square head • 3 piece set: 0.8mm

(1/32"), 1.6mm (1/16"), 2.4mm

(3/32") (GZ-25366)





 Enamelled frame • Ratchet stop and locking screw • Carbide tipped measuring faces Ratchet thimble • Durable plastic storage case • Range: 0 - 25mm • Graduation: 0.01mm • Accuracy: +/- 0.04mm • Jaw reach: 29mm (TM610-525)



CALIPERS

Part No.	Arm Length	Price
GZ-01401	100mm	\$14
GZ-01402	150mm	\$18
GZ-01403	200mm	\$23
GZ-01404	250mm	\$30
GZ-01405	300mm	\$35

Part No. Arm Length Price

GZ-01411 100mm \$14 GZ-01412 150mm \$18 GZ-01413 200mm GZ-01414 250mm \$30 300mm GZ-01415

600mm

GZ-01828

DIVIDERS

CLICK HERE

Part No.	Arm Length	Price
GZ-01421	100mm	\$14
GZ-01422	150mm	\$18
GZ-01423	200mm	\$23
GZ-01424	250mm	\$30
GZ-01425	300mm	\$35



LOCAL DISTRIBUTOR



Products imported and distributed nationally by Industrial Tool & Machinery Sales. Advertised prices include GST. Freight charges may apply on some products to some areas. Prices and specifications subject to change without notice. OFFER VALID TO 31ST DECEMBER 2021