

STRONGER, MORE POWERFUL, MORE RELIABLE TOOLS

Delivering best-in-class tools for maximum productivity, durability and performance for 30 years.

ON SALE PRO 35

MAGNETIC DRILL · Quality, Compact & Robust

- European Made Machine Lightweight, only 10kg!
- Ideal for onsite & overhead tasks · Capacity (diameter) 35mm
- Capacity (depth) 52mm

HUNUS

ASSORTED GRITS

Industrial quality.

for the professional

5 Grinding surfaces

915 x 50mm Belt & Disc

Grinding Attachment

3 Year warranty

(PO362-200)

ITM

600W Industrial Bench Grinder

915 X 50MM

(TM408-009)

5X GRINDING BELTS

- · Gravity feed coolant system with magnetically attached bottle Dual rail slide system
- · Comes complete in plastic carry case (HMPRO35)

WITH MULTITOOL

200MM BENCH GRINDER



ON SALE



Multitool

Holemaker Drill Doctor

ON SALE

350MM T.C.T. COLD CUT SAW

0

• Cuts through steel up to 120mm x 120mm • Offers an accurate, fast & clean cold cut • 3hp 240V motor, 1450rpm

• 90° - 45° swivel vice Supplied with T.C.T. mild steel blade

ITIM

(S14)

RONUS EXTRA T.C.T. BLADE \$225.00 VALUE ! (SSBL350-MS)

10 KVA PETROL GENERATOR

- Powerful 17hp 4 stroke engine
- 8000 Watts max
- · 25L tank, 10 hours run time • 2x 15A outlets
- · Electric start, with battery · 2-year trade warranty

(TM510-8000)

Equipped with AVR (automatic voltage regulator) alternator to provide a very pure energy supply with a THD (total harmonic distortion) of <5% which is suitable to power delicate electronic devices

Ehoma Star



T.C.T. BLADE

- Fast

- Clean

- Precise



Multitool MACC



CLICK HERE

TO FIND YOUR LOCAL STOCKIST

m7

Multitool



150MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 370W induction motor
 Capacitor start for maximum performance
 915mm x 50mm belt
- 178mm disc 25mm wide grinding wheel
- Durable cast iron body (PO362-150)



\$ggg

250MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 900W induction motor
 Capacitor start for maximum performance
 1220mm x 50mm belt
- 178mm disc 25mm wide grinding wheel Durable cast iron body Heavy duty tool rest (PO482-250)



200MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

 Powerful 600W induction motor • Capacitor start for maximum performance • 915mm x 50mm belt
 178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (*PO362-200*)



250MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

Powerful 900W induction motor • Capacitor start for maximum performance • 1220mm x 100mm belt
178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (PO484-250)



^{\$289}

915 x 50MM BELT & DISC GRINDING ATTACHMENT

• Suits most bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO362)



TO FIND YOU

SUB 1220 x 50MM BELT & DISC GRINDING ATTACHMENT

• Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (*PO482*)



915 x 100mm BELT & DISC GRINDING ATTACHMENT

 Suits most bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO364)



1220 x 100_{MM} BELT & DISC GRINDING ATTACHMENT

CLICK

• Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (*PO484*)

HERE

51064

Multitool



1220 x 50MM BELT & DISC GRINDING ATTACHMENT • 200mm contact wheel • Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO8CW)



SHARPENING JIG

• Sharpening jig accessory enables a professional result when sharpening chisels, planer blades, and screwdrivers • For sharpening chisels up to 51mm, hand plane blades up to 60mm and power planer blades up to 82mm • Slotted screwdrivers up to 10mm square can also be retipped • Fits all Multitools except 8CW (*POJIG*)









\$189

- **150MM BENCH GRINDER** • 370W • 25mm width grinding wheels 36 & 60 grit • Durable cast iron body
- Vibration absorbing pads
- (TM400-150)

BUFFING COMPOUNDS

• Different metals have varying characteristics and to achieve the best results, it is essential that the correct compounds and buffs are selected



^{\$}239 200MM BENCH GRINDER 600W • 25mm width grinding wheels

36 & 60 grit • Durable cast iron body Vibration absorbing pads
 Heavy duty tool rests (TM400-200)

RED



250MM BENCH GRINDER

 900W • 25mm width grinding wheels 36 & 60 grit • Durable cast iron body Vibration absorbing pads • Heavy duty tool rests (TM400-250)



^{\$}280 200MM BUFFING

MACHINE • 550W • 14mm width mop wheels

 Durable cast iron body
 Vibration absorbing pads (TM402-200)

POLISHING MOPS

\$17 GREEN COMPOUND • For high gloss finish on

steel, stainless steel and

leaf mop (TM404-001)

copper • Use with a loose

GREY COMPOUND

 Used to cut back light scratch marks on copper, brass and stainless steel prior to polishing • Use only with a stitched mop (TM404-002)



 General purpose polishing of copper, brass, aluminium and most other metals . Can be used with a loose leaf or stiched mop (TM404-003)



• For high quality finishes on aluminium and aluminium allovs Use with a loose leaf

mop (TM404-004)



Part No.	Diameter	Description	Price
TM405-001	150mm	50 Fold Loose Leaf	\$22
TM405-002	200mm	50 Fold Loose Leaf	\$32
TM405-003	150mm	Stitched	\$21
TM405-004	200mm	Stitched	\$32

ABRASIVE SANDING BELTS • 915mm x 50mm **BENCH GRINDER** • For use with PO362 **STANDS** Part No. Belts Per Pack Grit Abrasive Leve • For use with TM400-150, SURFACE CONDITIONING TM408-008 400 Very Fine \$12 TM408-007 TM400-200, TM400-250, 240 BELTS 3 Fine \$12 TM402-200 TM408-006 3 150 Medium \$12 • 915mm x 50mm TM408-005 80 Coarse 3 \$12 Part No. Description • For use with PO362 Price TM408-004 10 Very Coarse Bench Grinder Stand TM403-010 \$125 Premium Bench Grinder Stand TM403-012 \$185 Without Emergency Stop Switch


Premium Bench Grinder Stand TM403-014 \$305 With Emergency Stop Switch

Part No.	Abrasive Level	Price
TM408-003	Polishing	\$50
TM408-001	Fine	\$50
TM408-002	Medium	\$50

1101400 004	0		ΨΙΖ
Part No.	Belts Per Pack	Grits	Price
TM408-009	5	40, 80, 150, 240, 400	\$18



CLICK HERE





Model	WP275DS-1	WP275DS-3	WP310DS-3	WE350DS	WE350DSA-3
Features	• 2 way swivel head 0° to 60° • Hydraulic down feed		 2 way swivel head 0° to 60° Hydraulic down feed 	 2 way swivel head 0° to 60° Hydraulic down feed 	 Semi-automatic function 2 way swivel head 0° to 60°
Motor	1hp, 240V	1.5hp, 415V	2hp, 415V	2hp, 415V	2hp, 415V
Speed	1 speed, 72mpm	2 speed, 36, 72mpm	2 speed 36, 72mpm	2 speed 34, 68mpm	2 speed 34, 68mpm
Rectangular Capacity 90°	260 x 105mm	260 x 105mm	310 x 165mm	350 x 250mm	350 x 250mm
Square Cut Capacity 90°	215 x 215mm	215 x 215mm	235 x 235mm	260 x 260mm	260 x 260mm
Square Cut Capacity 45° (R)	145 x 145mm	145 x 145mm	185 x 185mm	165 x 165mm	165 x 165mm
Price	\$5,595	\$5,595	\$7,695	\$8,995	\$11,995



FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

TOFR

TO FIND Y

MACC Made Initaly							
Model	NEW250DV-1	NEW250DV-3	TRS300-1	TRS300-3	TRS315EDV-1	TRS315EDV-3	NEW350E-3
Description		Coldsaw		Coldsaw		Coldsaw	350mm Coldsaw
Features	 Swivel head 45° left 	& right	 Swivel head 45° left 8 	& right	 Swivel head 45° left 8 	k right	 Swivel head 45° left & right
	 Double vice 				 Double vice 		Electric coolant pump
Motor	1.2hp, 240V	1.75hp, 415V	2hp, 240V	3hp, 415V	2hp, 240V	3hp, 415V	3.2hp, 415V
Speed	1 speed 40rpm	2 speed 40, 80rpm	1 speed 40rpm	2 speed 40, 80rpm	1 speed 40rpm	2 speed 40, 80rpm	2 speed 20, 40rpm
Round Cut Capacity 90°	70mm	70mm	90mm	90mm	90mm	90mm	110mm
Round Cut Capacity 45°	65mm	65mm	90mm	90mm	80mm	80mm	90mm
Price	\$2,495	\$2,495	\$2,995	\$2,995	\$4,095	\$4,095	\$4,795

MACC Made In Italy					
Model	NEW350EDV-3	NEW350S-3	NTS315-3	TA400-3	TV400-3
Description	350mm Coldsaw	350mm Coldsaw	315mm Vertical Coldsaw	400mm T.C.T. Coldsaw	400mm Friction Cut Saw
Features	 Swivel head 45° left & right Electric coolant pump Double vice 	 Semi auto operation Swivel head 45° left & right Double vice • Includes stand 	 Semi auto operation Swivel head 45° left & right Includes stand 	T.C.T. Compound Aluminium Saw Swivel head 45° left & right Belt drive	 Swivel head 45° left & right Belt drive
Motor	3.2hp, 415V	3.2hp, 415V	2.5hp, 415V	3hp, 415V	7.4hp, 415V
Speed	2 speed 20, 40rpm	2 speed 20, 40rpm	2 speed 33, 66rpm	1 speed 3000rpm	1 speed 3800rpm
Round Cut Capacity 90°	110mm (90°), 80mm (45°)	110mm	100mm	140mm	130mm
Round Cut Capacity 45°	80mm	80mm	100mm	130mm	120mm
Price	\$5,495	\$10,995	\$10,995	\$5,595	\$3,695

A state of the sta		Stephenson		Image: state stat
Model	MB-420DI-3 Bandsaw	MB-650DI-3 Bandsaw	Model	S14
Features	Semi-automatic O Way spuits based 0% to 60%	Semi-automatic	Description	350mm Cold Cut T.C.T. Saw
	• 2 Way swivel head 0° to 60°	• 2 Way swivel head 0° to 60°	Features	Swivel vice, 0° to 45°
Rectangular Capacity 90°	550 x 400mm	620 x 450mm	Cut Capacity 90°	120 x 120mm
Square Cut Capacity 90°	400 x 400mm	450 x 450mm	Cut Capacity 45°	120 x 90mm
Square Cut Capacity 45°	380 x 380mm	430 x 430mm	Motor	3hp, 240V
Motor	2hp, 415V	2.95hp, 415V	Speed	1 speed 1450rpm
Speed	Variable 22 - 73mpm	Variable 23 - 95mpm	Price	\$799
Price	\$23,995	\$27,995		
	TO FIND YO	CLICK HERE	TOCK	IST

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

Holemaker



^{\$1099}

^{\$}3249

IIII

PRO 35 MAGNETIC DRILL

- Quality, Compact & Robust European Made Machine
- Lightweight, only 10kg! Ideal for onsite & overhead tasks Capacity (diameter) 35mm
- · Capacity (depth) 52mm
- Gravity feed coolant system with magnetically attached bottle
- Dual rail slide system Comes complete in plastic carry case
- (HMPRO35)

Holemaker **SPECIAL 60 MAGNETIC DRILL**

- #2 Morse taper
- European made
- Capacity (diameter) 60mm
- · Capacity (depth) 75mm • 23mm #2MT drill bit capacity
- M20 Tapping Capacity
- · 2-speed variable gearbox
- Powerful 1500W Italian motor Electronic clutch
 Overload and overheat protection
- Tilt sensor 360-degree visual monitoring system
- Intuitive top mount control panel • Very light weight 17kg (HMSPECIAL60)

Holemaker SPECIAL 140 MAGNETIC DRILL

- #4 Morse taper spindle European made
- Capacity (diameter) 140mm Capacity (depth) 110mm
- 47mm #4MT drill bit capacity
- M42 Tapping Capacity
- 4-speed variable gearbox
- Powerful 2150W Italian motor Electronic clutch • Overload and overheat protection
- Tilt sensor 360-degree visual monitoring system
- · Intuitive top mount control panel • Very light weight 31kg









- Durable & Versatile, European Made Machine
- Capacity (diameter) 40mm
- Capacity (depth) 52mm
- Optional 13mm twist drill chuck for use with standard drill bits
- Through cutter
- coolant system Comes complete
- in metal carry case
- 12.5kg



Holemaker

PRO 50 MAGNETIC DRILL

- Versatile & Multi-Purpose, European Made Machine
- Capacity (diameter) 52mm Capacity (depth) 52mm
- #2 Morse taper spindle, for use with drill chucks, taper shank drills, reamers etc.
- Powerful 1260W motor 2-speed gearbox
- 16.5kg Comes complete in metal
- carry case (HMPRO50) 299

Holemaker

Intuitive top mount control

(HMSPECIAL80)

Part No. Diameter Price

12mm

14mm

16mm

18mm

20mm

22mm

24mm

\$85

AT1225

AT1425

AT1625

AT1825

AT2025

AT2225

AT2425

panel • Very light weight 18kg

SPECIAL 80

• European made



Holemaker

Holemaker

· Lightweight, only 9.5kg!

MAGNETIC DRILL

176mm constant working height

PRO 36AD

Ultra low profile

PRO 65 MAGNETIC DRILL

- European made
- Capacity (diameter) 65mm
- Capacity (depth) 75mm
- Dual rail slide system
- Powerful 1500W motor
- 2-speed gearbox
- Lightweight, only 17kg Comes complete in plastic carry case HMPRO65

\$**23**19

Holemaker **SPECIAL 110** MAGNETIC DRILL

- #3 Morse taper spindle
- European made
- Capacity (diameter) 110mm
- Capacity (depth) 110mm 32mm #3MT drill bit capacity
- M30 Tapping Capacity
- 4-speed variable gearbox
 Powerful 2150W Italian motor Electronic clutch
 Overload
- and overheat protection Tilt sensor • 360-degree
- visual monitoring system Intuitive top mount control panel • Very light weight 25kg
- (HMSPECIAL110)

Holemaker MAX T.C.T. SERIES

ANNULAR CUTTERS Available in sizes 12 - 200mm diameter

- Available in 35mm, 50mm, 75mm, 100mm, 150mm & 200mm depth of cut
- Suitable for drilling hard steels
- · Less susceptible to breakage than standard
- HSS cutters, especially in larger diameters

50MM D		
Part No.	Diameter	Price
MAX50-12	12mm	\$120
MAX50-14	14mm	\$120
MAX50-16	16mm	\$130
MAX50-18	18mm	\$135
MAX50-20	20mm	\$135
MAX50-22	22mm	\$135
MAX50-24	24mm	\$150



12WW DI	EPIR	
Part No.	Diameter	Price
MAX75-14	14mm	\$230
MAX75-16	16mm	\$230
MAX75-18	18mm	\$230
MAX75-20	20mm	\$230
MAX75-22	22mm	\$250
MAX75-24	24mm	\$250
MAX75-26	26mm	\$270



50мм DEPTH

AT1250 12mm

AT2450 24mm

AT1450

AT1650

AT1850

AT2050

AT2250

Part No. Diameter Price

14mm

16mm

18mm

20mm

22mm

\$110
























TORQUE WRENCHES

STANDARD TORQUE WRENCHES

- · Nm engraved marking scales on the front
- · Ft-lb or in-lb engraved marking scales on the back
- Non-slip knurled handle design
- Turn screw to unlock and lock the torque setting
- Premium quality Made in Taiwan
- · Supplied with certificate of calibration
- · Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TE205025N	1/4"	5~25Nm (44.3~221.3in-lb)	\$69
M7-TE225250N	1/4"	2.8~28.2Nm (2~20 ft-lb)	\$69
M7-TE305025N	3/8"	5~25Nm (44.3~221.3in-lb)	\$69
M7-TE320110N	3/8"	20~110Nm (14.8~81.1ft-lb)	\$69
M7-TE428210N	1/2"	28~210Nm (20.7~154.9ft-lb)	\$72
M7-TE450350N	1/2"	50~350Nm (36.9~258.1ft-lb)	\$125
M7-TE820100N	1"	200~1000Nm (166~719ft-lb)	\$869
M7-TE850250N	1"	500~2500Nm (443~1771ft-lb)	\$2995

WINDOW SCALE TYPE TORQUE WRENCHES

- Window scale screen with both Nm and ft-lb indicated
- Very precise adjustment of the torque setting can be achieved,
- with the turn handle clicking with each 1Nm adjustment · Turn lever to unlock and lock the torque setting
- Premium quality Made in Taiwan
 Supplied with certificate of calibration
- · Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TW210222	1/4"	2~25Nm (1.5~18ft-lb)	\$139
M7-TW310552	3/8"	5~50Nm (3.5~37ft-lb)	\$159
M7-TW311102	3/8"	10~100Nm (8~75ft-lb)	\$169
M7-TW412202	1/2"	20~200Nm (10~150ft-lb)	\$189
M7-TW416302	1/2"	60~300Nm (45~200ft-lb)	\$199
M7-TW611602	3/4"	100~600Nm (75~440ft-lb)	\$659
M7-TW612102	3/4"	200~1000Nm (150~740ft-lb)	\$799

WINDOW SCALE TYPE TORQUE WRENCHES - REVERSIBLE

- · Window scale screen with both Nm and ft-lb indicated
- · Reversible works in both clockwise and anti-clockwise direction
- Very precise adjustment of the torque setting can be achieved, with the turn handle clicking with each 1Nm adjustment
- Turn lever to unlock and lock the torque setting
- Premium quality Made in Taiwan
- · Supplied with certificate of calibration Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TD202025	1/4"	2~25Nm (1.5~18.4ft-lb)	\$169
M7-TD305050	3/8"	5~50Nm (3.5~36.9ft-lb)	\$179
M7-TD410100	1/2"	10~100Nm (8~75ft-lb)	\$199
M7-TD420200	1/2"	20~200Nm (10~150ft-lb)	\$215
M7-TD610060	3/4"	100~600Nm (75~440ft-lb)	\$699

PROFESSIONAL TORQUE WRENCHES - REVERSIBLE

- · Nm engraved marking scales on the front
- · Ft-lb engraved marking scales on the back
- · Reversible works in both clockwise and anti-clockwise direction Very precise adjustment of the torque setting can be achieved, with the turn handle clicking and locking with each 1Nm adjustment
 Pull back collar locking mechanism

- Premium quality Made in Taiwan
 Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TB205025N	1/4"	5~25Nm (3.69~18.4ft-lb)	\$99
M7-TB305025N	3/8"	5~25Nm (3.69~18.4ft-lb)	\$99
M7-TB320110N	3/8"	20~110Nm (14.8~81.1ft-lb)	\$109
M7-TB420210N	1/2"	20~210Nm (14.8~155ft-lb)	\$129
M7-TB450350N	1/2"	50~350Nm (36.9~258.1ft-lb)	\$169
M7-TB610060N	3/4"	100~600Nm (75~440ft-lb)	\$729
M7-TB615080N	3/4"	150~800Nm (110~590ft-lb)	\$850
M7-TB620100N	3/4"	200~1000Nm (150~740ft-lb)	\$939

FLEXIBLE HEAD TORQUE WRENCHES

- 15 Degree flexible head
- Ft-lb marking scales on the front
- · Pull back collar locking mechanism
- Premium quality Made in Taiwan
- Supplied with certificate of calibration
- · Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TF310080N	3/8"	13.5~108Nm (10~80ft-lb)	\$189
M7-TF430250N	1/2"	40.6~339Nm (30~250ft-lb)	\$245

SPLIT BEAM TORQUE WRENCHES

- - Window scale screen with ft-lb indicated
 - · Adjustment of torque setting made with turn dial on side
- 15 Degree flexible head
- Premium quality Made in Taiwan
- · Supplied with certificate of calibration
- · Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TS320100N	3/8"	27~135.6Nm (20~100ft-lb)	\$225
M7-TS440250N	1/2"	54.2~339Nm (40~250ft-lb)	\$255





INDUSTRIAL QUALITY PETROL GENERATORS

TRADE SERIES

ITM Trade Series generators are equipped with a reliable AVR (Automatic Voltage Regulator) alternator utilising advanced electronic technology to provide a very pure energy supply with a THD (Total Harmonic Distortion) of <5%. This clean and pure output means they are suitable to power even the most delicate electronic devices electronic devices.

- Powerful 4 stroke OHV engines
- •
- Low oil sensor Digital multimeter display Large capacity fuel tanks







NEW

Part No.	TM510-2300	TM510-2800	TM510-3400	TM510-5500	TM510-6500	TM510-8000
Engine HP	6hp	7hp	8hp	13hp	15hp	17hp
KVA	2.8	3.5	4	6.8	8.1	10
Max Watts	2,300	2,800	3,400	5,500	6,500	8,000
Rated Watts	2,000	2,500	3,200	5,000	6,000	7,500
Noise @ 7m Full Load	75dB	75dB	76dB	78dB	79dB	80dB
Outlets	2 x 15A					
Fuel Tank	15L	15L	15L	25L	25L	25L
Running Time - 50% Load	19 hours	16 hours	14 hours	13 hours	12 hours	10 hours
Starting System	Recoil	Recoil	Electric	Electric	Electric	Electric
Handle & Wheel Kit	No	No	No	Yes	Yes	Yes
Net Weight	41kg	44kg	52kg	81kg	85kg	85kg
Price	\$799	\$899	\$1099	\$1649	\$1849	\$1995

CONSTRUCTION SERIES

The Construction Series models have a simple push button electric start (battery included) with a convenient remote control which is perfect for the large property or worksite where the generator may not be close to the tool being powered.

All models come complete with a heavy duty handle and wheel kit, IP66 rated power outlets and RCD (Residual Current Device.) The construction series gens are perfect for the professional tradesman needing a tough yet reliable source of power.







Part No.	TM520-3400	TM520-5500	TM520-6500	TM520-8000
Engine HP	8hp	13hp	15hp	17hp
KVA	4	6.8	8.1	10
Max Watts	3,400	5,500	6,500	8,000
Rated Watts	3,200	5,000	6,000	7,500
Noise @ 7m Full Load	76dB	78dB	79dB	80dB
Outlets	1 x IP66	2 x IP66	2 x IP66	2 x IP66
Fuel Tank	15L	25L	25L	25L
Running Time - 50% load	14 hours	13 hours	12 hours	10 hours
Starting System	Electric w/ Remote	Electric w/ Remote	Electric w/ Remote	Electric w/ Remote
Handle & Wheel Kit	Yes	Yes	Yes	Yes
Net Weight	54kg	83kg	88kg	95kg
Price	\$1299	\$1899	\$2099	\$2299



CLICK HERE



PETROL GENERATORS

- Powered by Australian approved Honda GX Series Engines
 All models come complete with, IP66 rated power outlets and R.C.D. (Residual Current Device), the Construction Series Generators are perfect for the professional tradesman needing a
- tough yet reliable source of power • Powerful 4 stroke O.H.V. engines
- Low oil sensor
- · 2-year warranty, 3-year Honda engine warranty
- A.V.R. (Automatic Voltage Regulator)







Heavy duty roll cage frameHeavy duty pump body

· Powerful 7hp 4 stroke engines

· Heavy-duty roll cage frame

HERE

· 3-year Honda engine limited warranty



POWERED by HONDA

WATER PUMPS

50MM PETROL WATER TRANSFER PUMP

 Powered by Honda GX160 5.5hp 4 stroke engine



TO FIND YO

Part No.	TM532-050
Engine HP	5.5hp
Inlet / Outlet Size	50mm (2")
Maximum Suction Lift	7m
Maximum Head	32m
Maximum Flow	35,000 l/hr (583 l/min)
Net Weight	25kg
Price	\$999

80MM PETROL WATER

Powered by Honda GX160 5.5hp 4 stroke engine
Ideal for biob volume

high volume applications

TM532-080
5.5hp
80mm
7m
30m
60,000 l/hr (1000 l/min)
27kg
\$1099

2-year trade warranty on put		
ATER	50MM PETROL	WATER

Price

• Powered by Honda GX200

6.5hp 4 stroke engine

• Powered by Australian approved Honda GX Series Engines

Twin impeller delivers water higher and further




Part No.	TM532-250
Engine HP	6.5hp
Inlet Size	50mm (2")
Outlet Size	1x 50mm (2"), 2x 38mm (1.5")
Maximum Suction Lift	7m
Maximum Head	75m
Maximum Flow	21,000 l/hr (350 l/min)
Net Weight	29kg
Price	\$1099

· Heavy-duty aluminium pump body

2-vear trade warranty

HOGH

WATER PUMPS



FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

CLICK

INDUSTRIAL SERIES COMPRESSOR FEATURES

- Durable copper wound motors
- Full brass non-return valve
- Soft start valve
- Condor pressure switches145psi (10 Bar) maximum pressure
- AS1210 Approved tanks
- Thermal overload protection
- Includes filter regulator with one-touch
- "Nitto style" couplers
- 200mm Solid rubber wheels
- 3-year pump warranty



 Ideal builder's compressor • Single cast iron cylinder pump with aluminium head • Filter regulator • 240V 10amp • Large 50L tank • FAD 175 I/min (*TM350-25050*)



 Ideal builder's compressor • V-Twin cast iron cylinder pump with aluminium heads • Filter regulator • 240V 10amp • Large 50L tank • FAD 185 l/min (*TM351-22050*)



2.5HP BELT DRIVE AIR COMPRESSOR - 60L

- V-Twin cast iron cylinder pump with aluminium heads
- Filter regulator 240V 10amp Large 60L tank
- FAD 257 I/min (TM351-25060)



2.5HP BELT DRIVE AIR COMPRESSOR - 90L

V-Twin cast iron cylinder pump with aluminium heads
 Filter regulator • 240V 10amp • Large 90L tank

• FAD 257 l/min *(TM351-25090)*



3HP BELT DRIVE AIR COMPRESSOR - 50L

• Ideal for commercial applications • Cast iron cylinder pump with aluminium head • Filter regulator • Large 50L tank • FAD 318 l/min • 240V 15amp (*TM351-30050*)



3HP BELT DRIVE **W** AIR COMPRESSOR - 60L

 Ideal for commercial applications • Triple cast iron cylinder pump with aluminium heads • Filter regulator • 60L tank • FAD 328 l/min • 240V 15amp (*TM351-30060*)



3HP BELT DRIVE AIR COMPRESSOR - 90L

 Ideal for commercial applications • Triple cast iron cylinder pump with aluminium heads • Filter regulator • 90L tank • FAD 328 l/min • 240V 15amp (*TM351-30090*)



5.5HP PETROL BELT DRIVE AIR COMPRESSOR - 60L

• Powered by Honda GX160 5.5hp engine • HD cast iron cylinder with aluminum head • Filter regulator • Large 60L tank • FAD 355 l/min (*TM352-55060*)





ALUMINIUM TWIN TANK COMPRESSOR FEATURES

- Perfect for nailing applications
- Powerful 4 pole induction motors
- Oil free pumps for virtually maintenance free operation
- Very quiet, ideal for indoor use
- Light weight aircraft aluminium alloy tanks
- Compact and portable design
- Max pressure: 135psi (9.3 bar)
- One-touch "Nitto style" couplers
- 3-year complete warranty



TRADE SERIES COMPRESSOR FEATURES

· Ideal for the home workshop and

- intermittent professional user
- Maximum working pressure of 116 psi (8 bar)
- Regulated outlet
- One-touch "Nitto style" coupler3-year pump warranty



1.0HP DIRECT DRIVE

AIR COMPRESSOR - 10L • Silent oil free pump - only 60dB! • FAD: 62 l/min

• 10L tank • Weight: 19kg (TM350-10010)



\$599 The second second

AIR COMPRESSOR - 16L • Silent oil free pump - only 67dB • FAD: 125 I/min • 16L tank • Weight: 26.4kg (*TM350-20016*)



2.5HP DIRECT DRIVE AIR COMPRESSOR - 36L

Single cylinder oil lubricated pump • FAD: 135 l/min
 Solid rubber wheels • 36L tank • Regulated outlet with

one-touch "Nitto style" connector (TM354-25036)



2.2HP BELT DRIVE AIR COMPRESSOR - 50

^{\$749}

• V-Twin cast iron cylinder pump • FAD: 170 l/min • Solid rubber wheels • 50L tank • Regulated outlet with one-touch "Nitto style" connector (*TM354-22050*)



PVC AIR HOSES - FITTED

• Durable PVC • Grease, oil & abrasion resistant • Nitto style fittings • Kink proof collar • Max pressure: 300psi

•	•	
Part No.	Description	Price
TM300-210	10M 3/8" I.D.	\$32
TM300-220	20M 3/8" I.D.	\$49
TM300-230	30M 3/8" I.D.	\$66



\$329

High-Flex hose

• Anti-kink technology, the hose will not kink when under pressure • Superior all weather flexibility -5°C to 65°C • 300psi maximum working pressure • Hi-visibility for safety • Nitto style fittings

Part No. Description Price TM300-315N 15M 3/8" I.D. \$55 TM300-330N 30M 3/8" I.D. \$85 TM300-415 15m 1/2" I.D. \$69 TM300-430 30m 1/2" I.D. \$119



Hybrid polymer High-Flex hose Anti-kink technology the hose

will not kink when under pressure flexibility -5°C to 65°C • 300psi max working pressure • No fittings or collar

Part No.	Description	Price
TM300-3100	100M 3/8" I.D.	\$319
TM300-4100	100M 1/2" I.D.	\$429
TM300-5100	100M 3/4" I.D.	\$699

FILTER REGULATORS

Sintered bronze filter element

- Max input pressure 175psiMax output pressure 145psi
- 80ml drain capacity
- Includes mounting bracket

includes mounting blacket			
Part No.	Description	Price	
TM340-012	• 1/4" Port	\$65	
	 Semi-auto drain 		

	oonn aato aram	
	• 1750 l/min max flow	
TM340-014	• 1/2" Port	\$110
	 Automatic drain 	

• 3000 I/min max flow

15M HOSE REEL

• Reinforced PVC air hose • Auto retractable • Auto lock to any length • Auto track guided hose laying system • Hose length: 15m • Hose I.D.: 10mm (3/8") (*TM300-015*)



20M HOSE REEL

Hybrid high-flex air hose • Anti-kink technology
 Auto lock to any length • Auto retractable • Hose
 length: 20m • Hose I.D.:10mm (3/8") • Hi-visibility
 for safety (*TM300-020*)



30M HOSE REEL

• Braided PU hose • Manual rewind • Heavy duty steel frame • Kink-proof collar on hose • Hose length: 30m • Hose I.D.: 8mm (*TM300-030*)





IMPACT WRENCH 1/2" DRIVE

 Heavy duty twin hammer • 3 torque settings • Max torque: 680 Nm (500 ft-lb) • Free speed: 7000rpm (*TM340-135*)



COMPOSITE IMPACT WRENCH 1/2" DRIVE

Aluminium composite material construction • Heavy duty twin hammer • 3 torque settings
820 Nm (625 ft-lb) Max torque
•6,800rpm Free speed (*TM340-136*)



COMPOSITE IMPACT WRENCH 3/4" DRIVE

 Aluminium composite material construction • Heavy duty twin hammer • 3 torque settings 1,200 Nm (885 ft-lb) Max torque • 4,200 rpm Free speed (*TM340-145*)









RATCHET WRENCHES

Compact design • Rear 4-speed regulator
Max torque: 85 Nm (60 ft-lb)

Max torque: 85 Nm (6
 Frag appade 160 rpm)

 Free 	speed:	160rpm

Part No.	Drive	Price
TM340-225	3/8"	\$89
TM340-235	1/2"	\$99



ITM AIR

- DIE GRINDER
- Compact design
 Rear 4-speed regulator
- Length: 173mm
- Free speed: 25000rpm
- (TM340-312)





DIE GRINDER KIT WITH 3 CARBIDE BURRS

 Die grinder as per TM340-312, Including: 3/8" Cylindrical - End Cut, 3/8" Oval Shape, 3/8" Tree Shape - Radius End Cut (TM340-312KIT3)



DIE GRINDER

- Compact design
- Rear 4-speed regulator
- Length: 180mm
- Free speed: 20000rpm (TM340-322)



\$69

- CUT OFF TOOL
- Compact design
- Rear 4-speed regulator
 Cutting wheel: 75mm (3")
- Free speed: 20000rpm (*TM340-502*)
- Free speed: 20000rpm (1M340-502)



HYDRAULIC RIVETER

- Sets 2.4, 3.2, 4.0, 4.8mm Steel,
- Aluminium & Stainless steel rivets
- Traction Power: 3,086lb (1400kg) • Stroke Length: 16mm (*TM340-802*)
- ^{\$}109

NEEDLE SCALER


- Heavy duty metal construction
- Blows per minute: 2800
- Stroke: 24mm • Length: 315mm (*TM340-414*)



AIR HAMMER KIT

- Includes 5 piece chisel kit
- Blows per minute: 3000rpm
- Stroke: 66mm (TM340-404)





Star

(TM340-902)

TO FIND YOU

Aluminium pot (TM340-901)

S-770 SERIES SUCTION FEED GUNS

• Pot size: 1000ml • Includes: Gun, pot, stainless steel nozzle and needle • A popular conventional high pressure spray gun that provides extremely fine atomisation for the D.I.Y. person to the professional

Part No.	Nozzle Size	Spray Pattern	Price	14
S770-11S	1.5mm	235mm	\$175	
S770-21S	1.7mm	245mm	\$175	the little
S770-31S	2.0mm	260mm	\$175	6.4
S770-41S	2.5mm	275mm	\$175	
S770-51S	3.0mm	275mm	\$230	

PREMIUM SMP SERIES SUCTION FEED GUNS

Achieves large fan, premium
 finishing results, fast application speed
 and 65% transfer efficiency at 29psi
 Ideal for car refinishing, high class
 furniture and industrial use
 Adjustable spray pattern 280-330mm
 Includes: Gun, 1000ml pot,
 stainless steel nozzle and needle

Part No.	Nozzle Size	Price	l
SG-SMP106FS-014	1.4mm	\$310	1
SG-SMP106FS-016	1.6mm	\$310	N
SG-SMP106FS-018	1.8mm	\$310	
SG-SMP106FS-020	2.0mm	\$310	
SG-SMP106FS-025	2.5mm	\$310	

S-106 SERIES GRAVITY FEED GUNS

Pot size: 600ml
Includes: Gun, pot, stainless steel nozzle and needle
Provides constant paint flow at lower pressures, and extremely fine atomisation

(TM340-903)

Part No.	Nozzle Size	Spray Pattern	Price	-Wi
S106-141G	1.4mm	250mm	\$210	
S106-201G	2.0mm	270mm	\$210	
S106-251G	2.5mm	270mm	\$225	
S106-281G	2.8mm	270mm	\$225	

PREMIUM SMP SERIES GRAVITY FEED GUNS

Achieves large fan, premium finishing results, fast application speed and 65% transfer efficiency at 29psi
Ideal for car refinishing, high class furniture and industrial use
Adjustable spray pattern 280-330mm
Includes: Gun, 600ml pot, stainless steel nozzle and needle

Part No.	Nozzle Size	Price	11-1
SG-SMP106FG-013	1.3mm	\$300	22
SG-SMP106FG-014	1.4mm	\$300	1
SG-SMP106FG-015	1.5mm	\$300	
SG-SMP106FG-018	1.8mm	\$300	5
SG-SMP106FG-020	2.0mm	\$300	
SG-SMP106FG-025	2.5mm	\$300	

CLICK HERE

\$155 SUCTIO

• 600ml Plastic pot (TM340-904)

SUCTION FEED TOUCH UP GUN

(TM340-002)

Pot size: 250ml Nozzle size: 1.4mm Spray pattern: 120mm Includes: Gun, pot, stainless steel nozzle and needle • Ideal for custom designing, auto touch-up work, detail spray work and stencil spraying (SJ108)

PROFESSIONAL EVO-T SERIES GRAVITY FEED GUNS

• EVO-T Patented air cap design providing ultra fine finish & excellent transfer efficiency exceeding 72% at 15psi

Adjustable spray pattern 280-330mm
 Includes: Gun, 600ml pot,
 stainless steel nozzle & needle

Part No.	Nozzle Size	Price
SG-EV0106FG-013	1.3mm	\$320
SG-EV0106FG-014	1.4mm	\$320
SG-EV0106FG-018	1.8mm	\$320
SG-EV0106FG-020	2.0mm	\$320
SG-EV0106FG-025	2.5mm	\$320

STOCKIS



Nozzle sizes: 2.4, 3.2, 4.0, 4.8mm
 4.8mm (3/16") Aluminium & steel
rivet capacity

• 4.0mm (5/32") Stainless rivet capacity

- Stroke length: 16mm Net weight: 1.5kg
- Traction power: 2303 lbf (M7-PA301)

AIR HYDRAULIC RIVETER • Nozzle sizes: 2.4, 3.2, 4.0, 4.8, 6.0 & 6.4mm • 6.4mm (1/4") Aluminium & steel

- rivet capacity • 4.8mm (3/16") Stainless rivet capacity
- 4.8mm (3/16") Stainless rivet capacity
 Stroke length: 14mm Net weight: 1.8kg
- Traction power: 3534 lbf (M7-PA201)
- AIR HYDRAULIC RIVET NUT TOOL • Automatic mechanism to quickly push up and pull back rivet nut. • Comes with mandrel sizes: M3, M4, M5, M6, M8, M10 & M12 • Traction Power: 4300lbf
 - Stroke Length: 7.0mm (M7-PB2601)



FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

15





LONG NOSE 165MM (TM603-401)





TO FIND YO



LOCKING PLIER

200мм (ТМ603-500)

HERE

STRAIGHT JAW

\$25



STRAIGHT JAW

\$32

31067

WELDING CLAMP LOCKING PLIER 200mm (TM603-600)

CLICK

	FORGED STEEL CLAMPS • Premium quality forged steel clamps • Tempered & hot forged steel • Nickel & chrome plating • Part No. Span x Depth Clamping Force • Price EC-G16CS • C-G20CS 200x100mm • EC-G30CS 300x140mm • EC-G40CS 400x175mm • EC-G40CS 400x175mm • EC-G40CS 800x175mm • EC-G80CS 800x175mm • EC-G80CS 800x175mm • EC-G400CS 1000x175mm • EC-G100CS 1000x175mm	HEAVY DUTY FORGED STEEL CLAMPS - Larger rail sizes 30x15mm - For heavy duty applications - Changeable clamping heads - Socket drive handle - Up to 1000mm span available - Up to 1000mm span available - C-GS30C 300x140mm 1200kg \$145 EC-GS40C 400x120mm 1200kg \$160 EC-GS50C 500x140mm 1200kg \$185 EC-GS80C 800x140mm 1200kg \$185 EC-GS80C 800x140mm 1200kg \$220 EC-GS100C 1000x120mm 1200kg \$225
OUICK ACTION FORGED STEEL FORGED STEEL CLAMPS • Ratchet type lever prevents overloading & resists vibration • For high pressure, fast action clamping purposes Part No. Span x Depth Clamping Force Price EC-G16L 160x80mm 160x80mm 300kg EC-G20L 200x100mm 200x100mm 500kg EC-G30L 300x140mm 500kg \$145 EC-G50L 500x120mm	Pivor handle porged steel Pito comfortable pivot handle makes it easier to achieve maximum clamping pressure & allows faster clamping in restricted working areas Part No. Span x Depth Part No. Span x Depth Clamping Force Price EC-REG20C 200x100mm 670kg \$62 EC-REG30C 300x140mm 670kg \$90 EC-REG40C 400x175mm Tookg \$115 EC-REG60C 600x175mm	EXTRA HEAVY DUTY DORGED STEEL CLAMPS EXTRA HEAVY DUTY DORGED STEEL CLAMPS EXTRA Large rail size 40x20mm For heavy duty applications For heavy duty applications Ocket drive handle Up to 1500mm span available EC-SSX0C 300x175mm 2200kg \$2265 EC-SSX0C 600x175mm 2200kg \$2200 EC-SSS0C 600x175mm 2200kg \$200 EC-SSS10C 1000x175mm 2200kg \$400 EC-SS10C 1500x175mm 2200kg \$400





CAST IRON F CLAMPS

 Malleable cast jaws for strength and durability • Serrated slip resistant profiled rail Rubber grip handle
 Removable soft pads

Part No.	Span x Depth	Price
TC-F200120	200x120mm	\$18
TC-F250120	250x120mm	\$20
TC-F300120	300x120mm	\$20
TC-F400120	400x120mm	\$22
TC-F500120	500x120mm	\$28
TC-F600120	600x120mm	\$31
TC-F800120	800x120mm	\$32

CAST IRON C CLAMPS Malleable cast jaws for

strength and durability			
Part No.	Span x Depth	Price	
TC-C075	75 x 47mm	\$11.50	
TC-C100	100 x 54mm	\$12.50	
TC-C150	150 x 68mm	\$16	
TC-C200	200 x 75mm	\$19	
TC-C250	250 x 95mm	\$25	
TC-C300	300 x 105mm	\$39	

BAR CLAMP & SPREADER

 Durable plastic construction Removable rubber pressure pads • Rubber grip handle • Quick release lever • Head can be placed on opposite end to create a spreader

Part No.	Span x Depth	Price
TC-6PT	150 x 85mm	\$28
TC-12PT	300 x 85mm	\$29
TC-18PT	450 x 85mm	\$30
TC-24PT	600 x 85mm	\$31



MULTI FUNCTION

 Cast alloy construction • 400kg clamping pressure • Head can be reversed to create a spreader • Removable soft pads • Spring loaded pressure jaw

•	•	
Part No.	Span x Depth	Price
EC-TC-6A	150x85mm	\$44
EC-TC-12A	300x85mm	\$48
EC-TC-18A	450x85mm	\$50
EC-TC-24A	600x85mm	\$54



FORGED HANDLE **BOLT CUTTERS**

- Two stage heat treated precision machi jaws for extended cutting and resilience Adjustable arms
- · Solid forged steel handles for durability
- Non-slip comfort rubber grips
- · Built in stops for added safety

	Part No.	Length	Price	
	TM600-035	350mm	\$39	
ned	TM600-045	450mm	\$59	
	TM600-060	600mm	\$79	
	TM600-075	750mm	\$99	
	TM600-090	900mm	\$149	
	TM600-105	1050mm	\$199	

EXTRA HEAVY DUTY BOLT CUTTERS

- Optimal performance for cutting high tensile material
- Two stage heat treated, precision machined
- Part No. Length Price jaws for extended cutting and resilience TM601-075 750mm \$129 Adjustable arms TM601-090 900mm \$169

TM601-105

1050mm

- · Solid forged steel handles for durability
- · Built in stops for added safety





WORKSHOP BENCH VICES

 Hardened steel jaws
 Close grained cast iron body Integrated anvil for shaping

• Integrated anvir for snaping and beating				
Part No.	Jaw Width	Weight	Price	
TM098-100	100mm	7kg	\$95	
TM098-125	125mm	10kg	\$139	
TM098-150	150mm	14kg	\$175	
TM098-200	200mm	22kg	\$245	
	Part No. TM098-100 TM098-125 TM098-150	Part No. Jaw Width TM098-100 100mm TM098-125 125mm TM098-150 150mm	Part No. Jaw Width Weight TM098-100 100mm 7kg TM098-125 125mm 10kg TM098-150 150mm 14kg	



PROFESSIONAL MECHANICS BENCH VICES

Part No.	Jaw Width	Weight	Price
TM100-075	75mm	7.5kg	\$89
TM100-100	100mm	10.0kg	\$129
TM100-125	125mm	15.5kg	\$185
TM100-150	150mm	18.0kg	\$220
TM100-200	200mm	31.0kg	\$330



MULTI-PURPOSE BENCH VICE

 Jaw width: 135mm • Jaw opening: 135mm • Pipe holding capacity: 25mm - 65mm • 18.5kg • Hardened & tempered jaws • 360° Rotation with safety locking nuts • 360° Swivel base • Hardened anvil (TM101-125)

MAGNETIC VICE JAWS

• Easy to use, simply place over existing jaws and 2

magnetic tabs hold jaws in place • Protects work piece

FABRICATED STEEL BENCH VICES

 Precision machined knurled jaws with V-Groove • Large diameter screw • Extra heavy-duty • Precise sliding jaw



Part No.	Jaw Width	Weight	Price	
TM102-100	100mm	10.5kg	\$160	
TM102-125	125mm	18.5kg	\$280	-
TM102-150	150mm	22.6kg	\$315	
TM102-200	200mm	37.0kg	\$585	



	UAII		6.16
Part No.	Jaw Width	Weight	Price
TM104-100	100mm	11.2kg	\$165
TM104-125	125mm	20.3kg	\$315
TM104-150	150mm	25.0kg	\$335
TM104-200	200mm	60.0kg	\$860



FIBRE FACE

Part No.	To Suit	Price
TM122-100	100mm (4") Bench Vices	\$16
TM122-125	125mm (5") Bench Vices	\$18
TM122-150	150mm (6") Bench Vices	\$21

RUBBER FACE

Part No.	To Suit	Price
TM123-100	100mm (4") Bench Vices	\$16
TM123-125	125mm (5") Bench Vices	\$18
TM123-150	150mm (6") Bench Vices	\$21



- Jaw width: 110mm Jaw opening: 100mm • X movement: 85mm • Y movement: 110mm
- Net weight: 7kg Cast iron body
- Machined steel jaws (TM130-100)

- Jaw width: 160mm Jaw opening: 150mm
- X movement: 160mm Y movement: 155mm
- Net weight: 14.5kg
 Cast iron body
- Machined steel jaws (TM130-150)



नगमः

PARTS CABINETS

- Highest quality & heavy duty, robust parts cabinets designed for every day industrial use
- Metal frame construction using 0.8mm galvanised steel
 ABS High strength plastic drawers. Oil, acid and impact resistant.
- Large range of sizes and styles
- Drawers come with dividers & contents description slip

DIVIDERS

Packs of 10

Part No.	Description	Price
PB-A4DIVIDER	10x A4 Series Dividers	\$5.60
PB-A5DIVIDER	10x A5 Series Dividers	\$6.70
PB-A6DIVIDER	10x A6 Series Dividers	\$7.70
PB-A7DIVIDER	10x A7 Series Dividers	\$5.60
PB-A8DIVIDER	10x A8 Series Dividers	\$6.70
PB-HDDIVIDER	10x HD Series Dividers	\$7.70



A8 SERIES

• 60 drawers • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H *(PB-A8560)*



ST1 SERIES

• 75 drawer • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (*PB-ST1575*)



ST2 SERIES

A7 SERIES

drawer

• 60 drawer • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (*PB-ST2460*)



• Transparent PS plastic window • 10kg capacity per

drawer • Slots for 3x dividers • 1x divider supplied per

A5 SERIES

• Large capacity • Transparent PS plastic window • 10kg capacity per drawer • Slots for 5x dividers • 1x divider supplied per drawer

A6 SERIES

• 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer





DIGITAL VERNIER CALIPERS

 Large easy to read dual mode LCD screen (metric/imperial) • Manufactured from hardened stainless steel • Suitable for inside, outside, depth and step measurements • Auto off feature • Zero setting at any position • Durable plastic storage case • Graduation: 1mm intervals • Accuracy: +/-0.03mm • Resolution: 0.01mm (0.0005") Battery included



VERNIER CALIPERS

25_{MM} DIGITAL

- · Metric and imperial measurements
- Manufactured from hardened stainless steel · Convenient thumb screw locking mechanism • Suitable for inside, outside, depth and step measurements • Durable plastic storage case Graduation: 1mm intervals • Lower resolution:
- 0.05mm Accuracy: +/- 0.03mm

OUTSIDE MICROMETER

• Battery included (TM610-625)

25мм OUTSIDE

MICROMETER

(TM610-525)

screw • Carbide tipped measuring faces

Ratchet thimble • Durable plastic storage

case • Range: 0 - 25mm • Graduation: 0.01mm • Accuracy: +/- 0.04mm • Jaw reach: 29mm

sfy





6 PIECE SET

\$58

• Pocket Scriber 3-1/2" (89mm) Inside Caliper 4" (100mm) • Outside Caliper 4" (100mm) • Centre Punch 5/32" (4mm) (GZ-03600)

Description

190mm Double End Scriber, Steel

Body, Straight & 90° Point

230mm Double End Scriber, Steel

Body, Straight & 90° Point

170mm Double End Scriber, Steel

Body, Point And Chisel End

150mm Pocket Scriber, Steel

Body, Carbide Tip With Magnet

\$18

\$30

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

200mm

250mm

300mm

CLICK

GZ-03214 89mm Pocket Scriber, Steel Body

Price

\$8.50

\$9.50

\$11

\$8 50

\$14

- Screw Cutting Gauge Steel Rule 6" (150 mm)

SCRIBERS • 55-60 HRC hardened tips

Part No.

GZ-03210

G7-03211

GZ-03217

GZ-03221

GROZ



\$gn 7 PIECE SET

- Engineer's Precision Square 4" (100mm)
 - Jenny Caliper 6" (150mm)
 - Steel Rule 6" (150 mm)
 - Double Ended Scriber 7-1/2" (190mm)
- Centre Punch (4mm)
- Spring Divider 4" (100mm) Adjustable Tap & Reamer Wrench 180mm (GZ-03601)

\$18

\$30

200mm

250mm

300mm

SQUARES High grade steel with hardened blade

MACHINIST'S

					650 C
Part No.	Blade Length	Price			
GZ-01100	50mm	\$14	Part No.	Blade Length	Price
GZ-01101	75mm	\$14	GZ-01104	200mm	\$31
GZ-01102	100mm	\$17	GZ-01106	250mm	\$64
GZ-01103	150mm	\$21	GZ-01107	300mm	\$95
Part No.		Description			ice
GZ-01110	Set Including: 50, 75, 100, 150mm			n \$	70



GZ-01414

GZ-01415

GZ-01828

HERE

\$30

\$35

\$75

STOCK

GZ-01423

GZ-01424

GZ-01425

250mm

300mm

600mm

TO FIND YOU

G7-01403

GZ-01404

GZ-01405





24 PIECE SET

- Cold Chisels: 125 x 6mm, 125 x 8mm, 140 x 10mm,
- 150 x 13mm, 163 x 16mm, 175 x 19mm, 190 x 22mm • Pin Punches: 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16"
- Starting Punches: 1/16", 1/8", 5/32", 3/16", 3/16", 1/4", 5/16"
- Centre Punches: 5/64", 5/32", 1/4" (GZ-33003)



14 PIECE SET

- Cold Chisels: 140 x 10mm, 150 x 13mm, 163 x 16mm, 175 x 19mm, 190 x 22mm
- Centre Punches: 5/32", 1/4"
- Pin Punches: 1/16", 1/8", 3/16"
- Drift Punches: 1/8", 5/32"
- Starting Punches: 5/16", 1/8" (GZ-33001)



16 PIECE SET

- Cold Chisels: 125 x 8mm, 150 x 13mm, 163 x 16mm, 175 x 19mm, 200 x 22mm
- Centre Punches: 1/8", 5/32", 1/4"
- Pin Punches: 1/8", 3/16", 1/4"
- Drift Punches: 3/16", 1/4"
- Starting Punches: 1/8", 3/16", 1/4"
- (GZ-33002)





• 6 pce • 125x6mm, 125x8mm, 140x10mm, 150x13mm, 163x16mm 175x19mm (GZ-32830)



• Hardened and tempered carbon steel • 6 piece set: 2.4mm (3/32"), 3mm (1/8"), 4mm (5/32"), 5mm (3/16"), 6mm (1/4"), 8mm (5/16") (GZ-25612)



EXTRA LONG PIN PUNCH SET

• 200mm OAL • 5 piece set: 3mm (1/8"), 5mm (3/16"), 6mm (1/4"), 8mm (5/16"), 9.5mm (3/8") (GZ-25655)



CENTRE PUNCH SET · Hardened and tempered carbon steel, designed for demanding industrial use • 5 piece set: 2mm (5/64"), 3mm (1/8"), 4mm (5/32"), 6mm (1/4"), 9.5mm (3/8") (GZ-25205)



NAIL PUNCH SET • Hardened and tempered high

grade carbon steel • 9.5mm (3/8") square head • 3 piece set: 0.8mm (1/32"), 1.6mm (1/16"), 2.4mm (3/32") (GZ-25366)





^{\$20.95} PIVOT PRO KNIFE & TOOL SHARPENER

Handheld sharpener for a 25° convex edge

Sharpens knives, scissors, shears, garden tools, axes
Convex carbides quickly restore a sharp edge, while the fine grit ceramic rods hone a knife edge to factory

sharp results

Compact, packable & portable design

(WSHHDPVT-I)

\$69

WHETSTONE KNIFE SHARPENER

• The Whetstone Knife Sharpener is an angle guided, dual-grit sharpening water stone for knives and fine edge tools

• Premium 1000 grit and 6000 grit aluminium oxide sharpening stone creates incredibly sharp edges

 Sharpening base provides a stable platform and increased water control for less mess and faster clean up

• 17° and 20° removeable sharpening guides (WSBCHWHT-I)



Sgg PRECISION ADJUST KNIFE SHARPENER

Angle adjustable, three abrasive grit, knife sharpening system that delivers precision and repeatability
Sharpening angle can be easily adjusted from 15° to 30° in 1° increments to sharpen every knife you own
320 grit & 600 grit diamond plates to quickly restore a sharp edge, and a fine grit ceramic stone to hone an incredibly keen edge on any knife
Innovative clamp design quickly

and safely secures the knife • Sharpening base provides a stable

platform for benchtop sharpening (WSBCHPAJ-I)

\$99 BENCHSTONE KNIFE SHARPENER

The Benchtop Bench Stone is an angle guided, 3-sided abrasive sharpening system
Medium and fine grit diamond plates quickly restore a sharp edge, while the fine grit ceramic stone creates an incredibly keen edge on any knife
The innovative Pivot-Response™ System allows the abrasive to follow the curve of the blade - making manual sharpening faster, easier and more precise than ever
20° and 25° sharpening guides (WSBCHBSS-I)

\$215 WSKTS MK2 ELECTRIC SHARPENER

 240V Flexible Belt Sharpener
 Quickly toggle between the 25° angle for outdoor and pocket knives and the 20° angle for thinner blades and kitchen knives

Scratch resistant leather linings to protect blade faces
Two-speed motor, low speed gives more control when sharpening a

knife yet still provides all the power you need for heavier sharpening and grinding tasks on tools like lawnmower blades, axes and other common lawn & garden tools (WSKTS2-I)



KEN ONION EDITION KNIFE & TOOL SHARPENER

^{\$420}

• 240V Electric knife sharpener • The 3/4" x 12" premium, flexible engineered abrasive belts sharpen virtually any shape or type of knife • The sharpening guide is fully adjustable in 1° increments from 15° to 30° • Variable speed control 6000 - 14000rpm (WSKTS-KO)



Products imported and distributed nationally by Industrial Tool & Machinery Sales. Advertised prices include GST. Freight charges may apply on some products to some areas. Prices and specifications subject to change without notice. OFFER VALID TO 30TH JUNE 2022