

INDUSTRIAL QUALITY TOOLS & EQUIPMENT, FOR THE PROFESSIONA

OUR LEADING BRANDS:



Holemaker Drill Doctor.

17. Ehoma.



DIGITAL TORQUE WRENCHES

L.C.D. displayBuzzer vibration and flash alarm

Battery Life (standard mode): 1 year
Battery Life (continuous operation): 110 hrs

1	00	17		Commission of the second	10
	Part No.	Drive	Torque Range	Price	
	M7-GTW201030	1/4"	1.5 - 30Nm (1.1 - 22 ft-lb)	\$425	
	M7-GTW306135	3/8"	6.8 - 135Nm (5.0 - 99 ft-lb)	\$450	
	M7-GTW406135	1/2"	6.8 - 135Nm (5.0 - 99 ft-lb)	\$470	
	M7-GTW410200	1/2"	10 - 200Nm (7.3 - 147 ft-lb)	\$535	
	M7-GTW417340	1/2"	17 - 340Nm (12 - 250 ft-lb)	\$645	
	M7-GTW606060	3/4"	60 - 600Nm (44.28 - 442.8 ft-lb)	\$1,650	
	M7-GTW610100	3/4"	100 - 1,000Nm (73.8 - 738 ft-lb)	\$1,955	
	M7-GTW810100	1"	100 - 1,000Nm (73.8 - 738 ft-lb)	\$2,375	

ON SALE \$1569 HOLEMAKER PRO 40 MAGNETIC DRILL • Durable & Versatile, European Made Machine • Capacity (diameter) 40mm • Capacity (depth) 52mm

• Optional 13mm twist drill chuck for use with standard drill bits

- Through cutter coolant systemComes complete in metal carry case
- Only 12.5kg
- Part No. HMPRO40 Holemaker



NEW RELEASE \$12,500 15HP ROTARY SCREW COMPRESSOR • Complete ready to go package with screw, tank, dryer, pre & post filters included.

Stan

milio

Multitool

- · Sealed cabinet with soundproofing
- 15hp 415V 3 Phase motor
- 500L Tank capacity
- 147psi (10 bar) Maximum pressure
- 1620 L/min (57cfm) Free Air Delivery
- Part No. TM356-15500

200MM, 750 WATT BENCH GRINDER WITH MULTITOOL

- Industrial quality,
- for the professional
- 5 Grinding surfaces750W Extra heavy
- duty bench grinder
- Genuine Multitool PO362
 915 x 50mm Belt & Disc
- Grinding Attachment • 3 Year warranty
- Part No. PO362-200HD

BONUS 5X GRINDING BELTS 915 X 50MM ASSORTED GRITS (TM408-009)



0

ТM

TM356-15500

ITM

Multitool

PROMOTIONAL OFFERS VALID JULY TO SEPTEMBER 2022

NEW RELEASE

ROTARY SCREW COMPRESSORS

- Complete ready to go package with screw, tank, dryer and pre/post filters included.
- Fully sealed cabinet with soundproofing and noise-reducing partitions to minimise noise.
- Extra large surface cooler allows unit to operate at ambient temperatures up to 46° C.
- Premium filtration with ultra low oil carry over meaning less contamination resulting in cleaner air.
- New generation Air End design together with precision manufacturing ensures constant high performance.
- Intelligent control system with self-service timing management.
- All the main components are easily accessible, ensuring fast and simple maintenance.
- Warranty: 2 Years on pump and 1 year on all other components.
- Nationwide service and warranty supported by Air Technology Group and ITM service network.

7.5KW 10HP ROTARY SCREW COMPRESSOR

- Motor: 7.5kW (10hp) Three Phase 415V
- Tank Capacity: 270 L
- Max Pressure: 147 psi (10 bar)
- Free Air Delivery: 1080 L/min (38cfm)
- Noise: 66 dBA
- Weight: 358kg
- Compressor Dimensions: 1540 x 740 x 1440mm Part No. TM356-10270





11KW 15HP ROTARY SCREW COMPRESSOR

- Motor: 11kW (15hp) Three Phase 415V
- Tank Capacity: 500 L
- Max Pressure: 147 psi (10 bar)
- Free Air Delivery: 1620 L/min (57cfm)
- Noise: 72 dBA
- Weight: 465kg
- Compressor Dimensions: 1880 x 650 x 1580mm Part No. TM356-15500



15KW 20HP ROTARY SCREW COMPRESSOR

- Motor: 15kW (20hp) Three Phase 415V
- Tank Capacity: 500 L
- Max Pressure: 147 psi (10 bar)
- Free Air Delivery: 1980 L/min (70cfm)
- Noise: 73 dBA
- Weight: 465kg
 - Compressor Dimensions: 1880 x 650 x 1580mm

Part No. TM356-20500





REFRIGERANT DRYERS

ITM refrigerant dryers guarantee dry and quality compressed air which prolongs the lifetime of your equipment and ensures a superior production quality. Water vapour is eliminated, avoiding corrosion in your compressed air network and tools. All in all this lowers your maintenance costs and improves your overall production process for complete peace of mind.

Nationwide service and warranty supported by Air Technology Group and ITM service network.



35 CFM AIR DRYER

- Max Working Pressure: 13 bar
- Capacity: 35 cfm
- Capacity: 990 L/min
- Noise: 66 dBA
- Connection: 3/4 G
- Weight: 30kg
- Dimensions: 352 x 430 x 445mm Part No. TM357-035



74 CFM AIR DRYER

- · Max Working Pressure: 13 bar
- Capacity: 74 cfm Capacity: 2095 L/min
- Noise: 72 dBA
- Connection: 3/4 G
 - Weight: 34kg
- Dimensions: 550 x 370 x 704mm Part No. TM357-074



INDUSTRIAL SERIES COMPRESSOR

- Durable copper wound motors
- Full brass non-return valve
- Soft start valve
- Condor pressure switches
- 145psi (10 Bar) maximum pressure
- AS1210 Approved tanks
- Thermal overload protectionIncludes filter regulator with one-touch
- "Nitto style" couplers
- 200mm Solid rubber wheels
- 3-year pump warranty

^{\$}689

2.5HP DIRECT DRIVE AIR COMPRESSOR - 50L

 Ideal builder's compressor • Single cast iron cylinder pump with aluminium head • Filter regulator • 240V 10amp • Large 50L tank • FAD 175 I/min (*TM350-25050*)

ITM MOUSTRIAL SE



 Ideal builder's compressor • V-Twin cast iron cylinder pump with aluminium heads • Filter regulator • 240V 10amp • Large 50L tank • FAD 185 l/min (*TM351-22050*)



2.5HP BELT DRIVE AIR COMPRESSOR - 60L

- V-Twin cast iron cylinder pump with aluminium heads
- Filter regulator 240V 10amp Large 60L tank
- FAD 257 l/min (TM351-25060)



2.5HP BELT DRIVE

- V-Twin cast iron cylinder pump with aluminium heads
- Filter regulator 240V 10amp Large 90L tank
- FAD 257 l/min (TM351-25090)



3HP BELT DRIVE AIR COMPRESSOR - 50L

• Ideal for commercial applications • Cast iron cylinder pump with aluminium head • Filter regulator • Large 50L tank • FAD 318 l/min • 240V 15amp (*TM351-30050*)



3HP BELT DRIVE

 Ideal for commercial applications • Triple cast iron cylinder pump with aluminium heads • Filter regulator • 60L tank • FAD 328 l/min • 240V 15amp (*TM351-30060*)



AIR COMPRESSOR - 90L

 Ideal for commercial applications • Triple cast iron cylinder pump with aluminium heads • Filter regulator • 90L tank • FAD 328 l/min • 240V 15amp (*TM351-30090*)



DRIVE AIR COMPRESSOR - 60L

Powered by Honda GX160 5.5hp engine • HD cast iron cylinder with aluminum head • Filter regulator • Large 60L tank • FAD 355 l/min (*TM352-55060*)



5.5HP 3 PHASE, STATIONARY AIR COMPRESSOR - 200L

 Ideal for commercial workshops • Twin cast iron cylinder pump with aluminium head • Soft start • Large 200L tank
 FAD 507 I/min (TM353-55200)



7.5HP 3 PHASE, STATIONARY AIR COMPRESSOR - 270L

• Ideal for commercial workshops • Triple cast iron cylinder pump with aluminium head • Soft start • Large 270L tank • FAD 704 I/min (*TM353-75270*)



10HP 3 PHASE, STATIONARY AIR COMPRESSOR - 270L

 Ideal for commercial workshops • Triple cast iron cylinder pump with aluminium head • Soft start • Large 270L tank • FAD 1143 l/min (*TM353-10270*)

NEW RELEASE

DIGITAL TORQUE WRENCH RANGE

MINI DIGITAL TORQUE WRENCHES

 L.C.D. display Buzzer vibration and flash alarm •

Quick release head

•

- Reversible ratchet • Non slip handle
- - Accuracy: C.W. ± 3%, C.C.W. ± 4%



DIGITAL TORQUE ADAPTOR

- Converts any standard Square Drive ratchet into an accurate digital torque wrench
- Flashing LED and audible notification when desired torque setting has been achieved
- Simple multifunction operation with
- Peak and Trace modes and angle set Shows units in: Ib-in, Ib-ft, Nm and Kg.cm
- Can store 30 memory default values
- Auto power saving mode after 2 mins
- to save battery
- Accuracy: C.W. ± 1.5%, C.C.W. ± 2.5%

Drive

3/8"

1/2"

1/2'

Size: 75x42x39mm

Part No.

M7-GTW930

M7-GTW940

M7-GTW941

٠

.

10	R R			
	(max			
En al		1/A	P	2
1/1-1	Jer /			-



Price

\$145

\$145

\$175

Drive	Torque Range	Price
1/4"	0.3 - 6Nm (0.221 - 4.424 ft-lb)	\$485
1/4"	0.75 - 15Nm (0.554 - 11.07 ft-lb)	\$485
1/4"	0.125 - 25Nm (0.923 - 18.45 ft-lb)	\$485
	1/4" 1/4"	1/4" 0.3 - 6Nm (0.221 - 4.424 ft-lb) 1/4" 0.75 - 15Nm (0.554 - 11.07 ft-lb)

DIGITAL TORQUE WRENCHES

L.C.D. display ٠ Buzzer vibration and flash alarm

•

- Operating Temperature: -10°C~ 60°C
- Humidity: Up to 90% non-condensing •
- Battery Life (standard mode): 1 year ٠
- Quick release head Reversible ratchet Non slip handle
- Battery Life (continuous operation): 110 hrs

-

Part No.	Drive	Torque Range	Price
M7-GTW201030	1/4"	1.5 - 30Nm (1.1 - 22 ft-lb)	\$425
M7-GTW306135	3/8"	6.8 - 135Nm (5.0 - 99 ft-lb)	\$450
M7-GTW406135	1/2"	6.8 - 135Nm (5.0 - 99 ft-lb)	\$470
M7-GTW410200	1/2"	10 - 200Nm (7.3 - 147 ft-lb)	\$535
M7-GTW417340	1/2"	17 - 340Nm (12 - 250 ft-lb)	\$645
M7-GTW606060	3/4"	60 - 600Nm (44.28 - 442.8 ft-lb)	\$1,650
M7-GTW610100	3/4"	100 - 1,000Nm (73.8 - 738 ft-lb)	\$1,955
M7-GTW810100	1"	100 - 1,000Nm (73.8 - 738 ft-lb)	\$2,375

FLEXIBLE HEAD DIGITAL TORQUE WRENCHES

- L.C.D. display
- Buzzer vibration and flash alarm
- Reversible ratchet •
- Quick release head
- Non slip handle
- Accuracy: C.W. ± 2%, C.C.W. ± 3%



Part No.	Drive	Torque Range	Price
M7-GTF203030	1/4"	3 - 30Nm (2.22 - 22.12 lb-ft)	\$515
M7-GTF313135	3/8"	13.5 -135Nm (10 - 99.5 ft-lb)	\$515
M7-GTF420200	1/2"	20 - 200Nm (14.8 - 147.5 ft-lb)	\$585
M7-GTF434340	1/2"	34 - 340Nm (25 - 250.7 ft-lb)	\$585

DIGITAL TORQUE WRENCHES WITH ANGLE READING

Torque Range

6.8 - 135Nm (5.0 - 99.5 ft-lb)

10 - 200Nm (7.4 - 147.5 ft-lb)

17 - 340Nm (12.5 - 250.7 ft-lb)

- Angle: Min.: 1°, Max.: 360° . L.C.D. display
 - .
- Reversible ratchet Non slip handle
 - Accuracy: C.W. ± 1.5%, C.C.W. ± 2.5%
- •
- Buzzer vibration and flash alarm

- Quick release head



Part No.	Drive	Torque Range	Price
M7-GTA201030	1/4"	1.5 - 30Nm (1.11 - 22.12 ft-lb)	\$455
M7-GTA306135	3/8"	6.8 - 135Nm (5.0 - 99.5 ft-lb)	\$480
M7-GTA406135	1/2"	6.8 - 135Nm (5.0 - 99.5 ft-lb)	\$495
M7-GTA410200	1/2"	10 - 200Nm (7.4 - 147.5 ft-lb)	\$535
M7-GTA417340	1/2"	17 - 340Nm (12.5 - 250.7 ft-lb)	\$645
M7-GTA606060	3/4"	60 - 600Nm (44.28 - 442.8 ft-lb)	\$1,690
M7-GTA610100	3/4"	100 - 1,000Nm (73.8 - 738 ft-lb)	\$2,100
M7-GTA810100	1"	100 - 1,000Nm (73.8 - 738 ft-lb)	\$2,495

FLEXIBLE HEAD DIGITAL TORQUE WRENCHES WITH ANGLE READING

- Angle: Min.: 1°, Max.: 360° ٠
 - L.C.D. display
 - Buzzer vibration and flash alarm •
 - Quick release head
- Reversible ratchet
- Non slip handle
- Accuracy: C.W. ± 2%, C.C.W. ± 3% •



Part No.	Drive	Torque Range	Price
M7-GTB201030	1/4"	3 - 30Nm (2.22 - 22.12 lb-ft)	\$535
M7-GTB306135	3/8"	13.5 - 135Nm (10 - 99.5 ft-lb)	\$555
M7-GTB410200	1/2"	20 - 200Nm (14.8 - 147.5 ft-lb)	\$615
M7-GTB417340	1/2"	34 - 340Nm (25 - 250.7 ft-lb)	\$635



RQUE WRENCHES



STANDARD TORQUE WRENCHES

- · Nm engraved marking scales on the front • Ft-lb or in-lb engraved marking scales on the back
- Non-slip knurled handle design
- Turn screw to unlock and lock the torque setting
- Premium guality Made in Taiwan
- Supplied with certificate of calibration
- · Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TE205025N	1/4"	5~25Nm (44.3~221.3in-lb)	\$90
M7-TE225250N	1/4"	2.8~28.2Nm (2~20 ft-lb)	\$90
M7-TE305025N	3/8"	5~25Nm (44.3~221.3in-lb)	\$90
M7-TE320110N	3/8"	20~110Nm (14.8~81.1ft-lb)	\$90
M7-TE428210N	1/2"	28~210Nm (20.7~154.9ft-lb)	\$94
M7-TE450350N	1/2"	50~350Nm (36.9~258.1ft-lb)	\$165
M7-TE820100N	1"	200~1000Nm (166~719ft-lb)	\$1,130
M7-TE830150N	1"	300~1500Nm (258~1070ft-lb)	\$2,280
M7-TE850250N	1"	500~2500Nm (443~1771ft-lb)	\$3,890

WINDOW SCALE TYPE TORQUE **WRENCHES**

- Window scale screen with both Nm and ft-lb indicated
- Very precise adjustment of the torque setting can be achieved, with the turn handle clicking with each 1Nm adjustment
- Turn lever to unlock and lock the torque setting
- · Premium quality Made in Taiwan
- Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TW210222	1/4"	2~25Nm (1.5~18ft-lb)	\$180
M7-TW310552	3/8"	5~50Nm (3.5~37ft-lb)	\$205
M7-TW311102	3/8"	10~100Nm (8~75ft-lb)	\$220
M7-TW412202	1/2"	20~200Nm (10~150ft-lb)	\$245
M7-TW416302	1/2"	60~300Nm (45~200ft-lb)	\$260
M7-TW611602	3/4"	100~600Nm (75~440ft-lb)	\$855
M7-TW612102	3/4"	200~1000Nm (150~740ft-lb)	\$1,040

WINDOW SCALE TYPE TORQUE **WRENCHES - REVERSIBLE**

- · Window scale screen with both Nm and ft-lb indicated
- · Reversible works in both clockwise and anti-clockwise direction
- · Very precise adjustment of the torque setting can be achieved, with the turn handle clicking with each 1Nm adjustment
- Turn lever to unlock and lock the torque setting
- Premium quality Made in Taiwan
- · Supplied with certificate of calibration
- · Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TD202025	1/4"	2~25Nm (1.5~18.4ft-lb)	\$205
M7-TD305050	3/8"	5~50Nm (3.5~36.9ft-lb)	\$215
M7-TD410100	1/2"	10~100Nm (8~75ft-lb)	\$260
M7-TD420200	1/2"	20~200Nm (10~150ft-lb)	\$280
M7-TD610060	3/4"	100~600Nm (75~440ft-lb)	\$910

PROFESSIONAL TORQUE WRENCHES - REVERSIBLE

- Nm engraved marking scales on the front
- · Ft-lb engraved marking scales on the back
- · Reversible works in both clockwise and anti-clockwise direction Very precise adjustment of the torque setting can be achieved, with the turn handle clicking and locking with each 1Nm adjustment
- Pull back collar locking mechanism
- Premium quality Made in Taiwan
- Supplied with certificate of calibration
- · Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TB205025N	1/4"	5~25Nm (3.69~18.4ft-lb)	\$105
M7-TB305025N	3/8"	5~25Nm (3.69~18.4ft-lb)	\$105
M7-TB320110N	3/8"	20~110Nm (14.8~81.1ft-lb)	\$130
M7-TB420210N	1/2"	20~210Nm (14.8~155ft-lb)	\$155
M7-TB450350N	1/2"	50~350Nm (36.9~258.1ft-lb)	\$205
M7-TB610060N	3/4"	100~600Nm (75~440ft-lb)	\$875
M7-TB615080N	3/4"	150~800Nm (110~590ft-lb)	\$1,020
M7-TB620100N	3/4"	200~1000Nm (150~740ft-lb)	\$1,130

FLEXIBLE HEAD TORQUE WRENCHES

- 15 Degree flexible head
- Ft-lb marking scales on the front
- Pull back collar locking mechanism
- Premium quality Made in Taiwan
- Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TF310080N	3/8"	13.5~108Nm (10~80ft-lb)	\$245
M7-TF430250N	1/2"	40.6~339Nm (30~250ft-lb)	\$320

SPLIT BEAM TORQUE WRENCHES

- · Window scale screen with ft-lb indicated
- · Adjustment of torque setting made with turn dial on side
- 15 Degree flexible head
- Premium quality Made in Taiwan
- Supplied with certificate of calibration
- · Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TS320100N	3/8"	27~135.6Nm (20~100ft-lb)	\$295
M7-TS440250N	1/2"	54.2~339Nm (40~250ft-lb)	\$330

DUT

NEW RELEASE 349

<u>Multitool</u>

POLISH .

200MM, 750 WATT **BENCH GRINDER**

- Powerful; 750W (1hp) induction motor
- Cast iron body and base for long lasting performance
- · Capacitor start / run motor
- NVR safety switch
- Large eye shields for added user safety · Heavy duty tool rests Part No. PO200HD



<u>\$599</u> **Multitool**

NEW RELEASE

200MM, 750 WATT BENCH GRINDER WITH MULTITOOL

- Industrial quality, for the professional
- 5 Grinding surfaces
- 750W Extra heavy duty bench grinder Genuine Multitool PO362

915 x 50mm Belt & Disc Grinding Attachment · Grinder and attachment are assembled together in the box Part No. PO362-200HD









- ^{\$}219 **150MM BENCH GRINDER**
- 370W 25mm width grinding wheels 36 & 60 grit • Durable cast iron body
- Vibration absorbing pads (TM400-150)



200MM BENCH GRINDER • 600W • 25mm width grinding wheels 36 & 60 grit • Durable cast iron body

 Vibration absorbing pads
 Heavy duty tool rests (TM400-200)



250MM BENCH GRINDER

• 900W • 25mm width grinding wheels 36 & 60 grit • Durable cast iron body • Vibration absorbing pads • Heavy duty tool rests (TM400-250)



\$329 200MM BUFFING MACHINE

• 550W • 14mm width mop wheels • Durable cast iron body • Vibration absorbing pads (TM402-200)



• For use with TM400-150,	
TM400-200, TM400-250,	
TM402-200	

		11	
	Part No.	Description	Price
	TM403-010	Bench Grinder Stand	\$125
-	TM403-012	Premium Bench Grinder Stand	\$189
		Without Emergency Stop Switc	h ^{\$109}
	TM403-014	Premium Bench Grinder Stand	\$299
	1101403-014	With Emergency Stop Switch	\$Z99



SURFACE CONDITIONING BELTS

• 915mm x 50mm • For use with PO362

Part No.	Abrasive Level	Price
TM408-003	Polishing	\$50
TM408-001	Fine	\$50
TM408-002	Medium	\$50

ABRASIVE SANDING BELTS

• 915mm x 50mm • For use with PO262

Toruse with FO302				
Part No.	Belts Per Pack	Grit	Abrasive Level	Price
TM408-008	3	400	Very Fine	\$12
TM408-007	3	240	Fine	\$12
TM408-006	3	150	Medium	\$12
TM408-005	3	80	Coarse	\$12
TM408-004	3	40	Very Coarse	\$12

Part No.	Belts Per Pack	Grits	Price
TM408-009	5	40, 80, 150, 240, 400	\$18

Multitool



150MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 370W induction motor
 Capacitor start for
- maximum performance 915mm x 50mm belt
- 178mm disc 25mm wide grinding wheel
- Durable cast iron body (PO362-150)



200MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 600W induction motor Capacitor start for maximum performance • 915mm x 50mm belt
- 178mm disc 25mm wide grinding wheel Durable cast iron body Heavy duty tool rest (*PO362-200*)



250MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 900W induction motor Capacitor start for maximum performance • 1220mm x 50mm belt
- 178mm disc 25mm wide grinding wheel Durable cast iron body Heavy duty tool rest (PO482-250)



250MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

Powerful 900W induction motor • Capacitor start for maximum performance • 1220mm x 100mm belt
178mm disc • 25mm wide grinding wheel • Durable cast iron body • Heavy duty tool rest (*PO484-250*)

Multitool



915 x 50MM BELT & DISC GRINDING ATTACHMENT

• Suits most bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO362)



^{\$}579

1220 x 50MM BELT & DISC GRINDING ATTACHMENT

• Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (*PO482*)



^{\$}515

915 x 100_{MM} BELT & DISC GRINDING ATTACHMENT

• Suits most bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO364)



1220 x 100MM BELT & DISC GRINDING ATTACHMENT

• Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (*PO484*)

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

Multitool



1220 x 50MM BELT & DISC GRINDING ATTACHMENT

• 200mm contact wheel • Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO8CW)



SHARPENING JIG

 Sharpening jig accessory enables a professional result when sharpening chisels, planer blades, and screwdrivers • For sharpening chisels up to 51mm, hand plane blades up to 60mm and power planer blades up to 82mm • Slotted screwdrivers up to 10mm square can also be retipped • Fits all Multitools except 8CW (POJIG)



 Suitable for grinding ends square and adjusting lengths and angles • For use with all Multitool models • Table can be tilted up 5°, down 50°
 Table size 110 x 204mm (POMTA)



NEW RELEASE Huge! 350kg **Clamping Force EXTRA HEAVY DUTY** Reversible **TRIGGER CLAMPS** Ehoma to create a spreader · Cast alloy construction Very strong 350kg clamping pressure · Head can be reversed to create a spreader · Removable soft pads Heavy Duty Part No. Span x Depth Price **Cast Alloy Construction** EC-TC6 152 x 95mm EC-TC12 305 x 95mm



EC-TC18

EC-TC24

457 x 95mm

610 x 95mm

CAST IRON F CLAMPS • Malleable cast jaws for strength

- and durability • Serrated slip resistant profiled rail
- Rubber grip handle
- Removable soft pads

\$59

\$61

Part No.	Span x Depth	Price
TC-F200120	200x120mm	\$21
TC-F250120	250x120mm	\$25
TC-F300120	300x120mm	\$26
TC-F400120	400x120mm	\$29
TC-F500120	500x120mm	\$33
TC-F600120	600x120mm	\$34
TC-F800120	800x120mm	\$42



CAST IRON C CLAMPS

Span x Depth	Price
75 x 47mm	\$12.50
100 x 54mm	\$14
150 x 68mm	\$19
200 x 75mm	\$22
250 x 95mm	\$28
300 x 105mm	\$48
	75 x 47mm 100 x 54mm 150 x 68mm 200 x 75mm 250 x 95mm



Part No.	Span x Depth	Price
TC-6PT	150 x 85mm	\$30
TC-12PT	300 x 85mm	\$36
TC-18PT	450 x 85mm	\$39
TC-24PT	600 x 85mm	\$43



FORGED STEEL C CLAMPS

- Tempered & hot forged steel
- Nickel & chrome plating
 Hardened Acme spindle Swivel pad
- ensures even pressure is applied

Part No.	Span x Depth	Clamping Force	Price
EC-BC4	100x50mm	900kg	\$80
EC-BC5	125x65mm	850kg	\$86
EC-BC6	150x75mm	1000kg	\$98
EC-BC8	200x100mm	1000kg	\$125
EC-BC10	250x115mm	1200kg	\$130
EC-BC12	300x125mm	1500kg	\$200

FORGED STEEL F CLAMPS • Premium quality forged steel clamps • Tempered & hot forged steel • Nickel & chrome plating				
Part No.	Span x Depth	Clamping Force	Price	
EC-G16CS	160x80mm	300kg	\$52	
EC-G20CS	200x100mm	450kg	\$68	
EC-G25CS	250x120mm	550kg	\$84	
EC-G30CS	300x140mm	670kg	\$105	
EC-G40CS	400x175mm	1000kg	\$135	
EC-G60CS	600x175mm	1000kg	\$155	
EC-G80CS	800x175mm	1000kg	\$180	
EC-G100CS	1000x175mm	1000kg	\$200	

ſ			(DUTY ED STEEL MPS	
÷		 For heavy Changeat Socket drive 	l sizes 30x15mm duty application ble clamping hea ive handle 0mm span availa	is ids
	Part No.	Span x Depth	Clamping Force	Pri

	Part No.	Span x Depth	Clamping Force	Price
1	EC-GS30C	300x140mm	1200kg	\$190
	EC-GS40C	400x120mm	1200kg	\$210
1	EC-GS50C	500x140mm	1200kg	\$230
	EC-GS60C	600x120mm	1200kg	\$240
	EC-GS80C	800x140mm	1200kg	\$260
	EC-GS100C	1000x120mm	1200kg	\$295

QUICK ACTION FORGED STEEL F CLAMPS

 Ratchet type lever prevents overloading & resists vibration • For high pressure, fast action clamping purposes

Part No.	Span x Depth	Clamping Force	Price
EC-G16L	160x80mm	300kg	\$110
EC-G20L	200x100mm	350kg	\$125
EC-G30L	300x140mm	500kg	\$175
EC-G40L	400x120mm	550kg	\$190
EC-G50L	500x120mm	550kg	\$195



PIVOT HANDLE	
FORGED STEEL	
F CLAMPS	
• The comfortable pivet bandle	

• The comfortable pivot handle makes it easier to achieve maximum clamping pressure & allows faster clamping in restricted working areas

Part No.	Span x Depth	Clamping Force	Price
C-REG20C	200x100mm	670kg	\$80
C-REG30C	300x140mm	670kg	\$115
C-REG40C	400x175mm	700kg	\$150
C-REG60C	600x175mm	700kg	\$175

-	EXTRA HEAVY DUTY FORGED STEEL F CLAMPS
T	 Extra large rail size 40x20mm For heavy duty applications
	Changeable clamping heads
	Socket drive handle

Up to 1500mm span available

Part No.	Span x Depth	Clamping Force	Price
EC-SS30C	300x175mm	2200kg	\$320
EC-SS40C	400x175mm	2200kg	\$345
EC-SS50C	500x175mm	2200kg	\$365
EC-SS60C	600x175mm	2200kg	\$395
EC-SS100C	1000x175mm	2200kg	\$520
EC-SS150C	1500x175mm	2200kg	\$645



WORKSHOP BENCH VICES

• Hardened steel jaws • Close grained cast iron body

 Integrated anvil for shaping and beating 					
Part No.	Jaw Width	Weight	Price		
TM098-100	100mm	7kg	\$109		
TM098-125	125mm	10kg	\$159		
TM098-150	150mm	14kg	\$199		
TM098-200	200mm	22kg	\$279		



PROFESSIONAL **MECHANICS BENCH VICES**

Part No.	Jaw Width	Weight	Price	
TM100-075	75mm	7.5kg	\$100	
TM100-100	100mm	10.0kg	\$150	
TM100-125	125mm	15.5kg	\$215	
TM100-150	150mm	18.0kg	\$255	
TM100-200	200mm	31.0kg	\$380	



MULTI-PURPOSE BENCH VICE

• Jaw width: 135mm • Jaw opening: 135mm • Pipe holding capacity: 25mm - 65mm • 18.5kg • Hardened & tempered jaws • 360° Rotation with safety locking nuts • 360° Swivel base • Hardened anvil (TM101-125)

MAGNETIC VICE JAWS

• Easy to use, simply place over existing jaws and 2 magnetic tabs hold jaws in place • Protects work piece from scoring or marking • Supplied as a pair

ALUMINIUM FACE

~	Part No.	To Suit	Price
	TM120-100	100mm (4") Bench Vices	\$22
	TM120-125	125mm (5") Bench Vices	\$25
	TM120-150	150mm (6") Bench Vices	\$30

ALUMINIUM PRISM FACE

P	Part No.	To Suit	Price
	TM121-100	100mm (4") Bench Vices	\$22
	TM121-125	125mm (5") Bench Vices	\$25
	TM121-150	150mm (6") Bench Vices	\$30

FIBRE FACE

Part No.	To Suit	Price
TM122-100	100mm (4") Bench Vices	\$22
TM122-125	125mm (5") Bench Vices	\$25
TM122-150	150mm (6") Bench Vices	\$30

RUBBER FACE

Part No.	To Suit	Price
TM123-100	100mm (4") Bench Vices	\$22
TM123-125	125mm (5") Bench Vices	\$25
TM123-150	150mm (6") Bench Vices	\$30



• Precision machined knurled jaws with V-Groove • Large diameter screw • Extra heavy-duty • Precise sliding jaw



			600 C (2)	
Part No.	Jaw Width	Weight	Price	
TM102-100	100mm	10.5kg	\$189	
TM102-125	125mm	18.5kg	\$319	
TM102-150	150mm	22.6kg	\$359	
TM102-200	200mm	37.0kg	\$659	



Part No.	Jaw Width	Weight	Price
TM104-100	100mm	11.2kg	\$189
TM104-125	125mm	20.3kg	\$359
TM104-150	150mm	25.0kg	\$379
TM104-200	200mm	60.0kg	\$919



100MM CROSS VICE

- Jaw width: 110mm Jaw opening: 100mm
- X movement: 85mm Y movement: 110mm
- Net weight: 7kg Cast iron body
- Machined steel jaws (TM130-100)
- **150MM CROSS VICE** Jaw width: 160mm • Jaw opening: 150mm • X movement: 160mm • Y movement: 155mm • Net weight: 14.5kg • Cast iron body • Machined steel jaws (TM130-150)



/X | |

CHAIN

HINGED PIPE VICES

- Hardened steel jaws
- · Close grained cast iron body
- · Perfect for repetitive clamping tasks

aterial
се
9
29
59

PIPE VI • Hardened s • Close grain iron body • Offers exce for irregular s due to flexibi- the chain • Can be rap tightened to very strong g	steel jaws ed cast ellent grip shapes lity of idly		
Part No.	Pipe Diameter	Price	
TM115-100	30-100mm	\$119	
TM115-160	40-160mm	\$249	
TM115-230	40-230mm	\$359	

DRILL PRESS VICES

· Cast iron body · Machined steel jaws · Great for machine shops, fabrication workshops & tool rooms

Part No.	Jaw Width	Jaw Height	Capacity	Weight	Price
VDP078	78mm	19mm	86mm	1.7kg	\$33
VDP102	102mm	21mm	105mm	3.2kg	\$52
VDP150	150mm	28mm	150mm	7.2kg	\$98

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST









STEP DRILLS SPIRAL FLUTE

Titanium Nitride Coated					
	Part No.	Sizes Inc.	Price		
	SD4-20MM	4 to 20mm	\$44		
	SD5-25MM	5 to 25mm	\$70		
1	SD6-30MM	6 to 30mm	\$120		
	SD7-40.5MM	7 to 40.5mm	\$200		



STEP DRILLS STRAIGHT FLUTE

• Titanium Nitride Coated

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

Part No.	Sizes Inc.	Price
SDST4-12MM	4 to 12mm	\$40
SDST4-20MM	4 to 20mm	\$44
SDST5-25MM	5 to 25mm	\$70
SDST6-30MM	6 to 30mm	\$115



\$79

ELECTRICIAN'S COBALT HOLESAW SET

Set includes: • 16, 20, 25, 32, 40, 51mm holesaws • 11/32" & 7/16" arbors • Thread adaptor (UN108-120)

GENERAL ENGINEERING COBALT HOLESAW SET


Set includes: • 16, 19, 22, 25, 32, 35, 38, 44, 51, 57, 64, 76mm holesaws • 11/32" & 7/16" arbors • Thread adaptor • 12" Extension bar (UN108-100)

PLUMBER'S COBALT HOLESAW SET

Set includes: • 16, 19, 22, 25, 30, 35, 44, 51, 57, 73, 92, 114mm holesaws • 11/32" & 7/16" arbors • Thread adaptor • 12" Extension bar (UN108-160)

PIVOT PRO KNIFE & TOOL SHARPENER

- Handheld sharpener for a 25° convex edge
- Sharpens knives, scissors, shears, garden tools, axes
- · Convex carbides quickly restore a sharp edge, while the fine grit ceramic
- rods hone a knife edge to factory sharp results
- Compact, packable & portable design.











 Sharpening angle can be easily adjusted from 15° to 30° in 1° increments to sharpen every knife you own 320 grit & 600 grit diamond plates to quickly restore a sharp edge, and a fine grit ceramic stone to hone an incredibly keen edge on any knife. Part No. WSBCHPAJ-I



\$**6**9

WHETSTONE KNIFE SHARPENER

• The Whetstone Knife Sharpener is an angle guided, dual-grit sharpening water stone for knives and fine edge tools

 Premium 1000 grit and 6000 grit aluminium oxide sharpening stone creates incredibly sharp edges · Sharpening base provides a stable platform and increased water control for less mess and faster

clean up • 17° and 20° removeable sharpening guides (WSBCHWHT-I) WORK SHARP



BENCHSTONE **KNIFE SHARPENER**

• The Benchtop Bench Stone is an angle guided, 3-sided abrasive sharpening system · Medium and fine grit diamond plates quickly restore a sharp edge, while the fine grit ceramic stone creates an incredibly keen edge on any knife The innovative Pivot-Response[™] System allows the abrasive to follow the curve of the blade - making manual sharpening faster, easier and more precise than ever • 20° and 25° sharpening guides (WSBCHBSS-I)



WSKTS MK2 **ELECTRIC** SHARPENER

(WSKTS2-I)

• 240V Flexible Belt Sharpener • Quickly toggle between the 25° angle for outdoor and pocket knives and the 20° angle for thinner blades and kitchen knives

· Scratch resistant leather linings to protect blade faces

 Two-speed motor, low speed gives more control when sharpening a knife yet still provides all the power you need for heavier sharpening and grinding tasks on tools like lawnmower blades, axes and other common lawn & garden tools





KNIFE & TOOL SHARPENER

• 240V Electric knife sharpener • The 3/4" x 12" premium, flexible engineered abrasive belts sharpen virtually any shape or type of knife • The sharpening guide is fully adjustable in 1° increments from 15° to 30° • Variable speed control 6000 - 14000rpm (WSKTS-KO)







Speed	1 speed,	2 speed,	2 speed 36, 72mpm	2 speed 34, 68mpm	2 speed 34, 68mpm
	72mpm	36, 72mpm			
Rectangular Capacity 90°	260 x 105mm	260 x 105mm	310 x 165mm	350 x 250mm	350 x 250mm
Square Cut Capacity 90°	215 x 215mm	215 x 215mm	235 x 235mm	260 x 260mm	260 x 260mm
Square Cut Capacity 45° (R)	145 x 145mm	145 x 145mm	185 x 185mm	165 x 165mm	165 x 165mm
Price	\$5,995	\$5,995	\$7,695	\$8,995	\$13,995



\$3,195 FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

\$4,695

\$4.695

\$6,295

\$2,795

\$2,795

\$3,195

Price

MACC Wide in Italy			Marca 1990			SPECIAL 4T	
Model	MB-280CSO-1	MB-280CSO-3	MB-330CSO-1	MB-330CSO-3	MB-335MS-3	MB-411CSO-3	MB-411MS-3
Features		ead 0° to 60° c down feed		el head 0° to 60° c down feed	 Semi-automatic function 2 Way swivel head 0° to 60° 	 2 Way swivel head 0° to 60° Hydraulic down feed 	 Semi-automatic function 2 Way swivel head 0° to 60°
Motor	1.5hp, 240V	1.5hp, 415V	1.5hp, 240V	1.5hp, 415V	1.5hp, 415V	2hp, 415V	2hp, 415V
Speed	1 speed 64mpm	2 speed 32, 66mpm	1 speed 75mpm	2 speed 38, 78mpm	2 speed 38, 78mpm	2 speed 38, 77mpm	2 speed 38, 78mpm
Rectangular Capacity 90°	250 x 155mm	250 x 155mm	330 x 220mm	330 x 220mm	330 x 220mm	400 x 200mm	400 x 200mm
Square Cut Capacity 90°	215 x 215mm	215 x 215mm	250 x 250mm	250 x 250mm	250 x 250mm	280 x 280mm	280 x 280mm
Square Cut Capacity 45° (R)	150 x 150mm	150 x 150mm	210 x 210mm	210 x 210mm	210 x 210mm	220 x 220mm	220 x 220mm
Price	\$6,995	\$6,995	\$11,995	\$11,995	\$15,495	\$13,495	\$16,995

Made In Italy		Steal sta	- F - F	C.T. BLADE recise lean
Model	MB-420DI-3 Bandsaw	MB-650DI-3 Bandsaw	Model	S14
Features	Semi-automatic	Semi-automatic	Description	350mm Cold Cut T.C.T. Saw
	 2 Way swivel head 0° to 60° 	 2 Way swivel head 0° to 60° 	Features	Swivel vice, 0° to 45°
Rectangular Capacity 90°	550 x 400mm	620 x 450mm	Cut Capacity 90°	120 x 120mm
Square Cut Capacity 90°	400 x 400mm	450 x 450mm	Cut Capacity 45°	120 x 90mm
Square Cut Capacity 45°	380 x 380mm	430 x 430mm	Motor	3hp, 240V
Motor	2hp, 415V	2.95hp, 415V	Speed	1 speed 1450rpm
Speed	Variable 22 - 73mpm	Variable 23 - 95mpm	Price	\$899
Price	\$24,995	\$29,995		





PRO 35 MAGNETIC DRILL

- Quality, Compact & Robust European Made Machine Lightweight, only 10kg!
- Ideal for onsite & overhead tasks
- Capacity (diameter) 35mm Capacity (depth) 52mm
- · Gravity feed coolant
- system with magnetically attached bottle Dual rail slide system Comes complete in
- plastic carry case (HMPRO35)

SPECIAL 60

Holemaker



^{\$}3479

Holemaker

PRO 40 MAGNETIC DRILL

- Durable & Versatile, European Made Machine
- Capacity (diameter) 40mm
- Capacity (depth) 52mm
- Optional 13mm twist drill chuck for use with standard drill bits
- Through cutter coolant system
- Comes complete in metal carry case
- 12.5kg (HMPRO40) 1569

Holemaker

PRO 50 MAGNETIC DRILL

- Versatile & Multi-Purpose, European Made Machine
- Capacity (diameter) 52mm · Capacity (depth) 52mm
- #2 Morse taper spindle, for
- use with drill chucks, taper shank drills, reamers etc. Powerful 1260W motor
- 2-speed gearbox
- 16.5kg
- · Comes complete in metal carry case (HMPRO50) **\$74**99



Holemaker

Holemaker

Lightweight, only 9.5kg!

 Capacity (diameter) 36mm · Capacity (depth) 30mm

MAGNETIC DRILL

• 176mm constant working height

PRO 36AD

• Ultra low profile

Utilises standard

3/4" shank

(HMPRO36AD)

\$**236**9

cutters

PRO 65 MAGNETIC DRILL

- European made
- Capacity (diameter) 65mm
- Capacity (depth) 75mm
- Dual rail slide system Powerful 1500W motor
- 2-speed gearbox
- Lightweight, only 17kg Comes complete in plastic carry case
- (HMPRO65)

Holemaker **SPECIAL 110 MAGNETIC DRILL**

• #3 Morse taper spindle

- European made
- Capacity (diameter) 120mm
- Capacity (depth) 110mm
 32mm #3MT drill bit capacity
- M30 Tapping Capacity
- 4-speed variable gearbox
- Powerful 2150W Italian motor • Electronic clutch • Overload
- and overheat protection Tilt sensor • 360-degree
- visual monitoring system Intuitive top mount control
- panel Very light weight 25kg (HMSPECIAL110)

Holemaker MAX T.C.T. SERIES ANNULAR CUTTERS

- · Available in sizes 12 200mm diameter
- Available in 35mm, 50mm, 75mm, 100mm, 150mm & 200mm depth of cut
- Suitable for drilling hard steels
- · Less susceptible to breakage than standard HSS cutters, especially in larger diameters

50MM DEPTH					
Part No.	Diameter	Price			
MAX50-12	12mm	\$135			
MAX50-14	14mm	\$135			
MAX50-16	16mm	\$145			
MAX50-18	18mm	\$150			
MAX50-20	20mm	\$150			
MAX50-22	22mm	\$150			
MAX50-24	24mm	\$170			

50

Price

\$105



\$**587**9

MAX75-22 22mm

MAX75-24 24mm

MAX75-26 26mm



\$280

 Available in 25, 50 & 7 Titanium nitride coatii Universal shank • M2 	ng
steel material • Multi-	0 1
25мм DEPTH	50мм DEPTH

12mm	\$60	AT1250	12mm
14mm	\$60	AT1450	14mm
16mm	\$66	AT1650	16mm
18mm	\$68	AT1850	18mm
20mm	\$72	AT2050	20mm
22mm	\$82	AT2250	22mm
24mm	\$90	AT2450	24mm

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

Part No. Diameter



- 2-speed variable gearbox
- Powerful 1500W Italian motor
- Electronic clutch Overload and overheat protection
- Tilt sensor 360-degree visual monitoring system
- Intuitive top mount control panel • Very light weight 17kg
- (HMSPECIÁL60)

Holemaker **SPECIAL 140 MAGNETIC DRILL**

- #4 Morse taper spindle
- · European made
- Capacity (diameter) 150mm
- · Capacity (depth) 110mm
- 47mm #4MT drill bit capacity
- M42 Tapping Capacity
- 4-speed variable gearbox
- Powerful 2150W Italian motor Electronic clutch
 Overload
- and overheat protection • Tilt sensor • 360-degree
- visual monitoring system Intuitive top mount control
- panel Very light weight 31kg (HMSPECIAL140)



^{\$}6739



AT1225

AT1425

AT1825

AT2025

AT2225

AT2425

12m







SPECIAL 80 MAGNETIC DRILL

- #3 Morse taper spindle European made
- Capacity (diameter) 80mm
- Capacity (depth) 110mm
 25mm #3MT drill bit capacity
- M24 Tapping Capacity
- · 2-speed variable gearbox
- Powerful 1500W Italian motor Electronic clutch
 Overload
- and overheat protection Tilt sensor • 360-degree
- visual monitoring system Intuitive top mount control
- panel Very light weight 18kg (HMSPECIAL80)







- Adjustable relief angle
- 240V motor
- 3-year warranty (DDXP)

3-year warranty (DD500X)

• 3-year warranty

(DD750X)



PETROL GENERATORS

- · Powered by Australian approved Honda GX Series Engines All models come complete with, IP66 rated power outlets and R.C.D. (Residual Current Device), the Construction Series Generators are perfect for the professional tradesman needing a tough yet reliable source of power
- Powerful 4 stroke O.H.V. engines
- · Low oil sensor
- 2-year warranty, 3-year Honda engine warranty
- A.V.R. (Automatic Voltage Regulator)





Part No.	TM522-3000
Engine Model	GX200
Engine HP	6.5hp
Max Watts	3,000
Rated Watts	2,800
Outlets	1 x 15A
Fuel Tank	3.6L
Running Time	4.5 hours
Net Weight	47kg
Price	\$1299

· Heavy duty roll cage frame Heavy duty pump body • 3-year Honda engine warranty

· 2-year trade warranty on pump



Part No.	TM522-6000
Engine Model	GX390
Engine HP	13hp
Max Watts	6,000
Rated Watts	5,500
Outlets	2 x 15A
Fuel Tank	25L
Running Time	13 hours
Net Weight	80kg
Price	\$2399

POWERED by HONDA WATER PUMPS

TRANSFER PUMP Powered by Honda GX160 5.5hp 4 stroke

engine



Part No.	TM532-050
Engine HP	5.5hp
Inlet / Outlet Size	50mm (2")
Maximum Suction Lift	7m
Maximum Head	32m
Maximum Flow	35,000 l/hr (583 l/min)
Net Weight	25kg
Price	\$1049

80MM PETROL WATER TRANSFER PUMP

 Powered by Honda GX160 5.5hp 4 stroke engine Ideal for high volume applications

Part No.

Engine HP

Inlet / Outlet Size

Maximum Head

Maximum Flow

80MM PETROL

higher and further

Twin impeller delivers water

25mm Max. particle size

Part No.

Price

Engine HP Inlet / Outlet Size

Maximum Head

Maximum Flow Net Weight

Maximum Suction Lift

WATER TRASH PUMP

Net Weight

Price

Maximum Suction Lift



TM532-080

5.5hp

80mm

7m

30m

60,000 l/hr (1000 l/min)

27kg

\$1149

50MM PETROL WATER PRESSURE PUMP

Powered by Honda GX200 6.5hp 4 stroke

· Powered by Australian approved Honda GX Series Engines

engine Twin impeller delivers water higher and further



Part No.	TM532-250
Engine HP	6.5hp
Inlet Size	50mm (2")
Outlet Size	1x 50mm (2"), 2x 38mm (1.5")
Maximum Suction Lift	7m
Maximum Head	75m
Maximum Flow	21,000 l/hr (350 l/min)
Net Weight	29kg
Price	\$1299

WATER PUMPS

50MM PETROL WATER TRANSFER

PUMP



Part No.	TM530-050
Engine HP	7hp
Inlet / Outlet Size	50mm (2")
Maximum Suction Lift	7.5m
Maximum Head	32m
Maximum Flow	28,000 l/hr (466 l/min)
Net Weight	25kg
Price	\$429

· Powerful 7hp 4 stroke engines

TM530-080

7hp 80mm

7.5m 25m

60,000 l/hr (1000 l/min)

37kg

\$699

- · Heavy-duty roll cage frame
- Heavy-duty aluminium pump body
- 2-year trade warranty

50MM PETROL WATER PRESSURE PUMP

 Twin impeller delivers water higher and further



Part No.	TM530-250
Engine HP	7hp
Inlet Size	50mm (2")
Outlet Size	1x 50mm (2"), 2x 38mm (1.5")
Maximum Suction Lift	7m
Maximum Head	80m
Maximum Flow	17,000 l/hr (283 l/min)
Net Weight	36kg
Price	\$559

INDUSTRIAL QUALITY PETROL GENERATORS

TRADE SERIES

ITM Trade Series generators are equipped with a reliable AVR (Automatic Voltage Regulator) alternator utilising advanced electronic technology to provide a very pure energy supply with a THD (Total Harmonic Distortion) of <5%. This clean and pure output means they are suitable to power even the most delicate electronic devices.

- Powerful 4 stroke OHV engines
- Low oil sensor Digital multimeter display Large capacity fuel tanks








Part No.	TM510-2300	TM510-2800	TM510-3400	TM510-5500	TM510-6500	TM510-8000
Engine HP	6hp	7hp	8hp	13hp	15hp	17hp
KVA	2.8	3.5	4	6.8	8.1	10
Max Watts	2,300	2,800	3,400	5,500	6,500	8,000
Rated Watts	2,000	2,500	3,200	5,000	6,000	7,500
Noise @ 7m Full Load	75dB	75dB	76dB	78dB	79dB	80dB
Outlets	2 x 15A					
Fuel Tank	15L	15L	15L	25L	25L	25L
Running Time - 50% Load	19 hours	16 hours	14 hours	13 hours	12 hours	10 hours
Starting System	Recoil	Recoil	Electric	Electric	Electric	Electric
Handle & Wheel Kit	No	No	No	Yes	Yes	Yes
Net Weight	41kg	44kg	52kg	81kg	85kg	85kg
Price	\$899	\$999	\$1229	\$1849	\$2069	\$2349

CONSTRUCTION SERIES

The Construction Series models have a simple push button electric start (battery included) with a convenient remote control which is perfect for the large property or worksite where the generator may not be close to the tool being powered.

All models come complete with a heavy duty handle and wheel kit, IP66 rated power outlets and RCD (Residual Current Device.) The construction series gens are perfect for the professional tradesman needing a tough yet reliable source of power.







Part No.	TM520-3400	TM520-5500	TM520-6500	TM520-8000
Engine HP	8hp	13hp	15hp	17hp
KVA	4	6.8	8.1	10
Max Watts	3,400	5,500	6,500	8,000
Rated Watts	3,200	5,000	6,000	7,500
Noise @ 7m Full Load	76dB	78dB	79dB	80dB
Outlets	1 x IP66	2 x IP66	2 x IP66	2 x IP66
Fuel Tank	15L	25L	25L	25L
Running Time - 50% load	14 hours	13 hours	12 hours	10 hours
Starting System	Electric w/ Remote	Electric w/ Remote	Electric w/ Remote	Electric w/ Remote
Handle & Wheel Kit	Yes	Yes	Yes	Yes
Net Weight	54kg	83kg	88kg	95kg
Price	\$1449	\$2129	\$2349	\$2599





1" AIR IMPACT WRENCH

 Powerfulm 2000Nm (1500ft-lb) Max torque • 5kg Weight • 92dB Noise level • 30mm Bolt capacity (M7-NC8217)

1" AIR IMPACT WRENCH

• 3250Nm (2400ft-lb) Max torque • 36mm Bolt capacity • 390mm Overall length • 100dB Sound pressure • 12.1kg (M7-NC8252)

• 3650Nm (2710ft-lb) Max torque Very lightweight - 11kg • Mighty spring

in the cylinder increases the air efficiency 39.7mm Bolt capacity • 370mm Overall length • 100dB Sound pressure (M7-NC8382)



30, 32, 36, 41mm (M7-MB65008M1)



 Stroke length: 16mm • Net weight: 1.5kg • Traction power: 2303 lbf (M7-PA301)

M7

\$330

HYDRAULIC

RIVETER

rivet capacity

AIR



- Orbit: 5mm
- Free speed: 10,000rpm
- Net weight: 0.68kg (M7-QB55602)

Length: 210mm

Quiet, only 83dB

• Net weight: 1.7kg (M7-QE841)

Pad diameters: 50mm & 75mm

• Net weight: 0.5kg (M7-QP212)

• Free speed: 18,000rpm

\$510

\$455

430mm

M7-QB322 20 x 520mm

M7-QB324 12.7 x 610mm 455mm



IMPACT WRENCH 1/2" DRIVE

 Heavy duty twin hammer • 3 torque settings • Max torque: 680 Nm (500 ft-lb) • Free speed: 7000rpm (TM340-135)



 Aluminium composite material construction • Heavy duty twin hammer • 3 torque settings • 820 Nm (625 ft-lb) Max torque • 6,800rpm Free speed (TM340-136)



COMPOSITE IMPACT WRENCH 3/4" DRIVE

 Aluminium composite material construction • Heavy duty twin hammer • 3 torque settings • 1,200 Nm (885 ft-lb) Max torque • 4,200rpm Free speed (TM340-145) 1/2" DRIVE **IMPACT SOCKET SET** • 11 Piece 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24mm • Chrome Molybdenum Steel (Cr-Mo), hardened and tempered







RATCHET WRENCHES

- Compact design Rear 4-speed regulator
- Max torque: 85 Nm (60 ft-lb)
- Free speed: 160rpm

•	•	
Part No.	Drive	Price
TM340-225	3/8"	\$94
TM340-235	1/2"	\$105



\$**62 DIE GRINDER**

- Compact design
- Rear 4-speed regulator
- Length: 173mm
- Free speed: 25000rpm (TM340-312)





DIE GRINDER KIT WITH 3 CARBIDE BURRS

• Die grinder as per TM340-312, Including: 3/8" Cylindrical - End Cut, 3/8" Oval Shape, 3/8" Tree Shape - Radius End Cut (TM340-312KIT3)





ANGLE HEAD **DIE GRINDER**

- Compact design
- Rear 4-speed regulator
- Length: 180mm • Free speed: 20000rpm
- (TM340-322)

CUT OFF TOOL

- Compact design
- Rear 4-speed regulator
- Cutting wheel: 75mm (3")
- Free speed: 20000rpm (TM340-502)



HYDRAULIC RIVETER

- Sets 2.4, 3.2, 4.0, 4.8mm Steel,
- Aluminium & Stainless steel rivets Traction Power: 3,086lb (1400kg)
- Stroke Length: 16mm (TM340-802)

^{\$115}

NEEDLE SCALER

- Heavy duty metal construction
- Blows per minute: 2800
- Stroke: 24mm • Length: 315mm (TM340-414)
- **AIR HAMMER KIT** • Includes 5 piece chisel kit • Blows per minute: 3000rpm Stroke: 66mm (TM340-404)

s (Ih

AIR DRILL 3/8" CHUCK

- · Quick change keyless chuck
- Adjustable auxiliary handle
- Free speed: 2200rpm
- (TM340-724)



AIR DRILL 1/2" CHUCK

- · Quick change keyless chuck
- Adjustable auxiliary handle
- Free speed: 700rpm
- (TM340-734)



• Toolless pad release system

Dual action pad

\$105

- Sanding pad: 150mm (6")
- Free speed: 10000rpm (TM340-602)



\$125 PALM SANDER

• 2 in 1 central & non-vacuum • Rear exhaust • Sanding pad: 150mm (6") • Free speed: 10000rpm (TM340-614)





\$69 SUCTION FEED GENERAL PURPOSE • 2.0mm Nozzle • 1000ml Aluminium pot (*TM340-901*)



SUCTION FEED PROFESSIONAL • 1.4mm & 2.0mm Nozzles • 1000ml Aluminium pot (TM340-902)



GRAVITY FEED GENERAL PURPOSE • 2.0mm Nozzle • 600ml Plastic pot (7M340-903)



GRAVITY FEED PROFESSIONAL • 1.4mm & 2.0mm Nozzles • 600ml Plastic pot (*TM340-904*)



40cm Hose
Nitto style plug (TM340-002)

Stan

S-770 SERIES SUCTION FEED GUNS

• Pot size: 1000ml • Includes: Gun, pot, stainless steel nozzle and needle • A popular conventional high pressure spray gun that provides extremely fine atomisation for the D.I.Y. person to the professional

		•		
Part No.	Nozzle Size	Spray Pattern	Price	14
S770-11S	1.5mm	235mm	\$185	1.1
S770-21S	1.7mm	245mm	\$185	he l
S770-31S	2.0mm	260mm	\$185	61
S770-41S	2.5mm	275mm	\$185	
S770-51S	3.0mm	275mm	\$240	

PREMIUM SMP SERIES SUCTION FEED GUNS

• Achieves large fan, premium finishing results, fast application speed and 65% transfer efficiency at 29psi • Ideal for car refinishing, high class

- furniture and industrial use • Adjustable spray pattern 280-330mm
- Includes: Gun, 1000ml pot,



S-106 SERIES GRAVITY FEED GUNS

Pot size: 600ml

Includes: Gun, pot, stainless steel nozzle and needle
Provides constant paint flow at lower pressures, and extremely fine atomisation

				128 38
Part No.	Nozzle Size	Spray Pattern	Price	12
S106-141G	1.4mm	250mm	\$220	
S106-201G	2.0mm	270mm	\$220	
S106-251G	2.5mm	270mm	\$235	
S106-281G	2.8mm	270mm	\$235	

PREMIUM SMP SERIES GRAVITY FEED GUNS

 Achieves large fan, premium finishing results, fast application speed and 65% transfer efficiency at 29psi I deal for car refinishing, high class furniture and industrial use Adjustable spray pattern 280-330mm Includes: Gun, 600ml pot, stainless steel nozzle and needle Part No. Nozzle Size Price Size State 1 2 mm \$215

Part No.	Size	Price	
SG-SMP106FG-013	1.3mm	\$315	2
SG-SMP106FG-014	1.4mm	\$315	-
SG-SMP106FG-015	1.5mm	\$315	
SG-SMP106FG-018	1.8mm	\$315	
SG-SMP106FG-020	2.0mm	\$315	
SG-SMP106FG-025	2.5mm	\$390	


\$165 SUCTION FEED TOUCH UP GUN

Pot size: 250ml Nozzle size: 1.4mm Spray pattern: 120mm Includes: Gun, pot, stainless steel nozzle and needle • Ideal for custom designing, auto touch-up work, detail spray work and stencil spraying (SJ108)

PROFESSIONAL EVO-T SERIES GRAVITY FEED GUNS

• EVO-T Patented air cap design providing ultra fine finish & excellent transfer efficiency exceeding 72% at 15psi

Adjustable spray pattern 280-330mm
 Includes: Gun, 600ml pot,



 Part No.
 Size
 Pilce

 SG-EV0106FG-013
 1.3mm
 \$335

 SG-EV0106FG-014
 1.4mm
 \$335

 SG-EV0106FG-018
 1.8mm
 \$335

 SG-EV0106FG-020
 2.0mm
 \$335

 SG-EV0106FG-020
 2.0mm
 \$335

 SG-EV0106FG-025
 2.5mm
 \$385

		70 80 S	23 - 24 - 25 - 26 - 26 - 26 - 26 - 26 - 26 - 26
	Part No.	Length	Price
CTC/	TM610-115	150mm	\$76
	TM610-220	200mm	\$120
	TM610-330	300mm	\$165
DIGITA	1		

VERNIER CALIPERS

 Large easy to read dual mode LCD screen (metric/imperial) • Manufactured from hardened stainless steel . Suitable for inside, outside, depth and step measurements • Auto off feature • Zero setting at any position • Durable plastic storage case • Graduation: 1mm intervals • Accuracy: +/-0.03mm • Resolution: 0.01mm (005")

Battery included



VERNIER CALIPERS

- Metric and imperial measurements
- Manufactured from hardened stainless steel
- Convenient thumb screw locking mechanism
- Suitable for inside, outside, depth and step measurements • Durable plastic storage case
- Graduation: 1mm intervals Lower resolution: 0.05mm • Accuracy: +/- 0.03mm



25_{MM} DIGITAL **OUTSIDE MICROMETER**

• Enamelled frame • Carbide tipped measuring faces • Ratchet stop and locking screw • Dual mode digital display (metric/imperial) • Auto off feature • Durable plastic storage case • Range: 0 - 25mm • Graduation: 01mm (0005")

- Accuracy: +/- 04mm Jaw reach: 23mm • Battery included (TM610-625)



25MM OUTSIDE MICROMETER

· Enamelled frame · Ratchet stop and locking screw · Carbide tipped measuring faces Ratchet thimble • Durable plastic storage case • Range: 0 - 25mm • Graduation: 0.01mm Accuracy: +/- 0.04mm
 Jaw reach: 29mm (TM610-525)





6 PIECE SET

\$6N

- Inside Caliper 4" (100mm)
- Outside Caliper 4" (100mm) Centre Punch 5/32" (4mm) (GZ-03600)
- Screw Cutting Gauge Steel Rule 6" (150 mm)



- Pocket Scriber 3-1/2" (89mm)

\$<u>q</u>/

7 PIECE SET

- Engineer's Precision Square 4" (100mm)
- Jenny Caliper 6" (150mm)
- Steel Rule 6" (150 mm) Double Ended Scriber
- 7-1/2" (190mm)

• Centre Punch (4mm)

- Spring Divider 4" (100mm) Adjustable Tap & Reamer Wrench 180mm
- (GZ-03601)

GROZ



8 PIECE SET

- Cold Chisels: 150 x 13mm, 163 x 16mm, 175 x 19mm
- Centre Punch: 5/32" • Pin Punches: 1/8". 3/16". 1/4"

GROZ

- Starting Punches: 3/16"
- (GZ-33000)



14 PIECE SET

• Cold Chisels: 140 x 10mm, 150 x 13mm, 163 x 16mm, 175 x 19mm, 190 x 22mm

- Centre Punches: 5/32", 1/4"
- Pin Punches: 1/16", 1/8", 3/16"
- Drift Punches: 1/8", 5/32"
- Starting Punches: 5/16", 1/8" (GZ-33001)





PIN PUNCH SET

· Hardened and tempered carbon steel • 6 piece set: 2.4mm (3/32"), 3mm (1/8"), 4mm (5/32"), 5mm (3/16"), 6mm (1/4"), 8mm (5/16") (GZ-25612)



CENTRE PUNCH SET

· Hardened and tempered carbon steel, designed for demanding industrial use • 5 piece set: 2mm (5/64"), 3mm (1/8"), 4mm (5/32"), 6mm (1/4"), 9.5mm (3/8") (GZ-25205)

Price

\$15

\$17

HOLLOW & ARCH PUNCH SETS

For punching round holes in gasket material, leather, rubber, canvas, cardboard, plastic & other soft material.

HOLLOW PUNCH SET • 6 piece set including 5, 6, 8, 10, 11, 12mm (GZ-26391)

COLD CHISEL SET

• 6 pce • 125x6mm, 125x8mm,

140x10mm, 150x13mm,

163x16mm 175x19mm



ARCH PUNCH SET • 7 piece set: 6, 10, 12, 16,

19, 22, 25mm (GZ-26441)





STEEL PUNCHES Part No. Size NUMBER GZ-25902 3mm GZ-25903 4mm **STAMPS** GZ-25904 5mm



LETTER 🔬	Part No.	Size	Price
STAMPS	GZ-26102	3mm	\$44
0000	GZ-26103	4mm	\$46
	GZ-26104	5mm	\$62
O O O	GZ-26105	6mm	\$78
Solo I	GZ-26106	8mm	\$110
SOO	GZ-26107	10mm	\$130
	GZ-26108	12mm	\$240

(GZ-32830)



PARTS CABINETS

- Highest quality & heavy duty, robust parts cabinets designed for every day industrial use
- Metal frame construction using 0.8mm galvanised steel
- ABS High strength plastic drawers. Oil, acid and impact resistant.
- Large range of sizes and styles
- Drawers come with dividers & contents description slip

DIVIDERS

Packs of 10

Part No.	Description	Price
PB-A4DIVIDER	10x A4 Series Dividers	\$6.70
PB-A5DIVIDER	10x A5 Series Dividers	\$8
PB-A6DIVIDER	10x A6 Series Dividers	\$9.20
PB-A7DIVIDER	10x A7 Series Dividers	\$6.70
PB-A8DIVIDER	10x A8 Series Dividers	\$8
PB-HDDIVIDER	10x HD Series Dividers	\$9.20



A8 SERIES

• 60 drawers • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-A8560)



ST1 SERIES

A6 SERIES

divider supplied per drawer

70

69

289

PB-A5336 **36 DRAWERS**

586W x290D x 937H

\$7()()

• 75 drawer • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-ST1575)



• 10kg capacity per drawer • Slots for 3x dividers • 1x

ST2 SERIES

• 60 drawer • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-ST2460)



A7 SERIES

• Transparent PS plastic window • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer



A5 SERIES

• Large capacity • Transparent PS plastic window • 10kg capacity per drawer • Slots for 5x dividers • 1x divider supplied per drawer

163





FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST



LOCAL DISTRIBUTOR

Products imported and distributed nationally by Industrial Tool & Machinery Sales. Advertised prices include GST. Freight charges may apply on some products to some areas. Prices and specifications subject to change without notice. OFFER VALID TO 30TH SEPTEMBER 2022