

The background of the entire page is a close-up photograph of various welding tools. In the foreground, a green and black welding torch is prominent. Behind it, there are several wire brushes with metal bristles, and other tools like pliers and wrenches are visible in the background. The image is partially obscured by a green triangle in the top left and a dark blue triangle in the bottom left.

TRANSLAS
DUTCH WELDING TECHNOLOGY



On-Gun Welding Fume Extraction

CONTROL WELDING FUME AT THE SOURCE

On-gun fume extraction is too heavy, too bulky, and impacts the shielding gas...
Not anymore.

On-gun fume extraction is one of the safest and most effective methods of controlling welding fume and is heavily used and relied upon in Europe and North America. However, for the reasons above, on-gun extraction has not been adopted in Australia or New Zealand.

AWS has teamed up with Translas, Dutch on-gun fume extraction specialist, to launch an industry first: a range of lightweight, manoeuvrable, and ergonomic extraction guns that deliver the highest capture rate on the market (up to 98%), while leaving the shielding gas completely unaffected.

No other welding fume control solution captures welding fume at the source, removes it from the environment, and most importantly, follows the welder as they move. Experience Translas fume extraction technology today.

UP TO **98% CAPTURE RATE**
AND **100% DUTY CYCLE**

**REMOVES FUME AND
FOLLOWS THE WELDER**

UNLIKE OTHER FORMS OF LEV





Welding Fume Is Serious. Action Is Required.

The important point to understand is that while the risk posed by welding fume is serious, keeping yourself safe can be straightforward.

The 2017 IARC reclassification of welding fume as ‘carcinogenic to humans’ simply confirmed what was already known – welding fume is extremely bad for health and workplaces must protect their workers. Excessive exposure to welding fume can cause multiple types of cancer, including lung, larynx, and urinary tract.

‘Welders present, on average, a 43% increased risk of lung cancer when compared with those who have never welded or been exposed to welding fume’¹. ‘This increased risk of lung cancer is regardless of the type of steel welded, the welding process and independent of exposure to smoking’¹. Precedent for workers’ compensation based on a link between welding fume and cancer was established in the Australian courts back in 2014, opening the door for future compensation claims.

Aside from cancer, welding fume can also cause serious long-term health effects like lung function

Simple Takeaway

**Welding fume is serious,
action is required.**

abnormalities, including bronchial asthma, chronic obstructive pulmonary disease (COPD), pneumoconiosis and other pulmonary fibrosis, as well as stomach ulcers, kidney damage and nervous system damage.

Recognising welding fume as carcinogenic and the other associated health risks should encourage all employers of welders to review their risk assessments and revise their control measures.

Welding fume is serious, action is required.

The safest and most effective method.



Extraction at the source is the safest and most effective solution to control welding fume in the work environment. Translas on-gun fume extraction captures harmful welding fumes and individual particulates as soon as they are generated, keeping the welder protected and the work environment fume free.

Up to 98% capture rate and 100% duty cycle.



Translas leads the industry with a fume capture rate up to 98%. However, like the eye of a storm, the cyclonic extraction effect leaves the shielding gas completely unaffected. The Translas range of fume guns are built tough and offer a 100% duty cycle.

Super lightweight & ergonomic fume gun.



On-gun fume extraction can no longer be considered too heavy and cumbersome, as Translas fume guns are the same weight or lighter than most standard welding guns. Moreover, the small ergonomic handle makes it one of the most comfortable guns to work with for any welder.

Low maintenance with self-cleaning.



The extraction system has an automatic cleaning function. The moment the pressure in the filter is too high, the units begin to automatically clean the filters. A variable frequency drive motor ensures extraction flow rates are always maintained at a precise level, making this powerful solution suitable for high production welding environments.

A potential option for confined spaces.



On-gun fume extraction captures welding fume before it can be released into the environment or build up around the welder, making Translas a potential option for confined spaces*. Due to the powerful variable frequency motor, the extraction unit can be positioned over 20 metres away from the welder and still deliver the same industry leading capture rate of up to 98%.

* Confined spaces can be deadly and decisions on how to handle a specific confined space must be assessed on the spot and always comes down to the specifics of the individual situation. There should be a suitably trained and knowledgeable person doing the assessment and design of a safe system for any confined space entry.



1. SELECT YOUR ON-GUN EXTRACTION PACKAGE



TRANSLAS 8XE 250 MINI MIG EXTRACTION SYSTEMS

Translas 250 On-Gun Fume Extraction System
ONE PERSON/ONE GUN

Part Number
TR250S

TRANSLAS
DUTCH WELDING TECHNOLOGY

NEW

SELECT FOR WELDING BELOW 250 AMPS



AIR COOLED



[Learn more](#)

- ✓ 250 amp air cooled on-gun fume extraction system
- ✓ Up to 98% capture rate leaves shielding gas unaffected
- ✓ Ergonomic and super lightweight welding gun
- ✓ Extraction system self cleans with auto start and stop
- ✓ 100% duty cycle with Euro connection
- ✓ Kit includes everything you need to get started with on-gun extraction

Translas 250 On-Gun Fume Extraction System
TWO PERSON/TWO GUN

Part Number
TR250D

TRANSLAS
DUTCH WELDING TECHNOLOGY

NEW

SELECT FOR WELDING BELOW 250 AMPS



AIR COOLED



[Learn more](#)

- ✓ Two person 250 amp air cooled on-gun fume extraction system
- ✓ Up to 98% capture rate leaves shielding gas unaffected
- ✓ Two ergonomic and super lightweight welding guns
- ✓ Extraction system self cleans with auto start and stop
- ✓ 100% duty cycle with Euro connection
- ✓ Kit includes everything you need to get started with on-gun extraction

1. SELECT YOUR ON-GUN EXTRACTION PACKAGE



TRANSLAS 8XE 400 MIG EXTRACTION SYSTEMS

Translas 400 On-Gun Fume Extraction System
ONE PERSON/ONE GUN

Part Number
TR400S

TRANSLAS
DUTCH WELDING TECHNOLOGY

NEW

SELECT FOR WELDING 250 - 400 AMPS

 **AIR COOLED**



[Learn more](#)

- ✓ 400 amp air cooled on-gun fume extraction system
- ✓ Up to 98% capture rate leaves shielding gas unaffected
- ✓ Ergonomic and super lightweight welding gun
- ✓ Extraction system self cleans with auto start and stop
- ✓ 100% duty cycle with Euro connection
- ✓ Kit includes everything you need to get started with on-gun extraction

Translas 400 On-Gun Fume Extraction System
TWO PERSON/TWO GUN

Part Number
TR400D

TRANSLAS
DUTCH WELDING TECHNOLOGY

NEW

SELECT FOR WELDING 250 - 400 AMPS

 **AIR COOLED**



[Learn more](#)

- ✓ Two person 400 amp air cooled on-gun fume extraction system
- ✓ Up to 98% capture rate leaves shielding gas unaffected
- ✓ Two ergonomic and super lightweight welding guns
- ✓ Extraction system self cleans with auto start and stop
- ✓ 100% duty cycle with Euro connection
- ✓ Kit includes everything you need to get started with on-gun extraction



TRANSLAS 8XE 500 MIG EXTRACTION SYSTEMS

Translas 500 On-Gun Fume Extraction System
ONE PERSON/ONE GUN

Part Number
TR500S

TRANSLAS
DUTCH WELDING TECHNOLOGY

NEW

SELECT FOR WELDING OVER 400 AMPS



WATER COOLED



[Learn more](#)

- ✓ 500 amp water cooled on-gun fume extraction system
- ✓ Up to 98% capture rate leaves shielding gas unaffected
- ✓ Ergonomic and super lightweight welding gun
- ✓ Extraction system self cleans with auto start and stop
- ✓ 100% duty cycle with Euro connection
- ✓ Kit includes everything you need to get started with on-gun extraction

Translas 500 On-Gun Fume Extraction System
TWO PERSON/TWO GUN

Part Number
TR500D

TRANSLAS
DUTCH WELDING TECHNOLOGY

NEW

SELECT FOR WELDING OVER 400 AMPS



WATER COOLED



[Learn more](#)

- ✓ Two person 500 amp water cooled on-gun fume extraction system
- ✓ Up to 98% capture rate leaves shielding gas unaffected
- ✓ Two ergonomic and super lightweight welding guns
- ✓ Extraction system self cleans with auto start and stop
- ✓ 100% duty cycle with Euro connection
- ✓ Kit includes everything you need to get started with on-gun extraction

2. SELECT YOUR CONSUMABLES

250 AMP GUN CONSUMABLE OPTIONS

| Item | Part Number | Description | Pack Qty |
|------|-------------|---|----------|
| A | TR3937000 | Nozzle conical 12mm | 5 |
| | TR3937001 | Nozzle conical 14mm tapered | 5 |
| B | TR3990091 | Contact tip - CuCrZr tri metal nickel plated - for 0.9 wire | 25 |
| | TR3990101 | Contact tip - CuCrZr tri metal nickel plated - for 1.0 wire | 25 |
| | TR3990121 | Contact tip - CuCrZr tri metal nickel plated - for 1.2 wire | 25 |
| C | TR39327110 | Tip adapter 250 | 10 |
| D | TR301545 | Plastic coated liner blue 4 metre - for 0.8 to 1.0 wire | 1 |
| | TR301555 | Plastic coated liner blue 5 metre - for 0.8 to 1.0 wire | 1 |
| | TR302545 | Plastic coated liner red 4 metre - for 0.8 to 1.2 wire | 1 |
| | TR302555 | Plastic coated liner red 5 metre - for 0.8 to 1.2 wire | 1 |
| | TR303645 | Plastic coated liner yellow 4 metre - for 1.2 to 1.6 wire | 1 |
| | TR303655 | Plastic coated liner yellow 5 metre - for 1.2 to 1.6 wire | 1 |

250 AMP GUN


A, B, C, & D are all required

A. Select nozzle size

B. Select contact tip based on wire size

C. Tip adapter required

D. Select a liner based on wire size



400 AMP GUN CONSUMABLE OPTIONS

| Item | Part Number | Description | Pack Qty |
|------|-------------|---|----------|
| A | TR3937041 | Nozzle conical 14mm tapered | 5 |
| | TR3937045 | Nozzle conical 17mm tapered | 5 |
| B | TR3990091 | Contact tip - CuCrZr tri metal nickel plated - for 0.9 wire | 25 |
| | TR3990101 | Contact tip - CuCrZr tri metal nickel plated - for 1.0 wire | 25 |
| | TR3990121 | Contact tip - CuCrZr tri metal nickel plated - for 1.2 wire | 25 |
| | TR3990161 | Contact tip - CuCrZr tri metal nickel plated - for 1.6 wire | 25 |
| C | TR39327310 | Tip adapter 400 | 10 |
| D | TR303794 | Plastic coated liner black 4 metre - for 0.9 to 1.2 wire | 1 |
| | TR303795 | Plastic coated liner black 5 metre - for 0.9 to 1.2 wire | 1 |
| | TR303764 | Plastic coated liner grey 4 metre - for 1.6 wire | 1 |
| | TR303765 | Plastic coated liner grey 5 metre - for 1.6 wire | 1 |

400 AMP GUN


A, B, C, & D are all required

A. Select nozzle size

B. Select contact tip based on wire size

C. Tip adapter required

D. Select a liner based on wire size



500 AMP GUN CONSUMABLE OPTIONS

| Item | Part Number | Description | Pack Qty |
|------|-------------|---|----------|
| A | TR3937041 | Nozzle conical 14mm tapered | 5 |
| | TR3937045 | Nozzle conical 17mm tapered | 5 |
| B | TR3990091 | Contact tip - CuCrZr tri metal nickel plated - for 0.9 wire | 25 |
| | TR3990101 | Contact tip - CuCrZr tri metal nickel plated - for 1.0 wire | 25 |
| | TR3990121 | Contact tip - CuCrZr tri metal nickel plated - for 1.2 wire | 25 |
| | TR3990161 | Contact tip - CuCrZr tri metal nickel plated - for 1.6 wire | 25 |
| C | TR39327210 | Tip adapter 500 | 10 |
| D | TR302545 | Plastic coated liner red 4 metre - for 0.8 to 1.2 wire | 1 |
| | TR302555 | Plastic coated liner red 5 metre - for 0.8 to 1.2 wire | 1 |
| | TR303645 | Plastic coated liner yellow 4 metre - for 1.2 to 1.6 wire | 1 |
| | TR303655 | Plastic coated liner yellow 5 metre - for 1.2 to 1.6 wire | 1 |

500 AMP GUN


A, B, C, & D are all required

A. Select nozzle size

B. Select contact tip based on wire size

C. Tip adapter required

D. Select a liner based on wire size



AIR QUALITY IN YOUR WORKSHOP

When you consider a welding fume particle that is 0.5 µm in size can take 2 days to reach the floor when released from a height of 1.5 metres, you begin to understand how long these carcinogenic particles can remain suspended in the air. This is vital to consider when sharing a work environment with welders, as the air could contain respiratory hazards long after welding has been completed.

On-gun fume extraction can assist in reducing exposure to welding fume and other airborne contaminants, not only for the welder, but also for those who work near welding operations. This is the key difference between on-gun fume extraction and Personal Protective Equipment (PPE) used by the welder. PPE can only protect the welder, while on-gun fume extraction can protect the welder and stop the spread of fume throughout the workplace protecting all workers from welding fume exposure.

For this reason, on-gun fume extraction can be the most economical method to protect all workers from welding fume exposure in shared working environments.



UP TO 98% CAPTURE RATE & 100% DUTY CYCLE

**REMOVES FUME AND FOLLOWS THE WELDER
UNLIKE OTHER FORMS OF LEV**



TECHNICAL SPECIFICATIONS



| Specification | Translas 8XE 250 Amp On-Gun Fume Extraction System | Translas 8XE 250 Amp On-Gun Fume Extraction Double System | Translas 8XE 400 Amp On-Gun Fume Extraction System |
|---------------------------|--|--|--|
| Part Number | TR250S | TR250D | TR400S |
| Number of Users | 1 | 2 | 1 |
| Recommended Amps | 250 Amps and below | 250 Amps and below | 250 - 400 Amps |
| Air/Water Cooled | Air Cooled | Air Cooled | Air Cooled |
| CO ² | 280 Amp | 280 Amp | 420 Amp |
| Mixed Gases | 250 Amp | 250 Amp | 400 Amp |
| Duty Cycle | 100% | 100% | 100% |
| Fume Capture Rate | Up to 98% | Up to 98% | Up to 98% |
| Gun Rotation | 360° Swivel | 360° Swivel | 360° Swivel |
| Automatic Start/Stop | Yes | Yes | Yes |
| Auto Filter Cleaning | Yes | Yes | Yes |
| Dimensions | (L x B x H) 700 x 440 x 585 / 630mm (without / with wheels) | (L x W x H) 700 x 530 x 560 / 630mm (without / with wheels) | (L x B x H) 700 x 440 x 585 / 630mm (without / with wheels) |
| Implementation | Mobile on 4 wheels - 2 rotating with locks | Mobile on 4 wheels - 2 rotating with locks | Mobile on 4 wheels - 2 rotating with locks |
| Power Supply | 380-480V (3 Phase) | 380-480V (3 Phase) | 380-480V (3 Phase) |
| Motor Power | 1.5 KW | Maximum 3.0 KW | 1.5 KW |
| Suction Flow (Torch) | Target: 33 CFM / Max: 38 CFM | Target: 33 CFM / Max: 38 CFM | Target: 33 CFM / Max: 38 CFM |
| Filter Surface | 5m ² Active filter surface, filter efficiency: IFA >99.8% | 5m ² Active filter surface, filter efficiency: IFA >99.8% | 5m ² Active filter surface, filter efficiency: IFA >99.8% |
| Working Temperature | 0 to +50°C | 0 to +50°C | 0 to +50°C |
| Weight | 45kg | 58kg | 45kg |
| Noise Level | Max. dB(A) <65dB(A) (at 100% suction flow) | Max. dB(A) <65dB(A) (at 100% suction flow) | Max. dB(A) <65dB(A) (at 100% suction flow) |
| Certifications | CE (European), W3 (Germany), and CSA (North America) | CE (European), W3 (Germany), and CSA (North America) | CE (European), W3 (Germany), and CSA (North America) |
| Compressed Air (Cleaning) | 80 PSI (5.5 Bar), Dry/Clean Air, 20 CFM, Standard Size Airline | 80 PSI (5.5 Bar), Dry/Clean Air, 20 CFM, Standard Size Airline | 80 PSI (5.5 Bar), Dry/Clean Air, 20 CFM, Standard Size Airline |

Kits include everything you need to get started with on-gun fume extraction: fume gun(s), extraction unit, hose(s), sensing cable(s), compressed air valve, airflow metre, filters, consumables (tip, tip adapter, nozzle, liner).



| Translas 8XE 400 Amp On-Gun Fume Extraction Double System | Translas 8XE 500 Amp On-Gun Fume Extraction System | Translas 8XE 500 Amp On-Gun Fume Extraction Double System |
|--|--|--|
| TR400D | TR500S | TR500D |
| 2 | 1 | 2 |
| 250 - 400 Amps | Over 400 Amps | Over 400 Amps |
| Air Cooled | Water Cooled | Water Cooled |
| 420 Amp | 550 Amp | 550 Amp |
| 400 Amp | 500 Amp | 500 Amp |
| 100% | 100% | 100% |
| Up to 98% | Up to 98% | Up to 98% |
| 360° Swivel | 360° Swivel | 360° Swivel |
| Yes | Yes | Yes |
| Yes | Yes | Yes |
| (L x W x H) 700 x 530 x 560 / 630mm (without / with wheels) | (L x B x H) 700 x 440 x 585 / 630mm (without / with wheels) | (L x W x H) 700 x 530 x 560 / 630mm (without / with wheels) |
| Mobile on 4 wheels - 2 rotating with locks | Mobile on 4 wheels - 2 rotating with locks | Mobile on 4 wheels - 2 rotating with locks |
| 380-480V (3 Phase) | 380-480V (3 Phase) | 380-480V (3 Phase) |
| Maximum 3.0 KW | 1.5 KW | Maximum 3.0 KW |
| Target: 33 CFM / Max: 38 CFM | Target: 33 CFM / Max: 38 CFM | Target: 33 CFM / Max: 38 CFM |
| 5m ² Active filter surface, filter efficiency: IFA >99.8% | 5m ² Active filter surface, filter efficiency: IFA >99.8% | 5m ² Active filter surface, filter efficiency: IFA >99.8% |
| 0 to +50°C | 0 to +50°C | 0 to +50°C |
| 58kg | 45kg | 58kg |
| Max. dB(A) <65dB(A) (at 100% suction flow) | Max. dB(A) <65dB(A) (at 100% suction flow) | Max. dB(A) <65dB(A) (at 100% suction flow) |
| CE (European), W3 (Germany), and CSA (North America) | CE (European), W3 (Germany), and CSA (North America) | CE (European), W3 (Germany), and CSA (North America) |
| 80 PSI (5.5 Bar), Dry/Clean Air, 20 CFM, Standard Size Airline | 80 PSI (5.5 Bar), Dry/Clean Air, 20 CFM, Standard Size Airline | 80 PSI (5.5 Bar), Dry/Clean Air, 20 CFM, Standard Size Airline |

ON-GUN FUME EXTRACTION





AWS was established in 1994 and has played a key role in the welding industry ever since.

As a company that specialises in welding fume safety equipment, it is our goal to raise awareness on the important issues that welders face.

AWS is the sole agent and exclusive wholesaler for the 3M™ Speedglas™ Welding Safety Brand, 3M™ Adflo™ Powered Air Purifying Respirators, the range of Nederman Portable LEV FPS Fume Extractors, and the Translas On-Gun Fume Extraction Range in Australia and New Zealand (ANZ).

For more information on welding PPE, welding fume monitoring, or welding fume extraction options, please contact AWS.

www.awsi.com.au

Australian Welding Supplies Pty Ltd
T: (02) 9439 0111
E: sales@awsi.com.au

© Australian Welding Supplies Pty Ltd 2022 All rights reserved

References
1. 2019 Honaryar MK, Lunn RM, Luce D, et al. Occup Environ Med



► BY WELDERS. FOR WELDERS

Based in the Netherlands, Translas was founded by welders, for welders, with a passion for innovation and new technologies and have been manufacturing welding guns since 1960.

Translas continually strives to engineer industry leading and innovative products that boast distinctive design, quality, and functionality.